

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/





Bot Gard

Ze 6,2



HARVARD UNIVERSITY

LIBRARY

OF THE

GRAY HERBARIUM

Received 30 April, 1906 Bound 30 April, 1919



,

-mx -, 50%

の本の茶の茶の茶の茶の茶の茶の茶の茶の茶の茶の茶

Verzeichniss

der Gewæchse

in

dem Grossherzoglichen Garten

zu

SCHWETZINGEN.

1819.

の本の本の本の本の本の本の本の本の本の本の本の本の

Solomina and Medical mosts, and Minumber OR, A. E. FOOTE.

Bot. Gard. ZHARVARD UNIVERSITY HERBARIUM.

Bought

Verzeichniss

der Gewæchse

in

dem Grossherzoglichen Garten

zu

SCHWETZINGEN.



Herausgegeben

von dem Garten-Director ZEYHER.

MANNHEIM

In der Schwan - und Gætzischen Buchhandlung

1819.

Enay Herbanium.

Vorbericht.

Seit der lezten Ausgabe des Verzeichnisses, der in dem Grossherzoglichen Garten zu Schwezingen kultivirten Gewächse, hat sich die Anzahl derselben so bedeutend vermehrt, dass ich mich genöthigt sehe, ein neues Verzeichniss dem Drucke zu übergeben.

Als mir die Leitung der Kultur dieses Gartens übertragen wurde, war dieser weit davon entfernt, mit der schäzbaren, längst gewürdigten Mannigfaltigkeit der Anlagen im Ganzen auch jene der tausendfältigen Pflanzenformen zu verbinden, wodurch seit einem halben Jahr-

. A 2 Google

hundert fortschreitend in Lust - und wissenschaftlichen botanischen Gärten, bey Betrachtung des Einzelnen das Auge ergötzt, überrascht wird.

Die Forstbotanik allein enthielt schäzbares. der ganze Garten bey weitem nicht tausend Pflanzen - Arten. Es scheint, als wenn entbehrte Unterstüzung des entfernten Hofes seit 1778, früher, und nachher die politischen Stürme, nachtheilig in lezterer Hinsicht gewürkt haben. Da jedoch der Garten in seinem ausgedehnten Raume, in der Verschiedenheit des Bodens, so wie in den vorhandenen bedeutenden Glas - und Treibhäusern nebst andern, der verschiedenartigsten Pflanzen-Kultur günstigen Umständen zu viel anlokendes enthielt, als dass der neue Landesherr, höchstseligen Andenkens, bey spezieller Sachkenntniss, das mangelnde nicht bemerken sollte; so wurde schon im Jahre 1804 der gnädigste Befehl ertheilt, für das damals hier bestandene, von Drais'sche Forst-Institut einen forst-botanischen Garten anzulegen, und alle holzartigen Gewächse, welche nur immer zu erhalten seyn würden, in demselben anzupflanzen.

Die auf solche Weise neu hinzugekommenen, zum Theile sebr seltenen, Holzarten wurden mit groser Thätigkeit vermehrt, und damit ein Tauschhandel angefangen, zu dessen Behufe ich im Jahre 1806 ein Verzeichniss herausgab. Die Mannigfältigkeit meiner Berufsgeschäfte, die mich oft und lange von den hie-

sigen Anlagen entfernt hielten, waren inzwischen schuld, dass jenes Verzeichniss vor dem Abdruke nicht einer kritischen Untersuchung und Berichtigung unterworfen werden konnte, wodurch sowohl in dieses, als auch, bey Fortdauer der Hindernisse, in das, der später erschienenen Beschreibung des Schwezinger Gartens, angehängte Verzeichniss, wesentliche Fehler einschlichen.

Fortgesezter Tausch, und eine mit etwas mehr Muse vorgenommene Prüfung des vorhandenen, sezten mich in den Stand, das gegenwärtige auf 9500 Arten und Abarten vermehrte genauere Verzeichniss der hier kultivirten Gewächse dem Druke zu übergeben.

Wer das schwierige und umfassende, der, mit der Leitung eines solchen Gartens, verbundenen Arbeiten kennt, wird auch jezt eine billige Nachsicht beym Aussinden mehrerer Unrichtigkeiten in den Bestimmungen nicht versagen, da viel ältere Gärten in dieser Hinsicht kaum besser daran sind.

In der ungemein grosen Anzahl der jezt in botanischen Gärten kultivirten Gewächse, befinden sich nur zu viele, die entweder noch gar nicht, oder doch so dürftig beschrieben sind, dass der fleissigste, der aufmerksamste Forscher für die Berichtigung unübersteigliche Hindernisse findet, und nur dann können in dieser Hinsicht strengere Foderungen gemacht werden, wenn die Zahlreichen Monographieen verdienstvoller Botaniker, die schwer zu erhaltenden, kostbaren Werke Brown's, Smith's, Masson's, Haworth's u. a. ungerechnet, des scharfsichtigen Autopten, Decandolle's, alles bekannte umfassende, Systema naturale regni vegetabilis, nebst Schultes und Römer's Systema Vegetabilium vollendet seyn werden.

Um den Druck zu befordern, sind, statt der gewöhnlichen Zeichen der Dauer der Pflanzen, die man erst hätte in groser Anzahl anschaffen müssen, Lettern gewählt, und bedeutet demnach:

A einjährig,

B zweyjahrig,

C ausdauernd,

D Strauch oder Baum.

Die Namens-Abkürzungen der Authoren sind den geübten Botanikern bekannt; ihre Erklärung aber gewährt dem Nicht-Botaniker kein Interesse, würde auch das Werkchen zwecklos erweitert haben: leztere Rücksicht fand ich jedoch unzulässig in Betreff der Synonymen, weil ihre Hinweglassung bey dem Ankaufe oder Tausche abschrekenden Geldverlust, und ärgerliche Täuschung zur Folge haben könnte; desswegen sind, so weit meine bibliothekarischen Hülfsmittel und Erfahrungen zuliesen, die Synonyme der bekanntesten Authoren beygesezt, aber mit Recht stehen, wo es thunlich war, des grossen Linné Benennun-

gen voran. Da der Garten alle Pflanzen der Umgegend, so weit solche kultivirt werden können, enthält, so sind dieselben mit einem * bezeichnet, damit das Verzeichniss auch einen Ueberblick der Flora palatina gewährt, und der Forstmann findet darinn alles, was diese Gegend für sein Fach freywillig erzeugt, worunter Seltenheiten, wie Acer monspessulanum, Prunus chamaecerassus u. a. gehören.

Während dem ich mit Abfassung des Verzeichnisses beschäftigt war, nährte ich den Gedanken, demselben Bemerkungen über Mischung der Erdarten, die Vermehrungsweise, und manche Vortheile bey Behandlung der Gewächse, als Bedingung einer dankbaren Vegetation, voranzusezen; allein ich sahe sehr bald ein, dass ich hiedurch die Gränzen dieses Werkchens bey weitem überschreiten würde: doch verspare ich die Ausführung dieses Gegenstandes auf eine andere Gelegenheit, und wenn ich ja hieran schlechterdings gehindert werden sollte, so sey wenigstens hier der Wunsch niedergelegt, dass irgend ein, solchem Berufe gewachsener Gärtner, der Muse dazu hat, diesem dringenden Bedürfnisse abhelfen möge, indem. auch die neuern, selbst voluminösen Werke; das vollständige Lexicon der Gärtnerey und Botanik, nicht ausgeschlossen, über die zweckmässige und richtige Behandlung so vieler, insbesondere der seltensten Gewächse nicht nur nicht befriedigen, sondern sogar, leyder! ein entgegengeseztes Verfahren lehren, wodurch so oft unersezlicher Verlust bewürket wird.

Zum Schlusse danke ich allen Freunden, welche zu Vermehrung meiner Pflanzen so thätig und wesentlich beygetragen haben, auf das verbindlichste, und knüpfe daran die Versicherung, dass ich stets mich bemühen werde, durch pünktliche Erledigung ihrer Wünsche, ihre dauernde Zufriedenheit zu verdienen.

Schwezingen im September 1818,

A.

Abroma augusta Pers. D	Acacia latisiliqua W. D
fastuosum Jacq.	Mimosa latisiliquaVent.
Theobroma augusta L.	- Lebbeck W. D
Abrus precatorius L. D	Mimosa Lebbeck L.
Glycine Abrus. Forsk.	- leucocephala L. D
Acacia acanthocarpa W.D	
	Mim. leucocephala Pers. — linifolia W. D
Mimosa acanthocarpa	
Pers.	Mimosa linifolia Andr.
alata Brown,armata Brown,D	— longifolia W. →D
	Mimosa longifoliaAndr.
	- Lophanta W. D
Mimosa caracas. Jacq.	Mimosa disticha Vent.
- ceratonica. W. Hort. D	 — elegans Andr. — Lophanta Pers.
Mimosa ceratonica L.	- Lophanta Pers.
- cornigera W. D	— β. compacta, an
Mimosa cornigera. Jacq.	Spec. nova?
- decipiens Brown. D	- pennata W. D
Adiantum truncatum ${f L}$.	Mimosa pennata Pers.
Suppl.	- portoricensis W. D
- diptera Humb. D	Mim. portoricensis Pers.
- dodoneifolia Dec. hort.	pulchella Brown. D
Monspel. D	- quadrangularis H: Gels.
Mim. dodoneifolia Pers.	- speciosa W. D
- floribunda W. D	Mimosa speciosa Pers.
Mimbsa floribunda Vent.	- stricta W. D
- falcata W. D	Mimosa stricta Pers.
- falcata W. D - farnesiana W. D	- srombulifera. D
Mimosa farnesiana L.	Mim. strombulifera L.
- glandulosa W. D	- verticillata W. D
Mim. glandulosa Vent.	Mim. verticillata Pers.
- » glauca W. D	- undulata W. En. D
)	Acana adscendens Vahl.
Mimosa julibrisin Pers	comican II Windsh C
— arborea Hortul.	- sericea H. Vindob. C
_ juniperi. W. D	Acalypha alopecuroides.
arimaca iiininerina Vent.	vv. A

Acalypha carolinianaMi.A	Acer pseudo-platanus fol.
- cordata Thunb. A	variegatis
- cuspidata Jacq. D	- pensylvanicum W. D
- diversifolia Pers. D	striatum Duroi.
- hispida W. A	canadense Marshall.
— indica L. A	- rubrum L. D
— pauciflora Horn. A	
- rubra W. A	- β pallidum - γ coccineum
	= saccharinum L. D
,	
	- oproudant is
- virginica L. A	montanum W.
- virgata L. D	pensylvanicum Duroi.
Acanthus carduifolius L. C.	parviflorum Ehrh.
mollis L. C	- tataricum. L D
- spinosus L. C	Achania Malvaviscus W. D
Acarna cancellata W. A	Hibiscus Malvaviscus. L.
Atractylis cancellata L.	— mollis Ait. D
Circellium cancellatum	— pilosa Ait. D
Lam.	Achillea aegyptiaca L. C
*Acer campestre L. D	- ageratum L. C
— — fol. variegatis	viscosa Lam.
ereticum L. D dasycarpon W. En.	— alpina L. C
dasycarpon W. En.	- argentea Lam. C
D .	Tanacetum argenteumW.
eriocarpon Mich.	- asplenifolia Vent. C
tomentosum H. Paris.	rosea H. Paris.
<u>heterophyllum</u> W. D	(<u>atrata</u> L.) C
sempervirens. L. Mant.	-aurea Lam. C
*_ monspessulanum L. D	- chamomillaefoliaDec. C
trifolium Duh.	_ Iclavennæ Jacq. • C
trilobatum Lam.	— compacta W. C
_ Negundo L. D	- coronopifolia W. C
- opalus Lam. D	- crithmifolia Kit. C
rotundifolium H. Paris.	- cristata W. C
rotundifolium H. Paris. — opulifolium Vill. D	_ decumbens. Lam. C
montanum. C. Bauh.	_ decolorans Schrad. C
* _ platanoides L. D	fragilis Hortul.
	distans Kit. C
- α laciniatum crispum Lam.	magna All.
- platanoides & fol. varie-	compacta Lam
	- Dracunculus H.Paris. C
gatis.	= Eupatorium M. B. C
*- pseudo-platanus L.	- Lupatorium m. D.

•	
Achillea filipendulina I	L. Achillea B. fl. pleno.
Tanacetum angulatur	m — santolina Hortul. C
W	V. anthemoides W.
	C - schnuberii Spr. C
	C — schkuhrii Spr. C
Pyrethrum ptarmicæfo	o setacea Kit. C
lium W	
- helvetica Schl. W.	— tanacetifolia All. C
valesiaca Suter	— tenuifolia W. C
Haller N ^{ro} 100.	<u>thomasiana Hall. fil.</u> C
- heterophylla H. Vin	
	C Achras Sapota W. C
	C Achyranthes argentea W.
	C C
	C sicula Roth.
	C aspera et sicula L.
- longifolia H. Vindob.	— aspera W. D
	C <i>indica</i> Roth. C <i>obtusifolia</i> Lam.
The state of the s	
- TV	
pectinata Lam.	Brown. C — lannacea L. D
	- inpresent and
- flore-rubro.	atropurpurea Lam. C — patula L. A
	C — prostrata L. A C — virgata Hortul. D
Genipi Murr.	Celosia virgata Jacq. Aconitum album Ait. C
livia Scop.	Aconitum album Ait. C. orientale Mill. dict.
- myriophylla W. abrotantfoha Hortul	* angustifolium Bernh.
*— nobilis L.	C C
	C — Anthora L. C
lanata Lam.	ochroleucum Salish.
- ochroleuca Kit	
pectinata W.	hebegynum Dec.
- odorata W.	— exaltatum Bernh. C
- palmata W.	
– paradoxa Bernh.	The state of the s
- pauciflore Lam. C	
- pubescens. W.	
*_ Ptarmica L. C	1 -

Aconitum Lycoctonum L. C toxicarium Salisb. — \$\beta\$. glabriflorum Dec. — \$\gamma\$. laxiflorum Dec. — \$\dagger\$. altissimum Dec. *— yernalis L.	
toxicarium Salisb. — β. glabriflorum Dec. — γ. laxiflorum Dec. *— flammea Jacq.	
 — β. glabriflorum Dec. — γ. laxiflorum Dec. * — flammea Jacq. 	A
γ. laxiflorum Dec. *_ flammea Jacq.	•
A alticeimum Dec * vonnalie I	A
	C
* _ Napellus Koch et Schl. Apennina Jacq.	-
C Adelia acidoton Pers.	D
	Ď
	Ď
camarum &. L. — Ricinella L.	ď
neomontanum Kælle ovata Pers.	
tauricum W. et Hoppe. Adiantum Capillus-ven	er is
pubescens Mœnch. L.	C
- ochroleucum W. C - pedatum L.	C
- praecox Koch. C - reniforme L.	C
- rostratum Bernh. C *Adoxa moschatellina	L.C
cammarum y. L. Aegilops cylindrica W	. А
alpinum Mill. dict ovata L.	Λ
cammarum Lam. — squarrosa L.	A
luridum Salish. — triuncialis L.	A
- septentrionale Koelle. C Acgiphilo martinicensi	sP.
- squarrosum Dec. C	D
pyrenaicum L. Aeschinomene americ	ana
sibiricum Poir. W.	Λ
	Ā
*_ strictum Bernh. C aspera W tanricum Wulf. C pumila L.	Ā
Cammarum a. L. — Sesban L.	A.
Cummurum W. D. — Sesban D.	
- tortuosum W En. E Sesbania aegyptiaca	w.
- tortuosum W En. C Sesbania aegyptiaca - variegatum L. C Coronilla Sesban W.	W. En.
 tortuosum W En. variegatum L. humile Salish. Sesbania aegyptiaca Coronilla Sesban W. Aesculus carnea. Spec. 	W. En. no-
 tortuosum W En. variegatum L. humile Salish. volubile Koelle. C Sesbania aegyptiaca Coronilla Sesban W. Aesculus carnea. Spec. va. D 	W. En. no- *)
 tortuosum W En. variegatum L. humile Salish. volubile Koelle. eriostemum Dec. Sesbania aegyptiaca Coronilla Sesban W. Aesculus carnea. Spec. va. bippocastanum L. 	W. En. no-
 tortuosum W En. variegatum L. humile Salish. volubile Koelle. eriostemum Dec. Spec. nova Sesbania aegyptiaca Coronilla Sesban W. Aesculus carnea. Spec. va. bippocastanum L. fol. variegatis. 	W. En. no- *)
 tortuosum W En. variegatum L. humile Salish. volubile Koelle. eriostemum Dec. Spec. nova Sesbania aegyptiaca Coronilla Sesban W. Aesculus carnea. Spec. va. bippocastanum L. fol. variegatis. 	W. En. no- *)
 tortuosum W En. variegatum L. humile Salish. volubile Koelle. eriostemum Dec. Spec. nova *Acorus Calamus L. Sesbania aegyptiaca Coronilla Sesban W. Accorulus carnea. Spec. va. bippocastanum L. - hippocastanum L. - poli. variegatis. - hybrida H. Paris 	W. En. no- *)
 tortuosum W En. variegatum L. humile Salish. volubile Koelle. Spec. nova *Acorus Calamus L. gramineus W. Sesbania aegyptiaca Coronilla Sesban W. Accorulus carnea. Spec. va. hippocastanum L. hippocastanum L. hybrida H. Paris lutea Wangenh. 	W. En. no- *) D
 tortuosum W En. variegatum L. humile Salish. volubile Koelle. Spec. nova *Acorus Calamus L. gramineus W. Acrostichum MarantaeL. sesbania aegyptiaca Coronilla Sesban W. Aesculus carnea. ya. hippocastanum L. hippocastanum L. hybrida H. Paris lutea Wangenh. macrostachys Pers 	W. En. no- *) D
 tortuosum W En. C variegatum L. C humile Salish. volubile Koelle. C Friostemum Dec. Spec. nova *Acorus Calamus L. C gramineus W. C Acrostichum Marantae L. C septentrionale L. C Sesbania aegyptiaca Coronilla Sesban W. Accornilla Sesban W. Ac	W. En. no- *) D
 tortuosum W En. C variegatum L. C humile Salish. volubile Koelle. C Friostemum Dec. Spec. nova C *Acorus Calamus L. C gramineus W. C Acrostichum Marantae L. C septentrionale L. C Actaea brachypetala Dec. C Sesbania aegyptiaca Coronilla Sesban W. Accornilla Sesban W. Accornilla Sesban W.<td>W. En. no- *) D D</td>	W. En. no- *) D D
- tortuosum W En. C - variegatum L. C humile Salish yolubile Koelle. C - spec. nova C - spec. nova C - gramineus W. C - gramineus W. C - septentrionale L. C - Actaea brachypetalaDec. C - racemosa 7. rubra Ait. Sesbania aegyptiaca Coronilla Sesban W. Aesculus carnea. Spec. va. D - hippocastanum L hybrida H. Paris - lutea Wangenh macrostachys Pers * Aesculus. Caps	W. En. no- *) D D D ulis
- tortuosum W En. C - variegatum L. C humile Salish volubile Koelle. C eriostemum Dec Spec. nova C - fol. variegatis decoration of the second of th	W. En. no- *) D D D ulis atis
- tortuosum W En. C - variegatum L. C humile Salisb volubile Koelle. C eriostemum Dec Spec. nova C - spec. nova C - fol. variegatis gramineus W. C - gramineus W. C - septentrionale L. C - septentrionale L. C - Actaea brachypetalaDec. C racemosa Y. rubra Ait racemosa L. C - spicata L. C * Sesbania aegyptiaca Coronilla Sesban W. Aesculus carnea. Spec hippocastanum L hybrida H. Paris - lutea Wangenh macrostachys Pers - chinatis, fol. digit lucidis 5 — septe	W. En. no- D D D D D ulis atis nis.
- tortuosum W En. C - variegatum L. C humile Salish volubile Koelle. C eriostemum Dec Spec. nova C - fol. variegatis decoration of the second of th	W. En. no- D D D D D Ulis atis nis. iin-

 ${\sf Digitized\ by\ Google}$

Aesculus parviflora Wall.	Agave Yucoæfolia. W. En.
- Pavia L. D	suppl. D
Paria nubra Lam.	Ageratum album W. A
Aethusa Ammi Spr. A	hirtum Lam.
Sison Ammi L.	- conyzoides L. A.
*- Cynapium L. A	- latifolium W. A.
- Cynapioides. M. B. A	Agrimonia agrimonoides
- elata Friedl.	. L. G
Agapanthus umbellatusW.	* - Eupatoria L. G
\mathbf{c}_{\cdot}	- odorata Ait. C
Crinum africanum L.	- repens. L. G
- praecox W. En. C	*Agrostema coronaria L.C
Agathosma acuminata W.	- Cœli-rosa. L. A.
En. D	- Flos-jovis L. C
Bucco acuminata Wedl.	* — Githago L. A
Diosma acuminata L.	- Nicaensis All. A
- hispida Dietr. Lexic. D	- parvillora H. Paris.
Diosma hispida L.	*Agrostis alba Schrad. C
— capensis Murr.	polymorpha Huds.
- imbricata W. En. D	rivularis Brotero.
Bucco inbricata Wdl.	varia Host.
Diosma imbricata L.	* \beta. floribus pur-
- longifolia Hortul. D	puras-centibus
- longifolia Hortul. D	puras-centibus Agrostis coarctata Ehrh.
 longifolia Hortul. D Diosma longifolia H. P. obtusata Dietr. D 	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers.
 longifolia Hortul. D Diosma longifolia H. P. obtusata Dietr. D Bucco obtusata Wendl. 	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers.
 longifolia Hortul. D Diosma longifolia H. P. obtusata Dietr. D Bucco obtusata Wendl. purpurea Dietr. D 	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— 2. spiculis sem-
 longifolia Hortul. D Diosma longifolia H. P. obtusata Dietr. D Bucco obtusata Wendl. purpurea Dietr. D Diosma purpurea H. Cls. 	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— 2. spiculis semper muticis.
 longifolia Hortul. D Diosma longifolia H. P. obtusata Dietr. D Bucco obtusata Wendl. purpurea Dietr. D Diosma purpurea H. Cls. villosa Dietr. D 	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— — \(\gamma\) spiculis semper muticis. Agrostis sylvatica Host.
 longifolia Hortul. D Diosma longifolia H. P. obtusata Dietr. D Bucco obtusata Wendl. purpurea Dietr. D Diosma purpurea H. Cls. villosa Dietr. D Diosma villosa L. 	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— — \(\gamma\) spiculis semper muticis. Agrostis sylvatica Host. — alpina W. — G
 longifolia Hortul. D Diosma longifolia H. P. obtusata Dietr. D Bucco obtusata Wendl. purpurea Dietr. D Diosma purpurea H. Cls. villosa Dietr. D Diosma villosa L. Bucco villosa Wendl. 	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— — \(\gamma\). spiculis semper muticis. Agrostis sylvatica Host. — alpina W. — C rupestris All.
 longifolia Hortul. D Diosma longifolia H. P. obtusata Dietr. D Bucco obtusata Wendl. purpurea Dietr. D Diosma purpurea H. Cls. villosa Dietr. D Diosma villosa L. Bucco villosa Wendl. Agasylis caucasica Spr. C 	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— — \(\gamma\). spiculis semper muticis. Agrostis sylvatica Host. — alpina W. — C rupestris All. montana Kroker.
 longifolia Hortul. D Diosma longifolia H. P. obtusata Dietr. D Bucco obtusata Wendl. purpurea Dietr. D Diosma purpurea H. Cls. villosa Dietr. D Diosma villosa L. Bucco villosa Wendl. Agasylis caucasica Spr. C Cachrys latifolia M. B. 	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— — ?. spiculis semper muticis. Agrostis sylvatica Host. — alpina W. — C rupestris All. montana Kroker. Trichodium alpinum
 longifolia Hortul. D Diosma longifolia H. P. obtusata Dietr. D Bucco obtusata Wendl. purpurea Dietr. D Diosma purpurea H. Cls. villosa Dietr. D Diosma villosa L. Bucco villosa Wendl. Agasylis caucasica Spr. C Cachrys latifolia M. B. Galbanum Spr. D 	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— — \(\gamma\) spiculis semper muticis. Agrostis sylvatica Host. — alpina W. — Grupestris All. montana Kroker. Trichodium alpinum Schrad.
- longifolia Hortul. D Diosma longifolia H. P obtusata Dietr. D Bucco obtusata Wendl purpurea Dietr. D Diosma purpurea H. Cls villosa Dietr. D Diosma villosa L. Bucco villosa Wendl. Agasylis caucasica Spr. C Cachrys latifolia M. B Galbanum Spr. D Bubon Galbanum L.	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— — \(\gamma\) spiculis semper muticis. Agrostis sylvatica Host. — alpina W. — Grupestris All. montana Kroker. Trichodium alpinum Schrad. *— arundinacea L. G
- longifolia Hortul. D Diosma longifolia H. P obtusata Dietr. D Bucco obtusata Wendl purpurea Dietr. D Diosma purpurea H. Cls villosa Dietr. D Diosma villosa L. Bucco villosa Wendl. Agasylis caucasica Spr. C Cachrys latifolia M. B Galbanum Spr. D Bubon Galbanum L. Agave americana L. D	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— — ?. spiculis semper muticis. Agrostis sylvatica Host. — alpina W. — C rupestris All. montana Kroker. Trichodium alpinum Schrad. *— arundinacea L. — C Arunda sylvatica Schrad.
- longifolia Hortul. D Diosma longifolia H. P obtusata Dietr. D Bucco obtusata Wendl purpurea Dietr. D Diosma purpurea H. Cls villosa Dietr. D Diosma villosa L. Bucco villosa Wendl. Agasylis caucasica Spr. C Cachrys latifolia M. B Galbanum Spr. D Bubon Galbanum L. Agave americana L. D - fol variegatis.	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— — \(\gamma\). spiculis semper muticis. Agrostis sylvatica Host. — alpina W. — C rupestris All. montana Kroker. Trichodium alpinum Schrad. *— arundinacea L. — C Arunda sylvatica Schrad. Calamagrostis arundi—
- longifolia Hortul. D Diosma longifolia H. P obtusata Dietr. D Bucco obtusata Wendl purpurea Dietr. D Diosma purpurea H. Cls villosa Dietr. D Diosma villosa L. Bucco villosa Wendl. Agasylis caucasica Spr. C Cachrys latifolia M. B Galbanum Spr. D Bubon Galbanum L. Agave americana L. D - fol variegatis foetida L. D	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— — \(\gamma\). spiculis semper muticis. Agrostis sylvatica Host. — alpina W. — Grupestris All. montana Kroker. Trichodium alpinum Schrad. *— arundinacea L. G Arunda sylvatica Schrad. Calamagrostis arundinacea Roth.
- longifolia Hortul. D Diosma longifolia H. P obtusata Dietr. D Bucco obtusata Wendl purpurea Dietr. D Diosma purpurea H. Cls villosa Dietr. D Diosma villosa L. Bucco villosa Wendl. Agasylis caucasica Spr. C Cachrys latifolia M. B Galbanum Spr. D Bubon Galbanum L. Agave americana L. D - fol variegatis foetida L. D Fourcroya gigantea	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— — \(\gamma\). spiculis semper muticis. Agrostis sylvatica Host. — alpina W. — Grupestris All. montana Kroker. Trichodium alpinum Schrad. *— arundinacea L. G Arunda sylvatica Schrad. Calamagrostis arundinacea Roth.
- longifolia Hortul. D Diosma longifolia H. P obtusata Dietr. D Bucco obtusata Wendl purpurea Dietr. D Diosma purpurea H. Cls villosa Dietr. D Diosma villosa L. Bucco villosa Wendl. Agasylis caucasica Spr. C Cachrys latifolia M. B Galbanum Spr. D Bubon Galbanum L. Agave americana L. D - fol variegatis foetida L. D Fourcroya gigantea Vent.	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— — \(\gamma\). spiculis semper muticis. Agrostis sylvatica Host. — alpina W. Grupestris All. montana Kroker. Trichodium alpinum Schrad. *— arundinacea L. G Arunda sylvatica Schrad. Calamagrostis arundinacea Roth. — pyramidalis Host. *— cana L. C
- longifolia Hortul. D Diosma longifolia H. P obtusata Dietr. D Bucco obtusata Wendl purpurea Dietr. D Diosma purpurea H. Cls villosa Dietr. D Diosma villosa L. Bucco villosa Wendl. Agasylis caucasica Spr. C Cachrys latifolia M. B Galbanum Spr. D Bubon Galbanum L. Agave americana L. D - fol variegatis foetida L. D Fourcroya gigantea	puras-centibus Agrostis coarctata Ehrh. — capillaris Leers. — hispida W. *— — \(\gamma\). spiculis semper muticis. Agrostis sylvatica Host. — alpina W. — Grupestris All. montana Kroker. Trichodium alpinum Schrad. *— arundinacea L. G Arunda sylvatica Schrad. Calamagrostis arundinacea Roth.

Agrostis Leersü Gmel. Syst. pallida Hoffm. Trichodium caninum Schrad. — Cinna Lam. C Cinna arundinacea L. — decumbens Host. C procumbens Sch. et Ræm.	*Agrostis pumilaL.Mant. C. vulgaris var pumila Sch. et Rœm. intermedia Balb. — retrofracta W. En. C. — rupestris W. C. filiformis Vill. alpina Mielichh.
— diandra Retz C	Avena aurata Suter.
— diffusa Host.	Trichodium rupestreSch.
- dispar Mich.	' — sobolifera Mühlenb. C
Trichodium elatum	* - spicaventi L. A
Pursh.	- flolonifera Smith. A
Cornucopiæ altissima	polymorpha 5. Huds.
Walt.	- sylvatica L. C
- divaricata Hortul. C	— tenacissima W. C
Chaetaria divaricata	Vilfa tenacissima Humb.
Sch. et Ræm.	— tenuifolia M. B. C
Mühlenbergia divaricata	— versicolor Stev. C
Hortul.	- verticillata Vill. A
Aristida divaricata W.	*— vulgaris Schrad. G
En.	stolonifera L.
Chaeturus divaricatus	polymorpha a. Huds.
Dec.	capillaris Vill.
- filiformis W. En. C	tenuis Sibth.
foliosa Hortul.	Ailanthus glandulosa Desf.
frondosa Poiret,	D.
_ flavescens Host.	Rhus cacodendron Ehrh.
Trichodium flavescens.	Aira arundinacea W. C
Sch. et Ræm.	- articulata Desf. A
Avena aurata All.	hybrida, Gaud.
interrupta W. En. A	Cornycephorus articula-
Cynosurus splendens	tus P. de Beauv.
Tenore.	* aquatica L. C
— mexicana W. En. C	*_ cespitosa L.
Agrostis Cinna Retz.	*— canescens L. C
*— minima W. A	Cornycephorus canes-
Mibora verna Adams.	cens. P. de Beauo.
Knappia agrostidea Smith.	- capillaris Lagasc. C
	Airopsis agrostidea Dec:
Sturmia minima. Hoppe — monandra Horn.	Milium gallicum Dec.
- Monamura Horn.	Aira elegans Vill.
	Digitized by GOOGLE

¥ 45	47.7 1 11 7 0
*Aira caryophyllea L. A	Alchemilla pentaphylla L.C
*— cristata L. C	*— vulgaris L. C
Poa cristata W.	Atetris arborea W. En. D
Kæleria cristata Pers.	fragrans L.
Dactylis cristata M. B.	Drucaena fragrans Ait.
Festuca cristata Vill.	Allamanda cathartica W.D
*— flexuosa L. C	*Alisma Plantago L. C
*— glauca Schrad.	*lanceolata With. C
Kæleria glauca Sch. et	Allium acutangulum Sch. C
Ræmer.	- acutum Spr. C
- juncea Vill. C	- altaicum Pall. C
media Decand.	- Ampeloprasum. L. C
- montana L. C	* - angulosum L. C
- pensylvanica Spr. C	— alatum H. Hallensis C
Kæleria pensylvanicaDec.	*— arenarium L. C
Aira trunçata W.	- atropurpureum Kit. C
*— prœcox Smith. A	- ascalonicum L. C
Avena præcox. P. de	— baicalense W. G
Béauv.	— canadense L. C
- pusilla Weber.	— carinatum L. C
- scabra Zuccag. C	— Cepa L. C
_ semineutra Kit. C	— cernum Roth C
- subspicata L. C	- clusianum W. C
- vallesiaca All. C	album et niveum Hortul.
Kæleria vallesiaça Dec.	
	- compactum Thuill. C - controversum Schrad.C
7.6	- danubiale H. Erf. C
1 /	
*— gencyensis L. C	•
- orientatis L. C	
* pyramidalis L. C	fætidum M.B. C
*_ reptans L. C	— flavum L. C
Aizoon canariense L. A	- flexum Kit. C
- hispanicum L A	- fragrans Vent. C
Albuca altissima Pers. C	- fuscum Kit. C
- fastigiata W. C	- glaucum H. Gætting. C
- fragaus. Pers. C	_ globosum M. B. C
'— setosa Pers. C	— indorum W. C. — lineare W. C
Alchemilla alpina L. C	
*_ aphanoides L. Suppl. A	_liliflorum Spec. nevaC *)
Aphanes arvensis L.	
⊷ hybrida L.	*) Scapo nudo anguloso
pubescene Lam.	glabro, fel. canalicu-

Allium Moly L.	G	Allium triquetrum Desf.	C
	C	- undulatum H. Erf.	\boldsymbol{C}
7.47 79 -	\mathbf{C}	* _ Ursinum L.	Ċ
monspessulanum Gouar		- Victorialis L.	C
nigrum L.		- vineale L.	\mathbf{C}
- neapolitanum W. Er	n.	- violaceum W.	\mathbf{C}
suppl.	\mathbf{C}^{ullet}	*Alnus glutinosa W.	\mathbf{D}
— nutans L.	C	Betuta Alnus L.	
- obliquum L.	\mathbf{C}	- » - ». B. lacinia	ta
- ochroleucum Kit.	\mathbf{C}	w.	\mathbf{D}
- odorum L.	C	* — incana W.	\mathbf{D}
	C	Betula incana L.	
	C	- oblongata W.	\mathbf{D}
- paniculatum L.	C	- ovata	\mathbf{D}
	В	*Betula ovata Gmel.	fl.
* - rotundum Pers.	\mathbf{C}	Bad.	
	C	- serrulata W.	\mathbf{D}
- sativum L.	C	- undulata W.	\mathbf{D}
*_ » Schenoprasum L.	\mathbf{C}_{\cdot}	Alogarachnoides W.	\mathbf{D}
	c`	Apicra arachnoides V	V.
	\mathbf{C}	im Magaz.	
- setaceum Kit.	C	- arborescens W. En.	\mathbf{D}
— sibiricum W.	C	- brevifolia Dec.	\boldsymbol{D}
	C	Aloc perfoliata W.	.•
	\mathbf{C}	- carinata Ait.	D.
— spirale W.	\mathbf{C}	disticha L.	
	C	— cymbæfolia Schrad	\mathbf{D}
_ strictum Schrad.	C	cymbæformis W.	
- subhirsutum L.	\mathbf{C}	— ferox Dec.	\mathbf{D}
- suaveolens Jacq.	C	— lingua W.	D
		- margaritifera L.	\mathbf{C}
latis striatis undiqu	e	Apicra margaritife	ra
glabris, scapo mult	0	. <i>W</i> .	١.
longioribus, umbell	la.	- obliqua Haw.	D
pauciflora, spatha di	i-	- picta W.	D,
midiata, petalis ova	1-	perfoliata L.	
libus, ad apicem cre	} ~	saponaria Ait.	
natis, tribus exteri	-	- plicatilis Ait.	\mathbf{D}
oribus reliquis lati	-	- pentagona	\mathbf{D}
oribus, filamentis bas	si	Apicra pentagona V	V.
dilatatis. Flores car		- pseudo-nigricans	H.
didi, Stylus carneus	ş,	Dyck.	

' <i>Aloe</i> pseudo rigida H.	. Althœa rosca VV. B
Drvck C	Alcea rosea L
rigida <i>Vi</i> 7.	- " - B. sincusis B
- pumilio Jacq. D	
Apicra humilis W.	- arenarium Schrad.Jour.
- retusa L. C	montanum — —
Apicra retusa W.	- argenteum VV. B
- rigida Dec. D	
Aloe expansa Haw.	- campestre L A
patula Haw.	-clypeatum L. B
- spiralis L.	Lunaria canescens VV.
- succotrina W. En. D	
- variegata L. D	— creticum L. D
- viscosa L. D	
Apicra viscosa VV.	Myagrum dentatum L.
*Alopecurus agrestis L. A	Camelina dentata Pers.
- bulbosus L.	
*- geniculatus L. (C — ex Calabria Spec. nova
- nigricans Horn. (
*- pratensis L.	C — edentulum Kit. B
ruthenicus H. Dorp.	- gemonense L. C
*_ utriculatus VV. En. A	
Alvinia spiralis Jacq.	C' *_ incanum L. C B
- calcarata Ait	C Mænchia incana Roth.
Renealmia calcarata	Farsetia incana Ait.
Andr.	. — linifolium VV. B
*Alsine media L.	A — maritimum VV. D
stellaria media VVith.	halimifolium Ait.
— molluginea Balb. A	A Clypeola maritima
- pubescens H. Berol.	— minimum Pers.
_ segetalis L.	A murala Kit
	C * _ montanum L. C
— pelegrina L. (G campestre Poll.
Althæa cannabina L.	C Clypeola montana Cranz.
— ficifolia VV.	B — myagroides H. Erf B
Alcea ficifolia L.	— paniculatum L. A
* - hirsuta L.	A Myagrum paniculatum
	A VV.
- narbonensis Pourr	C Rapistrum paniculatum
* - officinalis L.	C Pers.
— pallida VV.	B — rostratum H. Gœ!t. A

Alyssum rupestre VV.	C	Amaranthus tricolor L.	. A
Myagrum saxatile L.		Amaryllis Atamasco L.	. C
*_ sativum VV.	A	- aurea VV.	\boldsymbol{C}
Myagrum sativum L.	,	- Belladona L.	C
- saxatile L.	D	» β. major	•
- sinuatum L.	В	— canadensis?	
Vesicaria sinuata Ait	t.	- capensis H. Breiter.	C
- spinosum L.	D	- curvifolia VV.	\boldsymbol{C}
- tortuosum Kit.	\mathbf{C}	Fothergillia Andr.	
- utriculatum L. 'B	\mathbf{C}	- equestris VV.	C
Vesicaria utriculata A	it.	dubia L. am. acad.	
- vernale Horn.		- flexuosa VV.	\boldsymbol{C}
Amaranthus albus L.	A	— formosissima L.	\boldsymbol{C}
- angustifolius VV.	A	— lutea L.	\boldsymbol{C}
★ Blitum L.	A	- gigantca Ait	$\boldsymbol{\mathcal{C}}$
- chlorostachys VV.	A	örnata Ø. Ker	
- candatus L.	A.	Jajus. Thomps.	_
- flavus L.	A	Crinum giganteumAnd	dr.
- gangeticus L.	A	- orientalis L.	\boldsymbol{C}
- grecizans L.	A	reginæ VV.sarniensis L.	C
_ gracilis H. Paris.	A.		\boldsymbol{C}
Chenopodium caudatu	m	- undulata L.	\boldsymbol{c}
Jacq.	,	- Zeylanica L.	
- hecticus VV. En. supp	l.	Crinum Zeylanicum I	
	A	Syst. veg.	,
	A	Amaryllis lineata La	m.
	Ą	- vittata VV.	Ç
- Taranta and a second	A.	Ambrosia maritima L.	A
1.5	A	- peruviana VV.	C
	A.	- trifida L.	A
- mangostanus VV.	A.	Amellus pedunculatus	
	A.	Orteg	Ç.
	A	Balbisia elongata V	¥ .
, , , , , , , , , , , , , , , , , , , ,	A. A.	Amethystea coerulea L.	Ď
	n. AL		
1011011111	AL	Ammannia ægyptiaca V	
The state of the s	A.		A A
	A.		A. A
50.20000	A.	A CONTRACTOR OF THE PARTY OF TH	A
Strictus. V V.	4		
🖈 sylvestris Desf.		— latifolia L.	A

Ammannia ramosior L. A	Anagyris glauca Dec. Cat.
- sanguinolenta VV. A	D
Ammi daucifolium Spr.	Anarrhaum bellidifolium
— majus L. A	VV. B
- Visnaga Spr. A	Antirrhinum bellidifol.L.
Daucus Visnaga L.	Anastatica hierochuntica
Amomum cardamomum L.	L. A
C	Bunias syriaca VV.
zerumbet. L. C	Myagrum rostratumScop.
_ zingiber L. C	Anchusa angustifolia L. C
Amorpha fruticosa L. D	- barrelieri Besser. C
- pubescens Pers. D	Myosotis obtusa Kit.
pumila Mich?	- dichotoma Mikan. C
Amygdalus communis L. D	- incarnata H. Gœtt. C
- nana L. D	officinalis y. incarnata.
- incana VV. D	- italica L. C
- orientalis Pers. • D	paniculata Smith.
argentea Lam. D	- mačulata Horn. C
- persica L. D	- Milleri VV. A
- pumila fl. pleno L. D	Lycopsis Milleri Hornem.
Prunus sinensis Pers. D	_ lutea M. B. B C
Ampelopsis cordata D	dubia et orientalis L.
Amyris polygama VV. D	Lithospermum orientale
Schinus dependens Orteg.	VV.
Anacyclus aureus L. C	Lycopsis lutea Lam.
divaricatus Cav. A	Myosotis versicolorPers.
_ valentinus L. A	- ochroleuca M. B. C
*Anagallis cærulea Lam. A	* officinalis L. C
_ fruticosa Ait · C	- rosea M. B. C
grandiflora Andrews.	- sempervirens L. C
_ latifolia L. • A	Buglossum sempervirens
_ Monelli L. C	All.
*_ phœnicea Lam. A	_ tinctoria L. C
_ tenella L. · · · C	- undulata VV. C
Anamenia laserpitiifolia	_ zeylanica VV. A
Pers. C	Echinospermum zeylani-
Adonis capensis Lam.	cum Lehm.
- vesicatoria L. Suppl.	Ancistrum laevigatum Hort
Knowltonia vesicatoria	C
Dec.	Acaena laevigata Ait.
Anagyris fætida L. D	Ancistr. magellanicum L.

Acalypha carolinianaMi.A	Acer pseudo-platanus fol.
- cordata Thunb. A	variegatis
- cuspidata Jacq. D	- pensylvanicum W. D
- diversifolia Pers. D	striatum Duroi.
- hispida W. A	canadense Marshall.
— indica L. A	- rubrum L. D
- pauciflora Horn. A	β pallidum
- rubra W. A	γ. coccineum _
— scabrosa Pers. D	— saccharinum L. D
— villosa Jacq. D	- spicatum L.
- virginica L. A	montanum W.
- virgata L. D	pensylvanicum Duroi.
Acanthus carduifolius L. C.	parviflorum Ehrh.
— mollis L. C	— tataricum. L D
- spinosus L. C	Achania Malvaviscus W. D
Acarna cancellata W. A	Hibiscus Malvaviscus. L.
Atractylis cancellata L.	— mollis Ait.
Circellium cancellatum	— pilosa Ait. D
Lam.	Achillea aegyptiaca L. C
*Acer campestre L. D	_ ageratum L. C
- fol. variegatis.	viscosa Lam.
— creticum L. D	— alpina L. C
ereticum L. D dasycarpon W. En.	- argentea Lam. C
D.	Tanacetum argenteumW.
eriocarpon Mich.	- asplenifolia Vent. C
tomentosum H. Paris.	rosea H. Paris.
<u>heterophyllum</u> W. D	Catrata LD C
sempervirens. L. Mant.	-aurea Lam. C
* _ monspessulanum L. D	- ChamomillaefoliaDec. C
trifolium Duh.	- Wlavennæ Jacq. • C
trilobatum Lam.	- compacta W. C
- Negundo L. D	- coronopifolia W. C
— opalus Lam. D	- crithmifolia Kit. C
rotundifolium H. Paris.	_ cristata W. C
- opulifolium Vill. D	- decumbens. Lam. C
montanum. C. Bauh.	_ decolorans Schrad. C
* _ platanoides L. D	fragilis Hortul.
a laciniatum	distans Kit. C
. crispum Lam.	magna All.
— platanoides & fol. varie-	compacta Lam.
gatis.	- Dracunculus H. Paris. C
* - pseudo-platanus L.	- Eupatorium M. B. C
	Coogle
	Digitized by Google
•	

•			
Achillea filipendulina	L.	Achillea B. fl. pleno.	
Tanacetum angulatu		- santolina Hortul.	C
	N.	anthemoides W.	_
- filicifolia M. B.	C	- schnuberii Spr.	C
- grandiflora M. B.	C	- schkuhrii Spr.	C
Pyrethrum ptarmicof		- setacea Kit.	C
	N , •,	- speciosa Spr.	C
- helvetica Schl. W.		- tanacetifolia All.	C
valesiaca Suter		- tenuifolia W.	C
Haller N ^{ro} 100.	_	- thomasiana Hall. fil.	C
- heterophylla H. Vi dobon.	C	tomentosa L.	Č
	Č	Achras Sapota W.	
— Jmpatiens. L. — lanata Spr.	Č	Achyranthes argentea	Ċ.
- leptophylla M. B.	č	sicula Roth.	u
- ligustica Ait.	Č		
- longifolia H. Vindob	-,	aspera et sicula L. — aspera W.	\mathbf{D}
— magna L.	C	indica Roth.	1)
- maxima Fischer.	č	obtusifolia Lam.	
- micrantha W.	$\check{\mathbf{C}}$	— axillaris Horn.	D
- microphylla W.	Č	Atternanthera axilla	_
pectinata Lam.		Brow	
* _ millefolium L.	C	- lappacea L.	D
flore-rubro.		atropurpurea Lam.	
- mongolica Fischer.	C	- patula L.	A
- montana Schl.	C	patula L.prostrata L.	A
	\mathbf{C}_{-}	- virgata Hortul .	\mathbf{D}
Genipi Murr.		Celosia virgata Jacq	
livia Scop.		Aconitum album Ait.	\mathbf{C}
- myriophylla W.	$\mathbf{C}_{\mathbf{C}}$	orientale Mill. dict.	
abrotantfolia Hortul		* angustifolium Bern	h.
*_ nobilis L.	C	•	u
— nana Ł.	C _.	- Anthora L.	$\mathbf{C}_{\mathbf{c}}$
lanata Lam.		ochroleucum Salish.	_
	C,	— Camarum L.	C
pectinata W.	_	hebegynum Dec.	_
	Ç.	- exaltatum Bernh.	C
	Ğ	- hispidum Dec.	C
	Ğ	- intermedium Dec.	C.
The same of the sa	C	neomontanum L. et Ho	_
	C		e.
*_ Ptarmica L.	C	cammarum Lejeune.	

AconitumLycoctonumL. C	Adonis miniata Jacq.
toxicarium Salisb.	— autumnalis L. A
- β. glabriflorum Dec.	hortensis Weinm.
- Jan Harry Dec.	
— γ. laxiflorum Dec.	
— — ♣. altissimum Dec.	- vernans n.
* — Napellus Koch et Schl.	Apennina Jacq.
·	Adelia acidoton Pers. D
*— Neubergense Dec. C	— myrtifolia H. Cels. D
camarum B. L.	- Ricinella L. D
neomontanum Kælle.	- ovata, Pers. D
tauricum W. et Hoppe.	Adiantum Capillus-veneris
pubescens Monch.	T. C
- ochroleucum W. C	- pedatum L. C
The second of second se	. — pedatam 13.
	1 chiloring D.
	21.00.2.00 11.00012.00012.00012.00012.00012.00012.00012.00012.00012.00012.00012.00012.00012.00012.00012.00012
cammarum y. L.	* Aegilops eylindrica W. A
alpinum Mill. dict.	— ovata L. A
cammarum Lam.	- squarrosa L. A
luridum Salisb.	- triuncialis L.
- septentrionale Kælle. C	Acgiphila martinicensis P.
- squarrosum Dec. C	D
pyrenaicum L.	Aeschinomene americana
sibiricum Poir.	W. A
* _ strictum Bernh. C	- aspera W. A
_ tanricum Wulf. C	- aspera vv.
Cammarum a. L.	- Despair 11.
— tortuosum W En. E	Sesbania aegyptiaca W.
- variegatum L. C	Coronilla Sesban W. En.
humile Salisb.	Aesculus carnea. Spec. no-
<u>volubile Koelle.</u> C	va. D *)
eriostemum Dec.	- hippocastanum L. D
_ Spec. nova C	_ fol. variegatis.
* Acorus Calamus L. C	- hybrida H. Paris D
— gramineus W. C	- lutea Wangenh. D
	- Iuica wangemi.
Acrostichum MarantaeL. C	- macrostachys Pers D
- septentrionale L. C	<u> </u>
Actaea brachypetalaDec.C	والسور و
racemosa y. rubra Ait.	*) Aesculus. Capsulis
_ racemosa L. C	echinatis, fol. digitalis
*_ spicata L. · C	lucidis 5 — septenis.
Adansonia digitata L. D	Cor. 4 rarius quin-
* Adonis aestivalis L. A.	que petalis erectis,
	. 11

	•
Aesculus parvistora Wall.	Agave Yucoæfolia. W. En.
- Pavia L. D	suppl. D
Paria nubra Lam.	Ageratum album W. A
Aethusa Ammi Spr. A	hirtum Lam.
Sison Ammi L.	- conyzoides L. A
*_ Cynapium L. A	- latifolium W. A.
- Cynapioides. M. B. A	Agrimonia agrimonoides
- elata Friedl.	· L. C
Agapanthus umbellatusW.	* - Eupatoria L. G
\mathbf{c}_{\cdot}	- odorata Ait. C
Crinum africanum L.	- repens. L. C
- praecox W. En. C	*Agrostema coronaria L.C
Agathosma acuminata W.	— Cœli-rosa. L. A
En. D	- Flos-jovis L. C
Bucco acuminata Wedl.	* Githago L. A
Diosma acuminata L.	- Nicaensis All. A
— hispida Dietr. Lexic. D	- parvillora H. Paris.
Diosma hispida L.	*Agrostis alba Schrad. C
— capensis Murr.	polymorpha Huds.
- imbricata W. En. D	rivularis Brotero.
Bucco unbricata Wdl.	varia Host.
Diosma imbricata L.	* \beta. floribus pur-
- longifolia Hortul. D	puras-centibus
Diosma longifolia H. P.	Agrostis coarctata Ehrh.
- obtusata Dietr. D	- capillaris Leers.
Bucco obtusata Wendl.	– hispida W.
- purpurea Dietr. D	* γ. spiculis sem-
Diosina purpurea H. Cls.	per muticis.
_ villosa Dietr. D	Agrostis sylvatica Host.
Diosma villosa L.	- alpina W. C
Bucco villosa Wendl.	rupestris All.
Agasylis caucasica Spr. C	montana Kroker.
Cachrys latifolia M. B.	Trichodium alpinum
- Galbanum Spr. D	Schrad.
Bubon Galbanum L.	*— arundinacea L. C
Agave americana L. D	Arunda sylvatica Schrad.
fol variegatis.	Culamagrostis arundi-
- fœtida L. D	nacea Roth.
Fourcroya gigantea	— pyramidalis Host. * — cana L. C
Vent.	*_ cana L. C
- lurida Jacq. D	vinealis Schreb.
vera Crux. Mill. diet.	rubra. Auctorum.

Agrostis Leersü Gmel. Syst.

pallida Hoffm.	vulgaris var pumila Sch.
Trichodium caninum	et Ræm.
Schrad.	intermedia Balb.
- Cinna Lam. C	- retrofracta W. En. C
	- rupestris W. C
Cinna arundinacea L.	
— decumbens Host. C	filiformis Vill.
procumbens Sch. et Ræm.	alpina Mielichh.
— diandra Retz C	Avena aurata Suter.
- diffusa Host.	Trichodium rupestreSch.
- dispar Mich.	' — sobolifera Mühlenb. C *— spicaventi L. A
Trichodium elatum	*— spicaventi L. A
Pursh.	— flolonifera Smith. A
Cornucopiæ altissima	polymorpha & Huds.
Walt.	- sylvatica L. C
— divaricata Hortul. C	— tenacissima W C
Chaetaria divaricata	Vilfa tenacissimaHumb.
Sch. et Ræm.	— tenuifolia M. B. C
Mühlenbergia divaricata	— versicolor Stev. C
Hortul.	- verticillata Vill. A
Aristida divaricata W.	*— vulgaris Schrad. G
En.	stolonifera L.
Chaeturus divaricatus	polymorpha a. Huds.
Dec.	capillaris Vill.
- filiformis W. En. C	tenuis Sibth.
foliosa Hortul.	
frondosa Poiret,	Ailanthus glandulosa Desf.
_ flavescens Host.	Rhus cacodendron Ehrh.
Trichodium flavescens.	Aira arundinacea W. C
Sch. et Rœm.	- articulata Desf. A
Avena aurata All.	hybrida, Gaud.
interrupta W. En. A Cynosurus splendens	Cornycephorus articula- tus P. de Beauv.
Tenore.	
	* aquatica L. C
— mexicana W. En. C	* — cespitosa L.
Agrostis Cinna Retz.	*— canescens L. C
*— minima W. A	Cornycephorus canes-
Mibora verna Adams.	cens. P. de Beauo.
Knappia agrostidea	- capillaris Lagasc. C
Smith.	Airopsis agrostidea Dec.
Sturmia minima. Hoppe	Milium gallicum Dec
- monandra Horn.	Aira elegans Vill.

Digitized by Google

*Agrostis pumilaL.Mant.C

*Aira caryophyllea L. A	Alchemillapentaphylla L.C
*— cristata L. C	*— vulgaris L. C
Poa cristata W.	Atetris arborea W. En. D
Kæleria cristata Pers.	fragrans L.
Dactylis cristata M. B.	Dracaena fragrans Ait.
Festuca cristata Vill.	Allamanda cathartica W.D
*— flexuosa L. C	Alisma Plantago L. C
*— glauca Schrad.	*_lanceolata With. C
Kæleria glauca Sch. et	Allium acutangulum Sch. C
Ræmer.	- acutum Spr. C
- juncea Vill. C	— altaicum Pall. C
media Decand.	- Ampeloprasum. L. C
- montana L. C	*— angulosum L. C
— pensylvanica Spr. C	— alatum H. Hallensis C
Kæleria pensylvanicaDec.	*— arenarium L. C
Aira trunçata W.	
*— prœcox Smith. A	 atropurpureum Kit. C ascalonicum L. C
Avena præcox. P. de	- baicalense W. C
Beauv.	— canadense L. C
- pusilla Weber.	- carinatum L. C
- scabra Zuccag. C	— Cepa L. C
_ semineutra Kit. C	— cernuum Roth C
- subspicata L. C	- clusianum W. G
- vallesiaca All. C	album et niveum Hortul.
Kæleria vallesiaça Dec.	
	- compactum Thuill. C
<i>7</i> 0 1	— controversum Schrad.C
1 1	— danubiale H. Erf. C — descendens L. C
F 2	— fætidum M.B. C — flavum T. C
— hispanicum L A	
2370	And the state of t
- fastigiata W. C	
– fragaus. Pers. C	9
_ setosa Pers. C	
Alchemilla alpina L. G	
*_ aphanoides L. Suppl. A	— liliflorum Spec. nevaC *)
Aphanes arvensis L.	The state of the s
- hybrida L. C	*) Scapo nudo anguloso
pubescene Lam.	glabro, fol. canalicu-

Allium Moly L.	G	Allium triquetrum Desf.	C
- montanum H. Erf.	Č	- undulatum H. Erf.	C
- multibulbosum Jaco		* — Ursinum L.	$\tilde{\mathbf{C}}$
monspessulanum Go		* — Ursinum L. — Victorialis L.	$\tilde{\mathbf{c}}$
nigrum L.		- vineale L.	$\tilde{\mathbf{C}}$
~ 11	En.	— violaceum W.	$\ddot{\mathbf{c}}$
suppl	C.	*Alnus glutinosa W.	$\tilde{\mathbf{D}}$
- nutans L.	$\ddot{\mathbf{c}}$	Betuta Alnus L.	_
- obliquum L.	·Č	- » - » . B. lacinis	ata
- ochroleucum Kit.	Č	W.	D
- odorum L.	č	* — incana W.	Ď
*_ oleraceum L.	Ğ		ע
- Oleraceum L.	Č	Betula incana L.	D
- pallens Kit.	C	- oblongata W.	
- paniculatum L.	_	- ovata	D
- Porrum L.	В	*Betula ovata Gmel,	Ħ.
* - rotundum Pers.	C	Bad.	_
- rubens Schrad.	C	— serrulata W.	D
- sativum L.	C	— undulata W.	D
* _ » Schænoprasum I		Aloe arachnoides W.	D
- Scorodoprasum L.	C		V.
- senescens L.	, C	im Magaz.	_
- setaceum Kit.	C	- arborescens W. En.	D
_ sibiricum W.	C	- brevifolia Dec.	Ð
* _ sphærocephalum	L. C	Aloc perfoliata W.	•
- spurium H. Erf.	C	- carinata Ait.	D.
— spirale W.	\mathbf{C}	disticha L.	
- striatum Jacq.	\mathbf{C}	- cymbæfolia Schrad	D
- strictum Schrad.	C	cymbæformis W.	
- subhirsutum L.	\mathbf{C}	- ferox Dec.	\boldsymbol{D}
- suaveolens Jacq.	\mathbf{C}	- lingua W.	D
-	*	- margaritifera L.	\mathbf{C}
latis striatis undi	que	Apicra margaritife	ra
glabris, scapo m	ulto	. <i>W</i> .	,
longioribus, umb	ella	- obliqua Haw.	\mathbf{D}
pauciflora, spatha	ı di-	- picta W.	D
midiata, petalis o	ova-	perfoliata L.	
libus, ad apicem	cre-	saponaria Ait.	
natis, tribus exte	eri–	- plicatilis Ait.	\mathbf{D}
oribus reliquis l		- pentagona	$\tilde{\mathbf{D}}$
oribus,filamentis	bàsi	<u>,</u> , 0	v.
dilatatis. Flores	can-		Ĥ.
didi, Stylus carn	eus.	Dyck.	:
, y		- J	

*Aloe pseudo rigida H.	Althæa rosca VV. B
Dryck C	Alcea rosea L
rigida <i>Ŵ</i> .	- » - &. sinensis B
- pumilio Jacq. D	Alyssum alpestre VV. D
Apicra humilis W.	_ arenarium Schrad.Jour.
— retusa L. C	montanum — —
Apicra retusa VV.	— argenteum VV. B
- rigida Dec. D	* - calveinum L. A
Aloc expansa Haw.	— campestre L A
patula Haw.	-clypeatum L. B
- spiralis L.	Lunaria canescens VV.
- succotrina W. En. D	Farsetia clypeata Ait.
- variegata L. D	- creticum L. D
— viscosa L. D	* — dentatum VV. A
Apicra viscosa W.	Myagrum dentatum L.
*Alopecurus agrestis L. A	Camelina dentata Pers.
— bulbosus L. C	— Draba M. B. A
*— geniculatus L. C	— ex Calabria Spec. nova
- nigricans Horn. C	C.
*— pratensis L. C	- edentulum Kit. B
ruthenicus H. Dorp.	— gemonense L. C
*— utriculatus VV. En. A	- hirsutum M. B. B
Alvinia spiralis Jacq. C	*_ incanum L. CB
— calcarata Ait C	Mænchia incana Roth.
Renealmia calcarata	Farsetia incana Ait.
Andr.	— linifolium VV. B
*Alsine media L. A	— maritimum VV. D
stellaria media VVith.	halimifolium Ait.
— molluginea Balb. A	Clypeola maritima
- pubescens II. Berol.	— minimum Pers. A — murale Kit. B
— segetalis L. A Alströmeria Ligtu L. C	— murale Kit. B * — montanum L. C
	campestre Poll.
— pelegrina L. C. Althæa cannabina L. C.	Clypeola montana Cranz.
— ficifolia VV. B	- myagroides H. Erf B
Alcea ficifolia L.	— paniculatum L.
* — hirsuta L. A	Myagrum naniculatum
Ludwigii L. A.	Myagrum paniculatum VV.
_ narbonensis Pourr C	Rapistrum paniculutum
* _ officinalis L. C	Pers.
— pallida VV. B	- rostratum H. Gælt. A
Transfer of the second	10

Alyssum rupestre VV. C	Amaranthus tricolor L. A
Myagrum saxatile L.	Amaryllis Atamasco L. C
*_ sativum VV. A	- aurea VV. C
Myagrum sativum L.	- Belladona L. C
- saxatile L. D	— » ≠ » β. major.
- sinuatum L. B	— canadensis?
Vesicaria sinuata Ait.	- capensis H. Breiter. C.
- spinosum L. D	- curvifolia VV. C
- tortuosum Kit. C	Fothergillia Andr.
- utriculatum L. 'B C	- equestris VV. C
Vesicaria utriculata Ait.	dubia L. am. acad.
- vernale Horn.	- flexuosa VV. C
Amaranthus albus L. A	— formosissima L. C
- angustifolius VV. A	— lutea L. C
★ — Blitum L. A	— gigantea Ait C
- chlorostachys VV. A	ornata B. Ker
- candatus L. A	Jajus. Thomps.
- flavus L. A	Crinum giganteum Andr. — orientalis L. C
gangeticus L. A	- orientalis L. C
- greecizans L. A	- regince VV. C
gracilis H. Paris. A	- sarniensis L. C
Chenopodium caudatum	— undulata L. C
Jacq.	- Zeylaniea L
- hecticus VV. En. suppl.	Crinum Zeylanicum L.
A	Syst. veg.
- hybridus L. A	Amaryllis lineata Lam.
- hypochondriacus L. A	— vittata VV. C
- inamœnus VV. A	Ambrosia maritima L. A
- incomptus VV. A	- peruviana VV. C
— Jœtus VV.• A	- trifida L. A
— mangostanus VV. A — oleraceus L. A	Amellus pedunculatus
- oleraceus L. A	OrtegA
- paniculatus L. A	Balbisia elongata VV.
polygonoides L. A	Amethystea coerulea L. A
prostatus L. A	Amirola nitida Pers. D
*_ retroflexus L. A	Ammannia ægyptiaca VV.
- rigidus Schult. A	A A
_ sanguineus L. A	- auriculata VV. A
_ spinosus L. A	- debilis H. Hallensis. A
_ strictus. VV. A	- diffusa VV. A
* sylvestris Desf. A	- latifolia L A-

Ammannia ramosior L. A	Anagyris glauca Dec. Cat.
- sanguinolenta VV. A	D
Ammi daucifolium Spr.	Anarrhaum bellidifolium
— majus L. A	VV. B
- Visnaga Spr. A	Antirrhinum bellidifol.L.
Daucus Visnaga L.	Anastatica hierochuntica
Amomum cardamomum L.	L. A
C	Bunias syriaca VV.
- zerumbet. L. C	Myagrum rostratumScop.
_ zingiber L. C	Anchusa angustifolia L. C
Amorpha Truticosa L. D	- barrelieri Besser. C
- pubescens Pers. D	Myosotis obtusa Kit.
pumila Mich?	- dichotoma Mikan. C
Amygdalus communis L. D	- incarnata H. Gætt. C
- nana L. D	officinalis y. incarnata.
- incana VV. D	— italica L. C
- orientalis Pers. • D	paniculata Smith.
argentea Lam. D	- maculata Horn. C
- persica L. D	_ Milleri VV. A
- pumila fl. pleno L. D	Lycopsis Milleri Hornem.
Prunus sinensis Pers. D	_ lutea M. B. B C
Ampelopsis cordata .D	dubia et orientalis L.
Amyris polygama VV. D	Lithospermum orientale
Schinus dependens Orteg.	VV.
Anacyclus aureus L. C	Lycopsis lutea Lam.
divaricatus Cav. A	Myosotis versicolor Pers.
_ valentinus L. A	— ochroleuca M.B. C
*Anagallis cærulea Lam. A	*— officinalis L. C
_ fruticosa Ait C	- rosea M. B. C
grandiflora Andrews.	- sempervirens L. C
latifolia L. • A	Buglossum sempervirens
_ Monelli L. C	All.
★ phœnicea Lam. A	- tinctoria L. C
_ tenella L. C	— undulata VV.
Anamenia laserpitiifolia	_ zeylanica VV. A
Pers. C	Echinospermum zeylani-
Adonis capensis Lam.	cum Lehm.
- vesicatoria L. Suppl.	Ancistrum laevigatum Hort
Knowltonia vesicatoria	$\boldsymbol{\mathcal{C}}$
Dec.	Acaena laevigata Ait.
Angawrie foetida L. D	Ancistr. magellanicum I.

Ancistrum locidum Ait. C	Andropogon paniculatum
Acæna lucida Valil.	Lam.
- Sanguisorba E C	Holcus Gryllus B. Brown.
Acæna sanguisorha Vahl.	irtum L. • C
Andrachne telephioides L.	halenensis Sibt. C
$^{-}$	Sorghum halepense Pers.
Andrewsia glabra. Vent.	Blumenbachia halepensis
Pogonia glabra Andr.	Kœl.
Myoporum ellipticum	_ Jschemum L. C
Brown.	- laguroides Dec. C
- scabra?	strictus Kit. C
Andromeda acuminata VV.	" Saccharum strictum Spr.
laurina Mich.	— furcatus Mühlenb.
populifolia Lam.	Androsace Bocconi H. Erf.
reticulata VValth.	В
_ axillaris L. D	- alismoides Horn. B
catesbæi VValth.	lactiflora Fischer.
Waltheri VV. En.	- chamæjasme VVulf. C
- calyculata L. D	* - elongata L. A
cassinefolia Vent. D	— β . nana
lucida Lam. D	- filiformis Retz.
coriacea VV. En.	- lactea L. C
- paniculata L. D	* maxima L. A
racemosa VV.	- septentrionalis L. A
parabolica Duham.	— villosa L. C
⋆_ polifolia L.	— obtusifolia All. C
💶 🧦 🕳 a. angustifolia	Andryala cheiranthifolia
β. latifolia	L. Herit, D
_ serratifolia Џ. Cels. D	glandulosa Lam.
Andropogon arundinaceus	tomentosa Scop.
vv. c	Rothia cheiranthifolia
_ argenteus Dec. C	vv.
Saccharum argenteum.	— lanata VV. C
Brouss.	Anemone alpina L. C
Erianthus saccharoides	burseriana Scop.
vv.	- appenina L. C
- distachyon L. C	— apiifolia VVulf. C
Pollinia distachya	alpina a apiifolia Dec.
Spreng.	— coronaria L. C
- Gryllus L. C	— <u>fragifera Jacq.</u> C
Pollinia Gryllus Spreng.	baldensis L.

Anemone Halleri All. C	Angelica Razoulii Gouan.C
Pulsatilla Halleri VV.	Imperatoria Razoulu H.
En,	Vindob.
* — Hepatica L. C	*— sylvestris L. C
Hepatica triloba Dec.	Annona asiatica L. D
fl. pleno.	- triloha L. D
- hortensis L. C	Anthemis altissima L. A B
fl. pleno.	- alpina L. C
Anemone pavo-	— arabica L. A
nina Dec.	prolifera Pers.
- narcissiflora L. C	*— arvensis L. A
umbellata Lam.	- australis W. A
* _ nemorosa L. C	- austriaca L. A
— pratensis L. C	tinctoria Lam.
- patens L. C	— artemisiæfolia W. C
longipetala Schl.	grandiflora Ramat.
Pulsatilla patens VV.En.	Chrysanthemum indicum
⋆— Pulsatilla L. C	L.
* - ranunculoides L. C	- a. atropurpurea
* sylvestris L. C	— — β . incarnata
*— vernalis L. C	- γ. aurantiaca
Pulsatilla vernalis VV.	— — δ. sulphurea
En.	- bupthalmoides Jacq. C
Anemone suphurea All.	- carpatica Kit.
- virginiana L. C	- caucasica Henckel. C
β. minor	- corymbosa Jacq. C
Angelica ArchangelicaL. C	- chamomilla W. C
— atropupurrea L. C	- clavata Desf. A
* <u>carvifolia S</u> pr. C	- coronopifolia W. A
Selinum Carvifolium All.	*_ Cotula L. A
Peucedanum cuneifol.	- discoidea W. A
Vill.	- fallax W. A
- pratensis M. B. et Spr. C	- Juscata Broter, A - globosa Orteg, C
Imperatoria palustris	— globosa Orteg. C
Besser.	- laxa H. Goett., C
Sclinum odoratum Bernh.	- marina L. B
- pyrenaica Spr. C	— mixta L. C
Seseli pyrenaeum C.	— nobilis L. C
Selinum pyrenaeum Gouan.	<u>pubescens</u> Pers, A
- Lachenalii Gmel. fl.	tomentosa L.
Bad.	rigescens W. C

Anthemis saxatilis Kit, C	Anthospermum aethiopi-
- tinctoria L. A.	cum W. T
- triloba Cav. D	Anthoxanthum amarum
Zaluzania triloba Pers.	Host.
- Triumfetti Schleicher C	*- odoratum L.
- valentina L. A	Anthriscus fumariodes Spr
Anthericum annuum L. A	A
Bulbine annua W. En.	Scandix fumarioides L
* calyculatum L. C	nemorosa Spr. C
Tofieldia palustris Smth.	. Chaerophyllum nemoro
Helonias borealis W.	sum M. B.
_ falcatum C	nodosa Pers. A
Phalangium	Scandix nodosa L.
falcatum Pers.	Torilis macrocarpa Goet
★— Liliago L. C	*- vulgaris Spr. A
Phalangium Liliago	Scandis Anthriscus L.
Bot. Magaz.	Anthyllis barba-jovis L. I
Liliastrum L. C	- cornicina L. A
Phalangium Liliastrum	- cretica W, D
Redouté.	Ebenus cretica L.
Hemerocallis liliastrum	- cytisoides Gouan, D
H. Cliffort.	- Dillenii. Schult. C
- pendulum W. En. C	- Hermanniae W. B
Antropodium pendulum	Aspalathus crotica L,
Dec.	— montana L. D
falcatum C	- tetraphylla L. A
Phalangium falcatym	- Tournefortii Schult. C
Pers.	— Vulneraria L. C
♦ — ramosum L. C	- β. pilosa Pers C
Phalangium ramosum	Antirrhinum Asarina L. C
Bot. Mag.	— Haelava Vahl. A
- revolutum L. C	- jamaicense Fisch. A
divaricatum Jacq.	- italicum H. Erf.
Phalangium revolutum	- macrocarpon W. C
Pers.	*— majus L. C
Hyacinthus revolutus L.	Orontium majus Pers.
- sulphureum Kit. C	*_ Orontium L. A
- sibiricum H. Erf. C	- pyrenaicum fl. Franc.
Antholyza aethiopica L. C	A
meriana L. C	- sempervirens La Peyr.
ringens L. C	

Antirrhinum silenefolium	Aquilegia canadensis L.	C
Schousb. C	— viridiflora L.	C
- siculum L. C	flava Lam.	
Orontium siculum Pers.	- viscosa L.	\mathbf{C}
Apargia angustifolia	- Volgaris L.	\mathbf{C}
Schleich. C	- a. corniculat	a
_ aspera Kit. C	— — B. stellata	
- alpina-Host. C	- 2 inversa	
pyrenaica Alt.	Arabis alpina L.	\mathbf{C}
Leontodon alpinamaq.	Turritis verna Desf.	
Hedypnois pyrenaicaVill	- aspera L.	В
*- autumnalis W. C	*- auriculata Lam.	C
Leontodon autumnale L.	- bellidifolia L.	C
Hedypnois 'autumnalis	- caucasica W.	$\bar{\mathbf{c}}$
Smith.	albida Fischer	_
- caucasica W. C	- ciliata Ait.	′ C
oriena W	· alpina Engl. Bot.	•
- caucasica W. C.	Turritis ciliata W.	
Leontodon croceum	- crispata W.	\mathbf{G}
Haencke.	- cœrulea Wulf.	Č
	- cranziana Ehrh.	$\ddot{\mathbf{c}}$
- dubia Hoppe. C * hastilis W. C	- hispida Smith.	В
	Turritis Raji Vill.	.,
- pratensis Linck C - Taraxaci W. C	Cardamine hastula	14.00
	Engl Bot.	iiu
		C
	— Halleri All. *— hirsuta Ait.	Č
- spec. nova ex Calabria	Turnisis binarta W	· 1.1
	Turritis hirsuta W.	p (
Apium graveolens L. B	incana L.	B
Sium Apium Roth.	Turritis minor Desf.	~
- Petroselinum L. B	- lucida L. Suppl.	C
Apocynum androsaemifo-	- multicaulis Billard.	Č
lium L. C	- neglecta Schult.	C
- cannabinum Ait. C	- nutans W.	C
- hypericifolium Ait. C	, scabra All.	
- venetum L. C	pumila Jacq.	-
Aquilegia alpina L. C	pendula L.	В
B. grandiflora Dec.	_ praecox Kit.	\mathbf{C}
- atropurpurea W. C	_ procurrens Kit.	$\tilde{\mathbf{c}}$
- bicolor Ehrh. Beitr. C	_ recta Vill.	C
vulgaris 6. speciosa Ait.	auriculata ß. Lam.	:

·	•
Arabis saxatilis All. C	Artedia squamata L A
- serpyllifolia Vill. C	Arduinia bispinosa IV.
- stricta Smith. C	D
*_ thaliana L. A	Carrissa arduina Pers.
*_ Turrita L. B	Arenaria-balearica L. C
umbrosa Cranz.	— biflora L. C
Arachis hypogea L. A	- austriaca L. C
Aralia capitata W. D	
Hedera capitata Smith.	 calycina Pers. caespitosa Ehrh.
- nudicaulis L. C	- ciliata Wulf. C
- racemosa LC	*— fasciculata L. C
- spinosa L. D	- graminifolia IV. C
Arbutus Andrachne L. D	- granditlora L. C
- alpina L. D	— heteromalla Pers. C
- salicifolia H. Cels. D	setacea Thuill
_ Unedo L. D	
a. alba β. rubra γ. plena	- lanceolata L. C
β. rubra	aricifolia Jacq. C
$ \gamma$. plena	— liniflora L. ——— C
*- Uva-Ursi L. D	- macrocarpa Kit. C
*Arctium majus Gmel. C	— marginata Dec. A
Lappula Gmel.	media L.
*— minus Gmel. C *— Bardana W. C	*— marina W. A
	- montana, L. C
tomentosum Gmel.	- multicaulis Jacq. C
Arctotheca repens W. C	— peploides L. C
Arctotis repens Jacq.	— pendula Kit. C — polygonoides Walf. C
- Scapigera Thunb. Arctotis aspera L. D	
Argotis aspera L. D. dlore albo	
- arborescens W. D	— ramosissima Schrad. G — recurva Ail. C
undulata Thunb.	- rostrata Kit. C
- bicolor W. D	— saxatilis W. C
= elatior W.	- setifolia H. Vindob. C
- calendulacea L. A	*— serpyllifolia L. A
— grandiflora Donn. D	- striata All. C
- prostrata D	— stricta Mich. C
- revoluta Jacq. D	— tenuillora Schrad. A
- rosea Jacq. D	*— tenuifolia L. A
= speciosa Jacq. D	- triflora L. G
_ tristis L. A	- tetraquetra All. C
	- consquents Ad.

drenaria triandraSchrank.	Armeria alpina W. C
C	Statice armeria alpi ua
Minuartia tenuifolia	Honne-
Martius Cat.	- alliacea W. C
- trinervia L. A	— denticulata Bert. C
- verna L. A	- fasciculata W C
- Villarsii Balb. C	Statice fusciculata Vent.
iretia alpina L. C	— grandiflora — G
Androsace alpina Vill.	- latifolia W. C
- helvetica L. C	Statice Pseudarmeria
Androsace Diapensia	Murr.
Vill.	- cephalotes Jacq.
- tomentosa Schleich. C	- plantaginea W. C
- Vitaliana L. C	— — β. an gusti colia
Primula Vitaliana Vill.	- scorzoneraefolia W. C
1rgemone albiflora Horn.	*— vulgaris W. C
A	Statice armeria L.
- mexicana L. A	Arnica Clusii All. C
Aristea spicata Pers. C	- glacialis Wulf
major Andr.	* montana L. C
tristida cœrulescens Desf.	- Scorpioides L C
A	Arnopogon capense W. B
canariensis W. En.	- Dalechampii W C
setacea Hoppe.	Tragopogon Dalecham-
gigantea Brousson.	pii L.
Chataria carulescens	Uropermum Dalech Dec. picroides W. A
P. de Beauv.	picroides W. A
Aristolochia Clematitis L.	Tragopogon picroides
- glauca Desf. C	L.
- odoratissima L. D	Urospermum picroides Dec.
- pallida Kit. C	Artemisia Abrotanum L. D
- Pistolochia L. D	*— absinthium L G
- rotunda L. C	afra Jacq.
- sempervirens L. D	- arborescens L. D
- Sipho L'Herit. D	
macrophylla W.	- argentea L. D - austriaca L. C
frutescens Marshall.	- balsamita W. En suppl.
<u>trilobata</u> W. En. D	C
trifida Lam.	- biennis W. B
Aristotelia Macqui W. D	hispanica Hortul.
. 🚾	C

Digitized by Google

* 4	Arum italicum Lam. C
*Artemisia campestris L. C	*— maculatum L. C
- cærulescens L. C	- macrorhizon W. C
- chamaemelifolia Villars.	
C	
- chinensis W. D	- triphyllum W. C
- desertorum W C	Arundo arenaria Schr. C
- Dracunculus L. C	Psamma arenaria Sch.etR
elegans Hort. Gor. C	Calamagrostis arenaria
- gallica W.	Roth.
- glacialis L.	Ammophila arundinacea
- herbacea Ehrh. C	Host.
inodora M. B.	— confinis W. En. C
- indica W. C	— Donax Schrad. CD
_ integrifolia W. C	sativa Lam:
_ maritima W. C	Donax arundinaccus P.
— monogyna Kit. C	de B.
_ mutellina W. C	β. versicolos
<u>negle</u> cta Spr. C	Mill. dict.
nivea Ramond. C	*_ epigeios Schrad. C
nutans W. C	calamagrostis Suter.
_ obliqua H. Erf. C	Calamagrostis Epigeios
palmata Lam. D	- Host.
- pannata Lam pauciflora W. C	- lanceolata With.
neclinata Pall. C	— laxa Host. C
- Sectional 2 man	effusa Gmel. fl. bad.
	_ littorea Schrad. C
	Pseudo-Phragmitis Hall. fil.
saxatilis W. C	Calamagrostis littorea Dec
- spicata L. C	Arundo glauca M. B.
_ scoparia Kit. C	*_ Phragmites Schrad. C
- siversiana Ehrh. B	vulgaris Lam.
_ tanacetifolia W. D	*— speciosa Schrab. C
_ tenuifolia W. D	Agrostis CalamagrostisL.
- valentina L D	Arundo Halleri W, prod.
- vallesiaca All. C	Calamagrostis argentea
*_ vulgaris L. C	Fl. Franc.
Ardisia canariensis Cels. D	- conspicua Berg.
Arum arisarum-L. C	- speciosa Host.
_ divaricatum W. C	Stipa Aristella Gouan:
Dracunculus In C	- Calamagrostis Wabl.
	•

Arundo tenax W.	Asclepias gigantea L. D
mauritanica Poiret.	Calotropis gigantea Ait.
festucoides Desf.	- linifolia W. D
biftora Lam.	- mexicana W. B
ampelodesmus Cyrill.	— nigra L. C
Donax tenax P. de B.	Cynanchum nigrumPers.
- tenella Schrad. C	- barbatum L. Suppl.
Agrostis tenellaSch. etR.	- nivea L. C
- pilosa Gaud.	- parviflora Ait. C
- varia Schrad. C	- purpurascens L. C
Calamagrostis arundi-	— sibirica L.' C
nacea Wib.	Cynanchum sibiricum
- varia Host.	Brown.
Arundo montana Gaud.	- syriaca L. C
- Clarionis Lois.	— β. exaltata W.
Agrostis arundinacea	C
Thomas.	- truncata W. En. suppl.
 pscudo arundinacea 	D
Schl.	— tuberosa L. C
Asarum arifolium Mühleub.	— viminalis Swartz. C
C	- Vincetoxicum L. C
virginicum Walt.	Cynanchum vincetoxicum
canadense L. C	Pers.
*— europoeum L. C	- volubilis Pers. D
Asclepias arborescens W.D	Asparagus acutifolius L. D
Gomphocarpus arbores	- aethiopicus L. C
cens Ait.	- amarus Dec. C
— amoena L. C	- asiaticus L. D
- angustifolia W. D	- caspicus H. Vindob. C
- carnosa L. D	*_ officinalis L. C
Hoya carnosa Ait.	— B. maritimus
Schollia crassifolia Jacq.	Dec. Cat.
Eclog.	— verticillatus M. B. C
— curassavica L	*Asperugo procumbens L.
- fruticosa L. D	A.
Gomphocarpus fruticosus	*Asperula arvensis L. A
Ait.	- aristata Tenore. C
- fuscata W. En. C	— calabrica L. C
Cynanchum fuscatum	*— cynanchica L. C
Hortul	— galioides M. B. C
- incarnata L. C	- hirta Dec. C

Asperula lœvigata L. C	*Aspidium Thelypteris
rotundifolia L. Mant.	Swartz. C
- montana Kit. c	Polyp. Thelypteris L.
*- odorata L. c	*Asplenium Adiantum ni-
- taurina L. C	·
Galium tauricum Scop.	Breynei Swartz. C *— Ceterach L. C
*_ tinctoria L. C	*_ Ceterach L. C
Asphodelus fistulosus L. C	Gramitis Ceterach Aiton.
— luteus L. C	Ceterach officinarum W.
- ramosus L. C	Scolopendruim Ceterach
- spicatus H. Erf. C	Engl. Bot.
— tauricus L. C	*— ruta muraria L. C
AspidiumalpinumSwartz.C	*- Scolopendrium L. C
*- aculeatum W. C	Scolopendrium officina-
Polypod. aculeatum	rum W.
— bulbiferum W. C	- α. vulgare
Polypod. bulbiferum L.	— — В. crispum
— fontanum Swartz. C	— γ. undulatum.
Polyp. fontanum L,	— - S. multisidum
— dentatum W. C	*— trichomanoides L. C
Cyathea dentata Engl.	— viride All. C
Bot.	Asprella Histrix W. En. C
*_ Filix femina W. C	Elymus Histrix L.
Polypod filix femina L.	Aster acstivus Ait. C
*_ Filix mas W. C	— acris L. C
Polyp. filix mas L.	- adulterinus L. C
*— fragile W. C	- alpinus L. G altaicus W. C
Polyp. fragile L.	
*_ cristatum W. C	-,
Polyp. cristatum L. Lonchitis W. C	*— amelloidesBernhardi G
	amellus Poll.
Polyn. Lonchitis L. ★— molle Swartz. C	- ambiguus H. Erf. C *- annuus L. A
	- argophyllus Labillard D
<i>Polyp. molle</i> L. ★— montanum Swartz. C	
	— bellidiflorns W. C.— canus Kit. C
	- carolinianus W. D
Polyp. oreopteris P. C	capensis Hortul.
nymphale Schkuhr.	— concinnus W.
rigidum Swartz. C	Cornuti Wendl. C
_ spinulosum Swartz C	- chinensis L. C

Aster chinensis &. ranun-	Aster miser Ait. C
culoides A	— multillorus Ait. C
- cordifolius L. C	— mutabilis L. C
- corifolius Mich C	- nemoralis Ait. G
- corymbosus Ait. C	- novae Angliae. L. C
- cymbalariæ Ait. D	— a. proecox
- dentatus Andrews. D	\$. ramis mul-
tomentosus W.	tifl.
- diffusus Ait. C	2. ramis sim-
- divaricatus L. C	plicibus
- divergens Ait. C	- S. roseus.
- dracunculoides W. C	— novi Belgii L. C
solidaginoides Pers.	paniculatus Lam.
- dumosus L. C	— patens W. C
- elegans W. En C	diversifolius Micheaux.
— eminens W. C	- pallens W. C
- ericoides L. C	— pannonicus W. C
- excelsus H. Belved. C	— pendulus Ait. C
- filtformis W. D	- phlogifolius Mumenb.
— foliolosus Ait. C	C
flexuosus, Jacq. C	amplexicaulis Mich.
_ floribundus W C	- praecox W. En. suppl.C
- fruticulosus Pers. D	— puniceus Ait. C
- glutinosus Cav. D	hispidus Lam.
Donia glutinosa Brown.	Conyza linifolia Di
Doronicum glutinosumW	- punctatus Kit. C
— grandiflorus L. C	hyssopifolius Lam.
- heterophyllus W. C	— pulchellus
- hyssopifolius L. C	_ β. linearis W. C
- incisus Fischer. C	— polyphyllus W. C
— junceus Ait. C	- pyrenaeus Desf. C
_ luevigatus VV C	sibiricus Lam. non
— laevis Ait. G	Gmelin!
_ lanceolatus W. C	- rigidus L. C
_ laxus W. C	fragilis Jacq.
— linarifolius L. C	- recurvatus W. C
_ linifolius L. C	salicifolius Lam.
— longifolius Lam. C	- rubicaulis Lam. C
macrophyllus L. C	- sagittifolius W. En. C
fl. rubro	_ sericeus Vent. C
fl. albo	argenteus Mich. C

Aster serotinus W C — sibiricus L. C	Astragalus clandestinus
- Bibilieus E.	Hort. Cremeneci. A
	- cruciatus H. Par. A.
	- contortuplicatus L. A
	*_ Cicer L. C
- spurius VV. C	- cymbiformis W. C
— strictus H. Paris. C — tardiflorus L. C	- deflexus Dec. sub Oxy-
	tropis. C
— tenellus Ait. A	- depressus L. B
— tenuifolius L. C	- excapus L. C
- Tradescanti L. C	_ falcatus Lam. C
laerigatus Lam. C	virescens Ait.
a. major	_ galegiformis L. C
\(\beta \). medius	- Glaux L. C
$$ γ . fl. albo,	- glycyphyllos L. C.
— Tripolium L. C	gracilie II Fre
— umbellatus W. C	- Halleri All. C.
- yernus L. C	Oxytropis foctida Pers.
- versicolor W. C	*_ hypoglottis L: C
_ vimineus Lam C	Onobrychis Poll.
Astragalus alopecuroides	<u> </u>
L. C	- isetensis H. Pesth. C
vulpinus W.	- Leontinus L. C. Leucophaeus Smith. C
aegiceras W. A	- leucophaeus Smith. C
- alpinus L. C	— monspessulanus L. C
_ albidus Kit. C	— montanus L. C
asper Jacq. C	— Onobrychis Jacq. C
chloranthus Pall.	tenuifolius W.
annularis Dec. A	Phaça caulescens et
maculatus Lam.	erecta. Willich.
subulatus Desf.	_ parviflorus W. C
— aristatus W. C	Oxytropis deflexa Pers.
- arenarius L. C	- pentaglottis L. C
- austriacus Jacq. C	echinalus Murr.
- Bucer as W.En. suppl. C	hispanicus Herm.
- baicalensis? Pall. A	*_ pilosus L. C
- boeticus L. A	Oxytropis pilosa Pers.
- campestris L. C	= reptans W. H. Berel. C
— canaliculatus W. En.	- scorpioides W. A
suppl. A	- sesameus L. A
= carolinianus L. C	— stella L.
Cat orivitating II.	— респи и.

Digitized by Google

Astragalus sulcatus Jacq. C	Atriplex hortensis L. A
leptostachys Pall.	— — B. rubra
- Tragacantha L. D	- laciniata L. A
- tribuloides H. Par. A	— littoralis L.
- uliginosus L. C	marina L. Mant.
- uralensis L. C	— macrotheca H. Erf. A
Astrantia carniolica Jacq. C	- microsperma Kit. A
— heterophylla M.'B. C	— nitens Schhuhr. A
- major L. C	- oblonga H. Erf. A
minor L. C	- Obtusa W. A
Athamantha cretensis L. C	- odorata Pers. D
_ Mathioli Wulf. C	albicans Ait.
Libanotis rupestrisScop.	*— patula L
Meum Mathioli Dalech.	— portulacoides L. D
- Libanotis L. C	*— rosea L. A
Daucus montanus Pluck.	- sibirica L. A
— major Hoffm. C	- sulcata H. Goetting. A
Athanasia annua L. A	- sinuata Hoffm. A
— parviflora L. D	- tatarica L. A
Atheropogon apluoides W	veneta W. A
C	- virgata Hoffm. A
Chloris curtipendula Mich.	*Atropa Belladonna L. C
Dinebra curtipendula Dec.	— Mandragora L. G
- rassmosus Schulth. C	Mandragora officinalis
Atragenc alpina L. D	Dec.
— β. fl. coeruleo	- physaloides L. A
Atragene au-	Nicandra physaloides
striaca Scop.	Gärtner.
— balearica Pers. D	- plicata Roth. A
- japonica W. D	procumbens Cav. A
Atraphaxis spinosa L. D	Saracha procumbens Fl.
undulata L. D	Peruv.
Atriplex acuminata Kit. A	umbellata Roth. A
*_ angustifolia W. A	Saracha umbellata Ruiz.
- benghalensis Lam. A	Aucuba japonica L. D
*— campestris Koch. A — erecta Smith. A	Avena alopecuros Roth. C
	-
Halimus L. D. hastata L. A.	Festuca ciliata Gmel.
Agents and the first fir	Trisetum Alopecuros Sch. et R.
Hern. A	_ alba Vahl. C
Hern. A	- avec 1' sinker

Avena alpestris Schrad. C	Avena neglecta W. A
sesquitertia Host.	— nuda L. A
purpurascens Dec.	— β. tatarica
Trisetum alpestre P.deB.	- orientalis Schreb - A
- argentea W. En. C	tatarica Arduin.
sesquitertia W. Sp.	racemosa Thuill.
distichophylla Schrad. et	— pensylvanica L. A
Host.	Trisetum pensylvanicum
Trisetum argenteum	P. de B.
Schult. et R.	- podolica Pascal. A
- brevis Roth. A nuda Thuill.	sativa variet.
- calycina Vill. C	*- pratensis Schrad. C
spicata &. W.	bromoides Auctor. *— pubescens Schrad. C
Danthonia provincialis	sesquitertia L. Mant.
Dec.	pratensis Gouan.
- chinensis Fischer A	Trisetum sesquitertium
nuda B. chinensis Sch.	P. de B.
et R.	- pubescens Sch. et R.
*_ elatior L. C	- sativa L. A
bulbosa W. in nov. Act.	— a. heteromalla
precatoria Thuill.	β. rubra
Holcus avenaceus Schrad.	— γ. georgica
- bulbosus Schrad.	- S. anglica
Arrhenatherum avenace-	e. trisperma
um Sch. et R.	— sterilis L.
*_ fatua Schrad. A	fatua Schreb.
— fragilis W. A	fatua \(\beta \). Dec.
Gaudinia fragilis P. de	macrocarpa Moench.
*— flavescens L. C	- strigosa Schrad.
Triticum pratense Pers.	nervosa Lam. hispanica Hortul.
Trisetum flavescens Sch.	Freyta Orteg.
et R.	agraria Brotero.
- latifolia Host. C	Danthonia strigosa P.
planiculmis Schrad.	de B.
Gaudinia planiculmis P.	*_ tenuis Schrad.
de B.	fertilis All.
- lutea L. A	triaristata Vill.
Trisetum luteum Sch.	Holcus biaristatus W.
et R,	Bromus triflorus Poll.

Avena: Ventenata bromoi-	Axyris amaranthoides L. A
des Koel.	- hybrida L. A
Trisetum striatum Pers.	Ayenia pusilla L. A
- tenue Sch. et R.	Azalea nudiflora L. D
- versicolor Vill. C	— pontica W. D
Scheuchzeri All.	- viscosa L. D
alpina Latour.	— procumbens L: D
Averrhoa Bilimbi L. D	•
<u> </u>	
L	
Bacharis adnata W.	Banisteria ciliata W. D
- dioscoridis L. D	- chrysophylla Jacq. D
- halimifolia L. D	— laurifolia Pers. D
— ivaefolia L. D	tomentosa Desf. D
- nereifolia L. D	— Spec. nova ex CaraçasL:
— parviflora Pers. D	Banksia dentata L. D
	ericaefolia L. D
	— heterophylla Pers. D
	microstachya Pers. D
nigra Poll. — lanata L. B	praemorsa Pers. D
— nigra L.	Barbarea praecox Ait. C
- rubra H. Goett. C	Erysimum praecox W.
Balsamita ageratifolia W:	*_ vulgaris Ait. C
D	Erysimum Barbarea L. Barleria coccinea L. D
Chrysanthem. flosculo-	2500700711
sum b	Ruellia coccinea Vahl. — flava Jacq. D
flabelliformis W. En. D	Justicia flava Pers.
Gnaphalium dentatum L.	Hystrix? L. D
Pentzia flabelliformisW.	Bartsia alpina L. C
Tanacetum flabelliforme L'Herit.	Basella alba L B
- suaveolens Pers. C	<u>corditolia</u> W. B
Tanacetum Balsamita L.	rubra L. B
Balsamita vulgaris W.	Bauera rubiaefolia Andr. D
— virgata W. C	Bauhinia aculeata W. D
Baltimora recta L A	Beckea virgata H. Cels. D
Bambusa arundinacea W.	Beckmannia erucaeformis
En. D	W. A
Arundo Bambos L.	Cynosurus crucaeformis
A. latifolia	W. Sp.
	D

Digitized by Google

Beckmannia:	Betonica hirsuta Murr. C
Phalaris erucae formis ${f L}\cdot$	*— officinalis L. C
Begonia acuminata Pers.	- orientalis L. C
D	- stricta Pers. C
- dichotoma Jacq. D	danica Mill.
- discolor H. Par. C	incana Ait.
bulbifera Hortul.	hirsuta Thuill.
Fyansiana Andr.	officinalis Pallas.
_ humilis Ait. A	*Betula alba L. D
— hirsuta W. B	— β. pendula Roth.
— macrophylla Dryand. D	- carpinifolia W. D
obliqua Jacq. Observ.	- davurica Pers D
nitida Ait. D	- excelsa Ait. D
obliqua L'Herit.	— fruticosa Poll D
_ odorata W. D	humilis Schranck.
- patula Fischer. D	- lenta L. D
_ spathulata H. Liverp. D	nigra Duroi•
Bettis annua L. A.	- nana L. D
*— perennis L. C	— nigra L. D
Berberis emarginata W.En.	*- odorata Borckh: - D
D	- papyracea L. D
- cretica L. D	- pontica W. En. suppl. D
- sibirica L.	— populifolia Ait. D
— sinensis Thouin. D	- pubescens W. D
- vuigur 15 13:	— pumila L. D
β. arbortiva	Bidens bipinnata L. A — bullata L. A
Berkheva incana W. D	
fruticosa Ehrh.	- chrysanthema Mich? A
Gorteria asteroides Jacq.	- chinensis W. A. + cernua L. A.
- fruticosa L.	Coreopsis Bidens W.
Rohria incanà Thunb.	- diversifolia W. A
Besleria melittifolia L. D — serrulata W D	- frondosa L. A
Beta cicla L. B	— grandiflora Dec. A
maritima W. • · · · · A	- leucantha W. A
— patula Ait. A	Coreopsis leucantha L.
= trigyna Kit. C	_ luxurians W C
_ vulgaris L. B	*_ minime Pers. A
Betonica alopecuros Scop.	nivea L. A
C	Melananthera hastato
— grandiflora W. C	Mich.

Bidens nodiflora W.	A	Blaeria ericoides W. En. I)
- parviflora W.	A	<i>Erica Blaeria</i> Thunb.	
macrosperma Eischer.		Blechnum boreale Smith.	C
— pilosa L.	A	Onoclea spicant. Hoffm	i.
- sambucifolia L.	\boldsymbol{c}	Osmunda spicant. L.	
*_ tripartita L.	Λ	_ radicans L	\boldsymbol{c}
Bignonia Catalpa L.	Ð	Woodwardia radican	
Catalpa cordifolia Du	ıh.	Swartz.	
- capreolata L.	Ð	Blitum capitatum L.	A.
- lactiflora Wendl	\mathbf{D}		A.
- pandorana Andrews.	Ð		A.
- pentaphylla? W.	Ð		\boldsymbol{c}
- radicans L.	Ð	- frutescens L.	D
Thecoma radicans Du	ιh.	Boebera chrysanthemoide	28
— — \(\beta \). minor		W.	A.
- rigescens W.	\mathbf{D}	Dyssodia glandulosa Ca	v
- sempervirens L.	\mathbf{D}	Boebera glandulosa Per	s.
Gelseminum semperi	ri–	Tagetes papposa Mich	ı.
rens Pers.		Boehmeria elongata Fisch	1.
- nitidum Mich.		•	A.
- stans L.	D		\boldsymbol{C}
Billardiera mutabilisSali	isb	- rubescens W.	D
	\mathbf{D}	arborea Pers.	•
— melocarpa H. Cels	\mathbf{D}	Parietaria arborea Ai	t.
- scandens Smith.	\mathbf{D}	 zeylanica L. 	
Biscutella apula L.	A	Urtica arborca L'Heri	t.
— auriculata L.	A.	 alienata L. Suppl. 	
- Columnae H. Hallens	sis.	Boerharia arborea Lagasc.]	
	A	arborescens Pers.	
- depressa W.	A.		\boldsymbol{c}
— didyma W. En.	A	<u>excel</u> sa W.	D
coronopifolia L. Mant			D
— hispida Horn.	A.	diandra Sp. Plant.	
- laevigata L.	\boldsymbol{c}	repens L.	
— <u>leiocarpa</u> Dec.	A	diffusa Lam.	
- maritima Tenore.	A	- scandens W	D
— <u>pinnatif</u> ida Dec.	\mathbf{B}	sarmentosa Brewn.	
- raphanifolia W.	A	- viscosa w. En.	\boldsymbol{c}
_ saxatilis Dec.	\boldsymbol{c}	Bombax Ceiba L.	D
Bisserula Pelecinus L.	A	quinatum Jacq.	
Bixa orellana L.	\mathbf{D}	- pentandrum Pers.	
and free		The same of	

Bonplandia geministora	Brassica Napus L. B.
Cav. B	_ oleracea L. B
Caldasia heterophylla	- odorata H. Monach A
w.	*_ orientalis L. A
man and the first To	Erysimum orientale
Bontia daphnoides L. D	Ait.
Borago africana L. A	- praecox Kit. C
Trichodesma africana	- polymorpha W. A
Lehm.	- Rapa L. B
indica L. A	- sempervirens Tenore B
_ laxiflora Dec. C	- subularia Brot. A
— orientalis L. — C	- vesicaria L. A
*— officinalis L. A	Briza capensis Thunb. A
Borckhausenia lucidaRoth.	Megastachya brizoides
D	S. et Roemer.
Capraria lucida W.	Poa brizoides L. Suppl.
Bosea Yeryamora L. D	— maxima L. A
	_ minor L. A
Bossiaea Scolopendrium Brown. D	*_ virens L. C
2,2 0 11 -2.1	Bromelia Ananas L. D.
Platylobium Scolopen-	- humilis Jacq. D
_ drium Andr.	- Karatas L. D
Brachystemum Inifolium	*Bromus arvensis Schrad.
Thymus virginicus L.	versicolor Koeler. Poll.
- lanceolatum W. C	erectus β. Huds.
Brasia spinosa H. Cels D	multiflorus Weigel.
Brassica arvensis L. C	polymorphus Hortul.
Coringia arvensis Pers.	*_ asper Schrad. C
*— alpina L.	dumetorum Lam.
- austriaca Jacq. A	ramosus Syst. Veg. XIII.
- campestris L. A	nemoralis Huds.
*- cheiranthus Vill. B	nemorosus Vill.
Sinapis Tournefortii All.	hirsutus Curt.
Raphanus erucoides L.	altissimus Web.
Suppl.	montanus Koeler.
- chinensis L. B	Schænodorus asperGaud.
Eraca L. A	— ciliatus L. C
- Erucastrum L. A	- confertus M. B. A
- fruticulosa Tenore D	*— commutatus Schrad.
- elongata Ehrh. A	B ,
- lucida H. Erf. B	multiflorus W.
-	Same from the contract of

	•
Bromus secalinus M. B.	*Bromus gracilis Hall fil. C
velutinus &. Gaud.	cespitosus Host.
Brachypodium commu-	pinnatus &. Vill.
tatum P. de B.	Triticum gracile Dec.
- dactyloides Roth.	Brachipodium cespite-
Dactylis pungens Horn.	sum Sch. at R.
- distachyos L. A	- hirsutissimus Cyrill. C
Brachypodium distachy-	*= inermis Schrad. C
on Sch. et R.	Festuca inermis Dec.
Festuca distachyaW.En.	- Leysseri Moench.
- diandra Moench.	- speciosa Schreb.
- ciliata Gouan.	- poaeoides Thuill.
Bromus platystachyos	- poaeformis Pers.
Lam.	Schenodorus inermis
- Buxbaumii Tenore.	Gaud.
Festuca monostachya	_ lanceolatus Roth. A
Poiret.	canariensis Hortul.
*— erectus Smith. C	- laxus W. En. C
pseudo arvensis Koel.	_ laxillorus Spr. C
arvensis Lam. Poll-	_ ligusticus All. A
odorata Gouan.	_ longiflorus W. En. C
pratensis B. Lam.	madritensis L. A
agrestis All.	villosus Forsk.
perennis Vill.	ciliatus Huds. Ed. I.
angustifolius Schranck,	muralis Huds. Lu. 1.
et M. B.	diandrus Curtis.
^_	gynandrus Roth.
asper Pall. montanus Fl. Wetter.	dilatatus Lam,
Schenodorus Crectus	Festuca madritensis Desf.
Gand.	- maximus Desf. A
- geniculatus L. Mant. A	madritensis Cav.
Festuca geniculata W.	sterilis Brotero.
En.	indicus Hortul.
*_ giganteus Schrad. C	*— mollis Schrad. B
triflorus Fl. Dan.	
etnicorus Tam	polymorphus a. Huds. — murorum Bernh. C
strigosus Lam. aquaticus Gmel. Syst.	pilosus Dietr.
	diandrus Roth.
Festuca gigantea Vill.	maximus Roth. neueBeit.
Schenodorus giganteus Gaud.	— pendulinus Sessé. A
,	
— glaucus Spr. C	compressus-H. Madrit.

"Dromus pinnatus w. C	Dioussonetta Papia
tigurinus Suter.	중 et 우 Duh. D
Triticum pinnatum	Morus papyrifera L.
Moench.	Browallia demissa L. A
 bromoides Wib. et 	— elata L. A
Web.	β. lactea
Festuca pinnata Huds.	· ·
Avena laeta Salisb.	2, 2000 1011 45
Brachypodium pinnatum	Brunsfelsia americana W.
P. de B.	- Sport and Val
— purgans L C	Brunia abrotanoides L. D
— pubescens Mühlenb C	- ericoides Sp. nova. D
*— racemosus L. A	- lanuginosa L. D
secalinus B. Poll.	- superba W. D
- rigidus Roth. A	Bryonia africana L. D.
varius Brotero.	_ alba L. C
rubens Host. (excl. Br.	*— dioica Jacq. ` C
rub. Cav.)	— laciniosa L. C
*- secalinus Schrad. A	Bryophyllum calycinum
polymorphus v. Huds.	naw.
vitiosus Weigel.	Bubroma Guazuma W. D
arvensis Ej.	Theobroma Guazuma L.
_ sterilis L. A	Guazuma ulmifoliaPers.
distichus Moench.	Bubon buchtormensis Spr. B
grandiflorus Weig.	
== 3quarroous 2:	9
villasus Suter. — stipoides L. Maut. A	F
- bet por each	— macedonicus Spr. C — siculus Spr. C
Festuca stipoides Sch. et	Seseli cuncifolium M. B.
n.	Buddleja globosa L. D
— geniculata W. En. Bromus geniculatus W.	capitata Jacq.
— tectorum L. A	- saligna W. En. D
sterilis \beta. Lam.	salicifolia Jacq.
*_ velutinus Schrad. A	— salvifolia L.
grossus Desf.	Lantana salvifolia Mill
# multiflorus Smith.	Buchnera foetida Andr. A
(secalinus 8. L.	Manulea foetida W. En
— verticillatus Cav. C	- oppositifolia Vent. D
- wolgensis Spreng - A	Manulea_oppositifolia
squarrosus \(\beta \). Lam.	Pers.
admus adma far mana	

Buchnera viscosa W. Sp. D	Bunias:
Manulea viscosa W. En.	Myagrum - or ucaef olium
Buffonia annua Lam. A	Vill.
tenuifolia L.	- Erucago L
- perennis Lam. C	- syriaca W:- A
Bulbine aloides W. En. D	Anastatica syriaca L.
Anthericum aloides L.	Euclidium syriacum Ait.
<u>frutescens</u> W. En. D	— orientalis L. G
Anthericum frutescens	Bunium copticum Spr. A
L.	Ammi copticum L.
- hispidum Hort. Cliff. D	Buphthalmum arborescens L. D
Anthericum hispidumW.	
- longiscapa W. En. D Anthericum longisca-	— cordinant zant
Anthericum longisca-	speciosum Schreb.
pum W. Sp.	- grandiflorum L. C - h Hanthoides L'Herit. C
Bulbocodium vernum L.	Helianthus laevis. L.
Rumelia lycioides Pers D	Budbeckia opposittifo-
zametra z	lia La-
Sideroxylon lycioides L. — salicifolia W. D	Silp ium solidaginoidesL.
Achras salicifolia Sp.	Heriopsis laevis Pers.
	meritimum W. C
plant. <i>Sideroxylon Mastisho-</i>	_ salicifolium L C
dendrum Jacq.	_ sericeum W, D
- nigricans Solander.	- spinosum L. B
tenax Pers. D	Bupleurum angulosum.L. C
Sideroxylon tenax L.	_ caricifolium W C
Chrysophyllum caroli-	*— falcatum L. C
niense Jacq.	- gerardi Jacq. A
Bunias aegyptiaca L. A	junceum Moench.
Rapistrum aegyptiacum	_ junceum L. A
Ait.	_ longifolium L. C
- aspera W.	_ petraeum W. C
_ balearica L. A	graminifolium Vahl.
Succowia balearica Ait.	<u>petroselinoides Spr. B</u>
- Cakile L A	Ligustic. peregrinum L.
Cakile maritima W.	ranunculoides L. C
- cochlearioides W. A	*— rotundifolium L. A.
Laelia cochlearioides	- scorzoneraefolium W.C
Pers.	stellatum L. C
Crambe comini All.	*Butomus umbellatus L. C

Burglaria lucida Wendl D Jlex salicifolia? W. Buttneria cordata Cav. D Buxus balearica Lam. D * sempervirens L. D - a. arborescens - b. frutescens - y. myrtifolia - aurao variegata	Buxus sempervirens. argenteo variegata Bystropogon canariens L'Herit. I Mentha canariensis L. plumosum W. Mentha plumosa L. punctatum L'Herit. I
·	·
Cacalia alpina L. C alliariaefolia Lam. glabra Vill. Tussilago cacalia Scop.	Cachrys littoralis Spr. Caucalis littoralis M. B. — maritima Spr. Crithmum maritimum
 albifrons L. Anteuphorbium L. atriplicifolia L. canescens W.En. suppl. 	Morisonii Vahl. et Spr laevigata Lam.
- carnosa Ait. D - ficoides L. D - hastata L. C - Kleinia L. D	peucedanoides Desf. triquetra Spr. Laserpitium triquetrum Vent.
- leucophylla W. C repens L. D sagittata Vahl. C.	Cactus aculeatissimus. cu- jus? — alatus Swartz. — brasiliensis W.
 — saracenica L. C Senecio cacaliaster Lam. — sonchifolia L. A — suaveolens L. C 	curassavicus W. Cylindricus Pers. I
Cachrys alata Spr. et M. B. C Laserpitium ferulaceum L.	C. Tuna B. elatior Pers Ferox W. Ficus-indica L. flagelliformis L.
- cretica Lam. et Spr. C Athamantha cervariae- folia Viv.	foliosus W. grandiflorus L. heptagonus L.
- dichotoma Spr. A Conium dichotomum Desf.	— lanuginosus L. — mamillaris L.

Digitized by Google '

Cactus mamiliaris a. spinis	Caladium lacerum W. D
luteis.	Arum lacerum I.
_ \(\beta\). tomentosus	- sagittaciolium Vent. C
- 2. proliferus	Arum sagittifol. L.
multangularis W. D	_ seguinum Jacq. D
multangular is W. D. monocanthos W. D.	Arum seguinum L.
- monstrosus Hortul.	Arum seguinum L. Calanchoe Verea Pers. D
	Cotyledon crenata Vent.
- (/()(()()()()()()()()()()()()()()()()()	Verea cremita Andrew.
- pendulus ""	- laciniata Pers. D
	Verca laciniata W. En.
- Deluvianus D.	Cotyledon laciniata W.
- Dily Matriciaes E	En.
	Calceolaria pinnata I. A
- pseudo Tuna H. Vind. D	Fagelia flavicans Ghiel.
- repandus W. D	S. veget.
- reptans W. D	Calan agrapa Tucti a A
- speciosus Cav. D	Calea aspera JacqA Melananthera deltoidea
- speciosissimus H. Cels.	Mich.
\mathbf{D}	
- spinosissimus Lam. D	- Oppositions
- stellatus W. En. D	Catenaula aegyptiaca Pers.
- tetragonus L. D	
- triacanthos W. D	ai vensis ii.
+ triangularis L. D	- chrysanthemifoliaVent.
_ fol. variegatis_	
- Tuna L. D	(leliticumica
Jaesalpinia pulcherrima	II ((ticosa B.
Swartz.	grammigna 2.
Poinciana pulcherrima	II y JJ1 ICCC 131
L. ´	Unicinazio 2
- Sappan L. D	\theta_ prolifera
Caladium auritum W. En.	_ pluvialis L. A
D. D.	_ sicula Orteg. A
Arum auritum L.	- stellata Cav. A
- bicolor W. C	Tragus Ait.
Arum bicolor L.	Calla aethiopica L. C
- esculentum W. En. C	*_ palustris L. C
Arum esculentum L.	Callicarpa americana L.
- helleborifolium W. En.	
D	- macrophyna W.
Arum helleborifelium I.	- tomentosa W. En. D
	E.
·	

*Caluna vulgaris W. En.	Campanula earpatica Ait.
Erica vulgaris L.	— caespitosa Schl. C
flore albo	- cenisia L. C
- lore pleno	* *cervicaria L. C
Calomeria amaranthoides	— cochlearifolia Lam. C
Vent. B	fragilis Cyrill.
Humca elegans Smith.	- collina M. B. C
Calothamnus quadrifidus	- divergens Kit. C
Brown. D	- elongata W. C
*Caltha palustris-L:- C	Erinus L. A
— fl. pleno	erinoides L. A
Calycanthus floridus L. D	- glomerata L. C
- ferox Mich.	- grandislora L. C
levigatus W.	gentianoides Lam.
_ nanus Duh. arb.	*— hederacea L. C.
praecox L. D	*— hybrida L. A
Calyptranthes Zuzygium	Legousia hybrida Pers.
L. D	— latifolia L. C
Myrtus Zuzygium Swartz	— laniflora Horn. C
Zuzygium fruticosum	- lanuginosa W. B C
Brown.	— liliifolia Kit. C
Callistachys lanceolata H.	- ligulata Pers. C
Cels. D	hungarica Kit. — linifolia W. C
Camellia japonica L. D	
— a. simplex	uniflora Vill.
- \beta. fl: pleno albo	valdensis All.
- 2. fl. pleno roseo	— lobellioides L. A. — Lychnitis Horn. C
- J. fl. pleno in-	 Lychnitis Horn. macrantha Fischer.
carnato	
— — 6. fl. pleno vari-	- macrostachya W. C medium L. B
egato — " expansa	- nitida Ait. C
Campanula aggregata W.	- nutans Kit. C
C C	- obliqua W. C
_ alpina L. G	— pannonica H. Erf. G
aurea L. D	— patula L. C
- barbata L. C	- perfoliata W. A
- betonicaciolia M. B. C	*— persicifolia L. C
- bouariensis L. C	- peregrina W B
- Lononichsis L C	- petraca Dec. C

Campanula_planiflora W.	Canna flaccida Salish.
En. C	— glauca L. C
- punctata Lam. C	flaccida Pers.
- pusilla Jacq C	_ iridiflora Pers
- pulla Jacq	— Tutea L. C
- punctata W. C	- rubra W. En. C
- pulcherrima H.Monach.	- Variabilis W. En. C
<u> </u>	indica Ait.
- pubescens W. C	β. fol. variega-
- pyramidalis L. C	tis.
*_ Rapunculoides L. C	*Cannabis sativa L. A
*_ Rapunculus L. C	Cantua foetida Fl. peruv.
- rhomboidea L. C	1)
- reniformis Pers. C	Cestrum grandistorum
*_ rotundifolia L. C	Hortul.
- ruthenica M. B. C	Capparis Baducca L D
- Schenchzerii Vill. C	
sibirica L. BC	ovata Desf. D
- spathulata Kit. C	— longifolia H. Cels. D
- spicata L.	
*_ speculum L. A	
- stylosa L.	- tennisiliqua Jacq. D
- speciosa Horn.	/
- suaveolens W. En.	
- thyrsoidea L. H	
*_ Trachelium L.	
_ Trachelioides M. B.	baccatum L. , D
- uniflora Vill.	(Clusitorine
- urticaefolia W.	Cinuit 221 Zuzzum
- versicolor Bot. Repert	
· (grossum L.
Camphorosma monspeli-	
ense W. 1) Dicolor sacq.
Canarina campanulata W	riolaceum Hortul.
Campanula canariensi	s - sinched bucq.
L.	sphaericum vv.
	Cardaniuc alpina L. D
- chinensis W. En.	
indica W. Sp.	bellidifolia Wulf.
indica natens Ait.	heterophylla Host.

+0 1 :	On Jour malaunthomns T
*Cardamine amara L. C	Carduis polyanthemus L.
graeca L. A	Mant
+_ hirsuta L. • A	- pycnocephalus L. A
- italica H. Cremeneci. B	- adiatus Kit. C
* impatiens L. AB	- commonus Smith. B
*_ pratensis L. C	*Carex acuta L. C
- resedifolia L: C	gracilis Curt.
- sylvatica Linck.	mutabilis VV.
 parviflora W. trifolia L. 	paludosa Good.
	- acuminata IV. C
Cardiospermum Halicaca-	cuspidata Host.
bum L. A	— alba L. C
* Carduus acanthoides E. B	nemorosa Schrank.
- arabicus L. A	— alpostris W. C
- arctioides W. C	gynobasis Scklr.
- Argemone Dec. C	diversiflora Host.
- argentens Jacq. A	Halleriana Asso.
— candicans Kit. B	*- ampullacea Good. C
— carlinacfolius Vahl. C	vesicaria Lightf.
- carlinoides Gouan. C	obtusangula Ehrh.
*_ crispus L. • C	[⋆] — arenaria L. C
- crassifolius Horn. C	disticha Hossm.
_ collinus Kit. C	spicata Schrank.
- cyanoides L. C	_ atrata L. C
- defloratus L. C	- axillaris Good. C
<u>hamulo</u> sus Kit. C	- bicolor All. 'C
- leucographus L. A	androgyna Balb.
— Tinearis Pers.	- brachystachys Schk.
_ lycorifolius Vill. " C	C
- mostis Jacq. C	strigosa All.
— mollis Pollichi. B	- brizoides L. C
Cnicus mollis Roth.	- capillaris L. C
Serratula Poliichi. Dec.	*— cespitosa L. C
Cat.	acuta B. Pollich.
_ nigrescens Vill. C	*_ chordorrhiza W. *C
_ mitidus W. C	*— collina W. C
*_ nutans L. B	montana Host.
— pannonicus L. Suppl: C	globularis W. Act. B.
- peregrinus Retz. B	- conglobata Kit. C
— peregrinus Retz. B — Personata Jacq. B	*— curta Good. C
Arctium Personata L.	cinerca Poll.
Arthum Personala D.	uncrea I un.

Carex:		*Carex hirta L.	C
brizoides Huds.		- hirsuta III.	C
tenella Ehrh.		- hordeiformis Host.	C
- curvula All.	C	secalina VV.	
- cyperoides L.	A	*- humilis Leyss.	C
bohemica Schreb.		clandestina Good.	
*— Davalliana W.	C	- incurva W.	C
dioica L.		juncifolia All.	
*- digitata L.	\mathbf{C}	*_ intermedia Good.	C
*- distans L.	C	disticha Schreb.	
*- divulsa Good.	C	spicata Poll.	
loliacea Schreb.		*_ Kochiana Dec.	
canescens Huds.		- lagopodioides Schk.	C
- Drymeja W.	C	_ laxa W.	\mathbf{C}
capillaris Leers.		- leporina Leers.	C
sylvatica Host.		lagopina Wahlenb.	
patula Scop.		Lachenalii Schk.	
*- elongata IV.	C	approximata Hoffm.	
. multiculmis Ehrh.		*_ limosa L.	C
*- ericetorum Poll.	C	elegans W. pr. B.	
ciliata W.		- multiflora Muhlenb.	\mathbf{C}
extensa Good.	C	*_ muricata W.	C
- ferruginea W.	C	canescens Leers	
alpina Schrank.		spicata Huds.	
varia Host.		loliacea & Schk.	
sempervirens Vill.		- nemorosa W.	\mathbf{c}
*_ flava L.	C	- nigra All.	\mathbf{C}
*- filiformis Host.	\mathbf{C}	- nutans Host.	C
tomentosa Lightf.		*- Oederi Ehrh.	C
hirta Flor. dan.		flava Poll.	
lasiocarpa Ehrh.		* ovalis Good	C
splendida W. prod.	В.	leporina Leers.	
- firma Host.	C C	*_ pallescens L.	C
rigida Schrank.		*- paniculata L.	C
- foenea W. Eu.	C	panicea a. Poll.	
- foetida L.	C.	*_ panicea L.	C
— frigida L.	C	≠_ patula Host.	C
spudicea Schkuhr.		*- pauciflora Lightf.	C
fuliginosa — —		patula Huds.	
— glomerata Tost.	\mathbf{C}	leucoglochin Hoffin.	
_ granularis Mülilenb.	C `	pulicuris fl. Suec.	
•		•	

*Carex paradoxa W.	C	*Carex supina Wahlenb	C
canescens Host.		- sylvatica L.	C
— pendula Host.	C	- tenuis W.	\boldsymbol{c}
maxima Scop.		*- teretiuscula Good.	C
Anastachys Wahlen	b.	diandra Schrank.	-
- petraca VV.	C	*_ tomentosa L.	C
— pilesa All.	\mathbf{C}	sphærocarpa Ehrh.	
*— pilulifera L.	C	- umbrosa Host.	\mathbf{C}
filiformis Poll.		*- vesicaria Good.	C
decumbens Ehrh.		inflata Huds.	_
ptana Sp. Plant.		vesicaria β. Poll.	
raecox Jacq.	C	★— vulpina L.	C
montana Poll.	•	Carica microcarpa Jacq.	D
stolonifera Ehrh.		- monoica W. En.	D
saxatilis Huds.		- Papaya L.	\mathbf{a}
filiformis Leers.		Carlina acaulis L.	C
*- pseudo-Cyperus L.	\mathbf{C}	— acanthifolia All.	\mathbf{C}
*— pseudo-Cyperus L. *— pulicaris L.	\mathbf{C}	— adgregata Kit.	C
Psyllophora Wahlenl	o.	- Biebersteiniana Bern	h.
*— remota L.	\mathbf{c}	and the same of th	\mathbf{C}
*- recurva L.	C	- corymbosa L.	В
flacca Host.		- echinus M. B.	\boldsymbol{C}
glauca Scop		- Ianata L.	\mathbf{C}
limosa B. Poll.		- simplex Kit.	C
$ \beta$. oelandica.		*- vulgaris L.	В
*— riparia Curt.	C	Carlowizia salicifolia	
crassa Ehrh.		Moench.	D
vesicaria Leers.		Carthamus salicifolius	L.
- scheenoides Schk.	C	Carnesium abrotanoides	В
*- Schreberi W.	\mathbf{C}	W.	
præcox Schreb.		*— cernuum L.	A
★	\mathbf{C}	— wulfenianum Schreb.	B
muricata Poll.		Carpinus americana Pers.	.D
echinata Hoffm.		★ — Betulus L.	D
Leersii W. prodr.		— β. quercifolia	١.
- stenophylla W.	C	- Ostrya L.	D
glomerata Host.	•	Ostrya vulgaris W. E	11.
juncifolia Shkuhr.	_	— virginica L.	D
- straminea H. Vind.	\mathbf{C}	Carthamus coeruleus L.	\mathbf{C}
- stipata Mühlenb.	\mathbf{C}	— creticus L.	A
≠_ stricta Good	C	- lanatus L.	A

<u> </u>	* 1
Carthamus:	* Caucalis Gerardi. Schwæ-
· Carthamus tanatus Pers	grichen. A
Centaurea lanata Dec.	* 1.4.01
— tinctorius L. A	
*Carum Carvi L. B	— grandinora L.ctSpr. A — hispida Spr. A
Sium carvi Bernh.	nispida Spr. A
Seseli carvum. Scop.	- leptophylla L. et Spr. A
Cassia acuminata L. D	— littoralis M. B. B
- arborescens Vahl D	
	- orientalis Pallas. B
	- parviflora L.et Spr. A
fulcata Hortul.	— pulcherrima W. B
to the territory of the second	orientalis M. B. el Spr.
Cathanta E. D	Ceanothus africanus L. 1)
Cathartocarpus Fistula	— americanus. L. D
Pers.	- microphyllus. L. D
Cassia mollissima VV.En.	Cecropia peltata L. D
- lœvigata W. En. D	Celastrus buyirdius L. D
- maritandica L: C	spinosus Tkunh.
- multiglandulosa W. D	- cernus W. D
— nictitans L. A	- lucidus. L. · D
- obtusifolia L. D	- pyracanthas L. D
- occidentalis W. En. D	 pyracanthus L. scandens L. D
- procumbens L. A	Celosia albida W. A
- tomentosa L. D	- argentea I. A
Cassine Maurocenia L. D	- castrensis L. A
- Peragua L. D	- coccinea L. A
- sphærocarpa H. Par. D	The same of the sa
* Castanea vesca Gærtn. D	
Fagus castanea L.	— cristata L. A.
- pumila W. D	- margaritacea W. En. A
Fagus pumila L.	paniculata E. A B
- nana Duroi	- trigyna L. A
Casuarina equisetifolia L.	Celsia arcturus L. B
D	= cretica L. B
- stricta. Donn D	- coromandeliana W. A
- torulosa W D	- elata Vahl
suberosa Hortul.	- glabrata, H. Erf. B
Catanan I and 1 Am	- heterophylla Pers. C
	— lanata Jacq. B
	- orientalis L. A.
Caucalis daucordes Z. ct	- viscosa Roth, et W. En.
Spr. ` A	В

Celtis australis L. D	Centaurea bracteata Ber-
— cordata Pers. D	c
- crassifolia Mich. Arb.	*_ calcitrapa L. B
Forest. D	- calocephala W. C
- occidentalis L. D	— Centaurium L. A
- orientalis L. D	— centauroides W. C
- Tournefortii Pers. D	- cineraria W. C
orientalis Mill. dict.	— cicutaefolia Horn
- sinensis. Pers. D	— collina L
Cenchrus ciliaris L. A	— conifera L. C
Panicum vulpinum W.	- coriacea Kit. C
En.	- Crocodylium L. A
Pennisetum cenchroides.	- Crupina L. A
Rich.	*— Cyanus L. A
- echinatus L. A	— dealhata M.B.
- capitatus L. A	*_ decipiens Thuill. C
Sesleria echinata. Schrad	- diffusa Lam. C
Echinaria capitata Desf.	— discoidea Balb. C
- racemosns L A	flosculosa W.
Lappago racemosa W.	— elongata W. C
Centaurea ægyplinca L, C	diluta Ait.
- africana Lam. C	- eriophora L. A - ferox Thouin. C
- alba L. C	
amara L. C. aliaica Fisch. C	
	0
	*_ Jacea L. C * \rho \text{Sine radio.}
	- Intyhacea L. C
- atropurpurea Kit. C - Fl. luteo.	- Isnardi W. G
_ aurea. Ait. C	_ leucocephala H. Erf. C
austriaca W	- Lindii L. A
phrygia Jacq.	— maculosa Lam. C
- auriculata Balb. C	melitors is L. A
- axillaris W. C	_ mollis Kit C
scusana Vill.	*_ montana L. C
caucasica Hortul.	- moschata L. A
stricta Kit.	- Fl. albo A
variegata Lam.	— muricata L. A.
- bannatica H. Pesth. C	\sim nigra L .
- Benedicta L. A	- nigrescens. W. C
	→

Contaurea nitens H. Vind.	Centaurea trichocephala
- nervosa W. En. C	- uniflora L. C
- neglecta W. C	
- ochroleuca w. C	- verutum L. A
	vochinensis Bernh. c
	Cephalanthus occidentalis
	L, D
	Cephalophora glauca Cav.
- parviflora Desfont B	C C
- pectinata L. C	Cerastium alpinum W. C
- procumbens Balb. C	anomalum Kit. B
- phrygia L. C	*- arvense. L
- prolifera Vent. A	*- aquaticum W. A
staminea W.	- connatum W. A
- pratensis Thuill C	*- hrachypetalum Pers.A
- pubescens W. C	viscosum Pollich.
- pullata L. B. C. ragusina L. C.	— dichotomum L. A
- ragusina L. C	- davuricum Fisch. C
- Rhapontica L, C	- lanuginosum L
- rupestris L. C	- latifolium L C
- ruthenica W. C	- manticum L. C
- Telleva W. C	- ovatum Hoppe A
- sabulosa Horn. A	- pensylvanicum W. En.
- salicifolia M. B. C	suppl C
- seridis W. C	- perfoliatum L A
- sempervirens L. C	- repens. L.
* Scabiosa L. C	- serpillifolium W. En.
- sonchifolia L. C	suppl.
Condido W	*- semidecandrum L. A
- sphaerocephala L. C	- sylvaticum Kit. C
- spinosa W. C	- tenuifolium Pursh. C
- spinosa W. C	- tomentosum L. C
- splendens. L. C	*- viscosum L. A
- sicula L. A	*- vulgatum L. , A
- Stoebe L. C	Ceratochloa unioloides Pal.
- stricta. Kit.	de Beauv. A B
- sulphurea W. En. A	Festuca unioloides. W.
- strobilacea Scop. C	Ceratonia siliqua L. D
- tatarica L. C	*Ceratophyllum demersum
- tenuiflora Fischer C	L. c
- transalpina Schleich. C	*_ submersum L. C
	F

Cercis canadensis L. D	Chamaerops humilis L. I
- siliquastrum L. D	Phoenix humilis Cav.
- Fl. albo.	Cheilanthes lendigera W.
Cerinthe aspera W. A	Pteris lendigera Cav.
- maculata. Schrad. C	Cheiranthus annuus. L.
- major L. A	*— Cheiri L.
— minor L. B C	_ chius L.
Cestrum alaternoides H.	- cuspidatus M.B.
Cels. D	- decumbens W. En.
- auricnlatum L. D	- dubius Horn.
hediunda Lam.	*— Erysimoides L. I
- cauliflorum W. En. D	Erysimum cheiranthus
— diurnum L. B	Pers.
— elongatum L'Herit. D	- lanceotatum Ait
- foetidissimum. Jacq. D	- fenestralis L.
- laurifolium W. En. D	Mathiola fenestralis Ait
grandifolium Hortul.	- firmus. W. En. suppl. I
venenatum Lam.	- fruticulosus L. BL
— macrophyllumW.En.D	- helveticus L. I
— nocturnum L. D	Erysimum helveticum
- Parqui L'Herit. D	Ait.
virgatum. Fl. Peruv.	— ibericus L.
- pendulinum W.En. D	- incanus L. C
- salicifolium. W. En. D	Mathiola incana Ait.
- tinctorium. W. En. D	_ linifolius Pers. B
<u>tomentosum L.</u> D	- laevigatus L.
- undulatum W. En. D	- maritimus L.
— vespertinum L. D	Malcolmia maritima Ait
confertum. Mill. dict.	— mutabilis W.
Ixora alternifolia Jacq.	- graecus. Juss. B
Chaerophyllum angulatum	- odorus Spreng.
Kit. C	— odoratissimus W.
_ sativum Spr. A	Mathiola odoratissimo
scandix cerefolium L.	Ait.
Chamaerops acaulis L. D	— pallens Schl.
Corypha minor Jacq.	- parviflorus W.
— <i>pumila</i> Walth. carol.	Mathiola narviflora All
Sabal Adansoni Desf.	Erysimum cheiranthoi
Ruphis acaulis W.	des L.
excelsa Pers. D	— pumilus Schil.
<i>humilis</i> Ait.	- quadrangularis W.

01.5	+ 07 A: C-: C-3:
Cheiranthus:	*Chenopo ium ficifolium
cornutus Lam.	Smith A
montanus Pall.	serotinum Huds.
Erysimum sessiliflorum Ait.	*— glaucum L. A
	- graveoleus W. A * hybridum L. A
- rhaeticus Schl. B	*— hybridum L A
- scoparius W: D	- incisum H. Par. A
- sinuatus L. A	— lanceolatum Mühlenb. A
Mathiola sinuata Ait.	concatenatum Hortul.
- taraxacifolius H. Erf. B	— leiospermum Dec. A
- tricuspidatus L. A	— multifidum L. C
Mathiola tricuspidata	— maritimum L. A
Ait.	*— murale W. A
- tristis L. D	* _ onulifolium Schrad. A
Mathiola tristis Ait.	* polyspermum L. A
- turritioides Lam. B	- Quinoa W. A
*Chelidonium cornicula-	- rhombifolium W. A
tum L. A	*_ rubrum L. A
Glaucium phoeniceumW.	- Scoparia L. A
— glaucium L. B	- setigerum. Dec. A
Glaucium fulyum W.	- serotinum L A
*_ majus L. C	- trilobum Dec. Cat. A
— β. quercifolium	*_ viride L. A
Chelone barbata Cav. C	*_ vulvaria L. A
formosa. Wendl.	Cherleria sedoides L. C
— glabra L. C — obliqua L. C	Chiococca racemosa L. D
— obliqua L. C	sarmentosa Brown.
purpurca Miller.	Chionanthus virginiana L.
*Chenopodium album L. A	D
- ambrosioides L. A	- longifolia H. Cels. D
- aristatum L. A	Chironia baccifera L. D
- Atriplicis Ait. A	Roeslinia tetragona
purpurascens Jacq.	Moench.
*_ Bonus-Henricus L. C	_ frutescens. L. D
- Botrys L. A	decussata 3. Vent.
- carthaginence Zucc. A	- linoides. L. D
*—chrysomelanospermum	*_ pulchella Smith. A B
Balb. A	*Chlora perfoliata L. A
urbicum L.	Gentiana perfoliata Roth
- crassifolium H. Paris. A	Chloranthus inconspicuus.
- foetidum W. A	W. En. D
and the same of th	

Chloranthus:	Chondrilla Decandolli Spr.
Nigrina spicata Thunh.	<u> </u>
Chloris barbata Swartz A	*- juncea L. B
Andropogon barbatum	graminea M.B. B.
L. Mant.	— numaralis B
ciliata Swartz A	— ramosissima
Andropogon pubescens Ait,	Prenanthes ramosissima All.
- compressa Dec. A	Chorizema ilicifolia Brown
polydactyla Durand.	
- gracilis Humb.et bonpl.	Chrysanthemum Achilleae.
- monostachya Mich. A	apetalum H, Erf. BC
Campuloa monostachya	- arcticum L. C
S. et Roem.	- argenteum W. C
Andropogon procumbens	Matricaria argentea L.
Jacq. fil.	- atratum L. C
- pallida W. A	- Broussonetii. Pers. I
Andropogon provincialo	- carinatum Schoush. A
Retz.	tricolor Andrews.
- petrace Swartz C	COCCINCULAR VVI
Andropogon capensis	- Colonalium r.
Houttuyn L. Syst.	- heterophyllum W. En.
Agrostis complanataAit. Cynosurus paspaloides	- incanum Thunh. C
Vahl.	incanum Thunb, C *— Leucanthemum L. C
Eustachys petraea Des-	- monspelience W. C
vaux,	- montanum L. C
Schultesia petraea	- moschatum W. Act.
Spreng.	Berol.
- polydactyla, Swartz A	- Myconis L. A
Andropogon_polydacty-	parviflorum W. C
lon L.	- punitum w. Da
- barbatum L. Am.	- sceedin La
Acad.	- sylvestre W. En. suppl
- radiata W. A scoparia Dest.	Chrysocoma biflora L. C
Andropogon fascicula-	— Comaurea L. D
tum L.	Conysa inuloides Ait.
Cynusurus sco <u>pari</u> us	- denticulata Jacq. D
Lam.	- Dracunculoides Lam. C

Chrysocomo graminifolia	Cinoraria cordifo la Gouan
L, C	C
*— Linosyris L. C	alpina L.
- villosa L. C	- cruenta W. En.
Chrysophyllum argenteum D	aurita Andr.
	— cylindrica Bernhardi D — geifolia W. D
9	
*Chrysosplenium alterni- folium L. C	- lactea W. En. suppl. D
*— oppositifolium L. C	- lactea W. En. suppl. D - lanata L'Herit. D
Cicer arietinum, L. A	— linitoha Jacq. D
- B. semine an-	- lucida Swarz. D
gulato.	- maritima L. D
- nigrum Hort.Vindob. A	- palustris L, C
Ervum Leus A. semino	- parvistora Ait. D
nigro. W.En.	- pratensis Hoppe? C
- punctatum H. Vindob. A	- praecox W. D
Ervum punctatum H. Cre-	repanda W. D
men.	- tiliaefolia Sp. nova D
Cichorium divaricatum	— sibirica B. bohemica L.
Schousb. A	W.
- Endivia L. A	- Tussilaginis L'Herit. D
*— Intybus L. C	*Circaea alpina L. C
- pumilum Jacq. A	*— intermedia Ehrh. C
Cicuta maculata L. C	*_ Lutetiana L. C
*_ virosa L, c	Cissus acida L. D
Cimicifuga soetida W. C	Irsiola triphylla Brown.
americana Mich.	Sicyos trifoliata L. Sp.
Actaca Cimicifuga L.	plant.
Cinchona caribaea L. D	- antarctica Vent. D
Exostema caribaea	- orientalis Lam. D
Pers.	— Sicyoldes L. D
Cineraria alpina W. C	smilacina W. En.
Senecio alpinus L.	Isiola scandens Brown.
- aurantiaca W. C	- quadrangularis L. D
alpina Jacq. — aurita W. D	— vitiginea L. D
- aurita W. D D amelloides L. D	Cistus albidus L. D — crispus L. D
- amelioides L. D	- crispus L. D - creticus W. En. D
Campostrie Betz	- birsutus W. En. D
- campestris Retz. C	minimus mirim.

Cistus incanus. L. D	Citrus medica Z. Limonia,
	n. Bergamotta
- laurifolius L. D	- trifoliata L. D
— laxus Ait. D	Claytonia perfoliata W. A
— monspeliensis L. D	cubensis H. et Bonpland.
oleacfolius Mich.	Clematis angustifolia E. C
1 Overly Ottes Inten-	calveina Ait D
- populifolius W. En. D	Carrena Mic.
- purpureus Lam. D	- crispa L D
- salvifolius L. D	- erecta L C
- vaginatus Jacq. D	\elle. hispanica.
	- Flammula I. D
symphitifolius Lam, villosus. L. D	— I lamining Di
- villosus. L. D	
pilosus Mill. dict.	- ochroleuca L. C
Citharexylon caudatum L.	- orientalis L. D
D	- Viorna L. D
_	11
erectum Swartz.	- Vitama II.
fruticosum Brown.	- Vuicena L.
teres Jacq.	- Fl. rubro
- cinereum L. D	- Fl. pleno.
erectum Jacq.	Cleome arabica L. A
	dodecardra I.
- pentandrum Vent. D	- uouecanura D.
- quadrangulare L D	- gigainea L.
Citrus aurantium I. D	viridiflora Schreb.
— a. Fl. pleno.	- pungens W. En. A
$ \beta$. crispum.	- spinosa Jacq. A
— 2. dulce.	- CITILITY Ha L.
— — 5. pumilum.	- unigianuulosa vi
- t. Tührum.	- violacea L.
y 1 o 1.	- viscosa L.
\(\salicitolium. \) _ a. fol.va-	Clerodendron fragrans W.
minentia	En. D
riegatis.	En.
— — n. stellatum,	Volckameria japonica
3. folaureova-	Jacq.
riegatis.	- fragans W.
— decumana L. D	- infortunatum W. D
	TT-11 Laurifolia
- japonica Thunb. D	Volckameria laurifolia
— medica L. D	Hortul.
— α, Cedra.	phiomoides w
— β. macrocarpa.	
2. paradisiaca.	- squamatum Valit. *- violaceum. Spec. nova. D
	Tionaccami of D
umbilicata,	, ·

Clethra alnifolia L.	D	Cnicus Barrelieri	B
- acuminata Michaux.	\mathbf{D}	Carduus Barrelieri	н.
— arborea Ait.	D	Par	
maderiensis H. Paris		- canus W.	C
- incana Pers.	D	Carduus canus L.	
tomentosa Mich.		- tuberosus Jaco	Į.
glauca Hortul.		- Casabonae W.	B
Cliffortia ilicifolia W.	\mathbf{D}	Carduus Casabonae	L.
- ternata L.	D	Cirsium Casabonae D	cc.
Clinopodium aegyptiace W.	ıw	- carlinoides Vill.	C
		Cirsium carlinoides	ͺН.
- incanum L.	C	Hallensis.	
Pycnanthemum incani	m	- centauroides W.	C
Mich.	~	- cernuus W.	В
*_ vulgare L.	C	- ciliatus W.	В
Clitoria ternatea L	D	Carduus ciliatus Mnr	r.
- virginiana L.	C	- cyanoides W. Carduus cyanoides L	C
micrantha Smith.	т.	Carduus cyanoides L	٠ _
Clutia alaternoides L.	D.	- cynaroides W.	
- daphnoides W.H.Ber	o1. D	Carduus cynaroides La	_
+ nolygonoides I	D	*— eriophorus W.	С
 polygonoides L. pulchella L. 	Ď	Carduus eriophorus I	
Clusia flava Pers.	Ď	Cirsium criophorum D erysithales W.	C
Clypeola Jonthlaspi L.	A	Carduus erysithalesPe	
Cncorum tricoccon L.	$\hat{\mathbf{D}}$	— discolor Muhlenb.	
Cnicus Acarna W.	$\tilde{\mathbf{C}}$		В
Cirsium Acarna Dec.	_		
- afer W.	В	Cirsium ferox Dec. — helenioides W. Carduus helenioides	C
Carduus afer Jacq.	7	Carduus helenioides	L.
- β. diacantha B	il-	- heterophyllus W.	C
lard.		Carduus heterophyllu	
*— acaulis W.	C	Cirsium heterophyll	'um
Carduus acaulis L.		Dec.	
- altissimus W.	C	- inermis W.En.suppl	. С
Carduus altissimus L	•	≯ — lanceolatus W.	C
- ambiguus.	\mathbf{C}	Carduus lanceolatus	L.
Cirsium Ambiguum De	ec.	Cirsium lanceolatum	,
 arachnoideus M.B. 	C	Dec.	
*_ arvensis Hoffmann.	C	- lanatus W.	, C
Serratula arrensis L.		Carduus lanatus Rox	b.

Cnicus mitis	Cnicus stellarus W.
Circium mite Fischer.	Carduus stellatus L.
— monspessulanus W. C	Cirsium stellatum Dec.
Carduus monspessulanus	- strigosus M.B.
L.	- spinosissimus L.
Cirsium monspessulanum	Cnicus spinosissimus Det
Dec.	- syriacus W.
— munitus M.B. C	Carduus syriacus L.
- neglectus. C	- tataricus W.
Cirsium neglectumFisch.	Carduus tataricus L.
- obvallatus M. B. C	Cirsium tataricum Dec
Cirsium obvallatum Spr.	*_ tuberosus Hoff.
- ochroleucus W. C	Carduus tuberosus L.
Cirsium ochroleucumAll.	- uliginosus W.En. suppl
* — oleraceus L. C	11
Cirsium oleraceum Dec.	- uniflorus L.
- orgyalis W. En. suppl.	Cnidium apioides Spr.
···C	Laserpitium silaifolium
Cirsium orgyale Sp1.	Murr.
palustris W. C	Selinum peregrinum W
Carduus palustris L.	*- alsaticum Spr.
Cirsium palustre Dec.	Peucedanum alsaticum
- pannonicus Jacq. C	- Monnieri Spr. A
rigens W. C	Selinum Monnieri L.
Carduus rigens L: **	Ligusticum minus Lam
_ rivularis W. C	- pyrenaicum Spr. Prodr
Carduus rivularis Jacq.	. Selinum Seguieri L.
_ salinus M. B. C	Seseli aristatum Ait.
- sanspurgensis W. C.	Ligusticum pyrenaicum
rivularis Hoppe.	\mathbf{L}_{ullet}
- serratulus W.En. suppl.	Imperatoria Seguieri
C	Spr. Sp. umb.
_ serratuloides W. C	*_ Silaus Spr.
Carduus serratuloides	Peucedanum Silaus L.
Pers.	Cobaca scandens Cav. 1
Cirsium serratūtöides	Coccoloba excoriata L. 1
. Scop.	— Jaurifolia W. En.
*_ spurius Hoffm. C	— Uvifera L.
Cirsium bulbosum Dec.	leoganensis Jacq.
Carduus tuberosus Poll.	Cochlearia anglica L.
- squarrosus Hornem. C	*_ Armoracia L.

Cochlearia danica L. B Commelina tuberosa L. — glastifolia L. B — Zannonia L.	C
	C
	_
	•
- officinalis L B Swapta-	_
Coffea arabica L. D Comptonia asplenifolia Ai	t.
Coix exaltata W. A	D
- Lacryma L. A Liquidambar asplenifo	Z.
*Colchicum autumnale L. C Kern.	
	B
Colutea arborescens L. D * maculatum L.	B
- cruenta W. D - sibiricum Pall.	В
	C
humilie Scon	C
sanguinea Pall. Fluggea japonica Ric	h.
sanguinea Pall. frutescens L. Flugged japonica Richard. jou	1.
Sutherlandia frutescens Ophiopogon japonicus	• •
Ait. Ait.	•
	~
	Č
Pocokii W. En. *— majalis L.	C
istria Mill. dict a. Fl. pleno.	
- herbacea L. A \beta. Fl. rubro.	
Lessertia annua Dec. *- multiflora L.	C
- media W. En. D *- polygonatum L.	C
perennans L. C racemosa L.	č
per chiadina 2.	
Lessertia perrennans Majanthemum racemo	,-
Dec. sum Pers.	~
*comarum palustre L. C *_ verticillata I	C
Potentilla Comarum. Convolvulus althaeoide	Ŀ
Nestler.	C
commelina africana L. C *_ arvensis L.	\mathbf{C}
- angustifolia Horn. A - biflorus L.	A.
- bengalensis W. C - Balatas L.	$\bar{\mathbf{C}}$
coelestis W. En. C heyoniaefolius W.En.	
	Ď
- erecta W. C - ciliatus Roth.	A
_ japonica Thunb. C undulatus Cav.	_
- longicaulis W. C - Cneorum.	D
- pallida W. C - elongatus W.	Λ
- parvillora Zea. C - farinosus L. A	C
- polygama Roth. A - hermanniae W.	D
Total Administration of the Control	-

Corylus Colurna L.	D	Crassula neutifolia Dec.	, D
- rostrata Ait.	\mathbf{D}	- alba H. Carols.	D
, corauta Duroi		- ciliata L.	D
Costus arabicus L.	C	- coccinea L.	D
glabratus Swartz.		Larochea coccinea Po	ers,
- speciosus Smith.		Dietrichia coccinea	
arabicus Jacq.	1	Trattinick.	
Amomum hirsutum I	am.	- cordata L.	D
Cosmea bipinnata W,	A	— cultrata L.	D
- parvitlora W.	A	- dejecta Jacq.	D
Corcopsis parvifloras	acq.	- falcata W. En.	D
Cotula anthemoides W.		Larochea falcata Pe	ers.
Artemisia nilotica	٠, أ	Rochea falcata Dec.	
- bicolor W.	A	- glomerata L.	A
Ethulia paniculata S	chk.	— haemisphaerica Thur	
- coronopifolia L,	A.		ע
— cuncifolia W,	A	- imbricata Ait.	D
- maderaspatana W.	A	_ lactea Ait,	D
Artemisia maderas	pa-	_ marginata Thunb.	D
tana L,	-	_ mollis W.	D
Grangea maderaspat	ana	_ obliqua Ait.	D
Lam,		— <u>obvallata</u> L.	D
minima W.	A.	- odoratissima W. En.	, B
Artemisia minima Bu		- orbicularis L.	D D
Cotyledon coccinea W		— perfoliata L.	ע
- haemisphaerica L,	, D	perfossa Dec.	D
- Intea W. En.	G	perforata L.	ע
lusitanica Lam,		perfilata Scop.	D
umbilicus L.	-	- portulacea W. En.	A
- nudicaulis H. Erf,	D	- pulchella Horn.	Ď
orbiculata L.	• D	- spathulata Ait.	A
- Umbilicus Huds,	C.	- Tubens L.	Ď
- ungulata Pers.	D	— tetragona L.	
Grambe cordifolia Jaco		Crataegus. vide Mespilus	,
	A D	Pyrus.	A
- hispanica L,	A C	Cropis agrestis Kit.	Ā
- maritima L.	C.	- albida Vill. - alpina L.	Ā
orientalis L.	C.	Borckhausia alpina	
Crassula arborescens L		25 1	
Cotyledon Jacq.	e glada		A
She hreaming and do		↔, aspera <i>L</i> ,	

Crepis bannatica W. En. B	Carania :
- barbata b. A	Crepis:
Tolpis barbata W.	Hieracium sprengeria- num L.
*- biennis L. B	stricta Horn. A
- coronopifolia Desf. A	* tectorum L. A
succulenta Ait.	Dioscoridis Poll.
Chondrilla hieracioides	*— virens L. A
Roth.	Dioscoridis Roth.
- croatica Kit. A	Crescentia cucurbitina
- Dioscoridis L A	Swartz. D
*- foetida L. A	Crinum americanum L. C
Borckhausia foetidaDec.	- bracteatum W. C
- Gmelini. Schult. C	- Commelini W. En. C
- beterosperma Schrad.A	- erubescens Ait. C
- hieracioides Kit. C	americanum Sp. plant.
- hispida Kit. A	Commelini Jacq.
setosa Hall. fil.	Crocus maesiacus Ait. C
— intybacca Brotero. A	aureus. FI gracca.
- ladomeriensis Besser. C	lagenaestorus Salisb.
- lappacea W. A	- nudiflorus Ait. C
- kontodontoides W.BA	multifidus Ramond.
- nemausensis Pers. B	- sativus L. C
Hieracium sanctum L.	- vernus L. C
Andryala nemausensis	Crotalaria arborescens.
Vill.	Ait. D
- nicaeensis Pers. A	incanescens. W.
vesicaria Balb.	capensis Thunb.
rubealis Juss.	- bialata Schr. pl. rar. - Incana L. A
Borckhausia praecox	— Incana L. A — laburnifolia L. B
Moench.	- lotifolia Vahl. D
. [- pubera Vahl. DC
* pinnatifida W. A virens Roth.	- purpurea Vent. D
- praecox Pers. B.	- purpurascens Lam. A
taurinensis W.	- sagittalis L. A
taranacifolius Thuill.	_ tetragona Andrews. B
- raphanifolia W. C	Croton argenteum L. A
- rigida-K.t. C	- lobatum L. A
- rhagadio oides L. A	- penicillatum Vent. D
- rubra L. A.	- pungens W. D
- sprenge iana W. A	sebsterum L. D
7	

Croton:	Cuminum cyminum L. A
Styllingia schifera Pers.	Cunonia capensis L. D
- tomentosum H. Par. D	Cuphea procumbens Cav. A
Crowea saligna Vent. D	- viscosissima Jacq. A
Grucianella angustifolia L.	Lythrum cuphea L.
A	Cupressus africana Wendl.
erecta Sauv.	- disticha L. D
inucronata Roth.	- juniperoides W. D
- latifolia L. A	- lusitanica W. D
- maritima L. D	pendula Pers.
— molluginoides W. C	_ patula Pers D
patula L. • A	pendula Thunh.
Crypsis aculeata Ait. A	_ sempervirens_L. D
Schoenus aculeatus L.	_ a. stricta Ait.
Anthoxanthum aculea-	β. horizontalis Ait,
tum L. suppl. '	Cupr. expansa
Phleum aculcatum Lam.	H. Par.
- schoenoides Jacq.	- thyoides L. D
- alopecuroides Schrad.	Curcuma longa L. C
A	- rotunda W. C
Halcochloa alopecuroi-	Curtisia faginea W. D
des Host.	Cycas revoluta Thunh. D
Phleum alopecuroides	Cyclamen Coum. Curt. D
Piller et Mitterb.	- europaeum L. C
- Schoenoides Lam. A	- hederactolium Ait. C
Crypsis aculeata W.	Cydonia japonica Pers. D
Spartina phleoides Roth.	Pyrus japonica Thunh.
Crypsis aculeata a. Ait.	— B. flore albo.
Heleochloa schoenoides	- sinensis H. Par. D
Host.	Pyrus sinensis W. En.
*Cucubalus bacciferus L. C	suppl.
Silene baccifera VV.	- vulgaris W. En. D
Cucumis acutangulus L. A.	— a. pomiformis.
- anguria L. A	— β. lusitanica Pers.
- Chate L. A	- 2. pyriformis.
- Colocynthis L. A	Cymbidium aloeifolium W
- flexuosus L. A.	
- Melo L.	Epidendron alocifolium
- prophetarum L. A	Pers.
— sativus L. A	- floridum Salish. C
Cucurbita verrucosa L. A.	, Bletia florida Brown.

Cymbidium:	*Cynoglossum officinale L.
Limodorum purpureum.	- umbellatum Kit. B
Redouté.	Rindera umbellata Pall.
- verecundum W. C	Mattia umbellataSchult.
Bletia verecunda Brown.	- virginicum L. et W. B
Limodorum altum' Bot.	amplexicaule Pursh.
Mag.	Cynosurus aegyptiacus L. A
- trifidum Mich.	Dactyloctenium aegyp-
- verecundum L.	tiacum W. En.
Cynanchum acutum L. C	- mucronatum Mich.
- erectum L. D	Rhabdochloa mucronata
Marsdenia erecta Brown.	Sch. et Roem.
Cynara Cardunculus L. B	- aureus L. A
- Scolymus L. C	Chrysurus cynosuroides
Cynoglossum appeninum.	Pers.
L. B	Lamarckia aureaMoench.
- bicolor W. B	*— cristatus L. C
- cheirifolium L. B	*— durus L. A
argenteum Lam.	Elcusine dura Lam.
- canescens W. En. A	Festuca dura Vill.
hispidum Jacq.	Poa dura W. En.
micranthum Desf.	Sclerochloa dura Sch.et
hirsutum Jacquin.	Roem.
- clandestinem Desf. B?	- echinatus L. A
fuloum Rudolphi.	Chrysurus echinatus
- hirsutum Pers. A	Sch. et Roem.
lanceolatum Vahl.	— indicus L. A
- linifolium L. A	Eleusine indica Lam.
Omphalodes linifolia	Lima L. A
Lehm.	Dinebra Lima Sch. et
*— montanum Smith. B	Roem.
sylvaticum Haenke.	Wangenheimia disticha
virginianum L. Sys. veg.	Moench.
Ed. XIII.	— tenellus Cav. A
germanicum Schreb.	Lamarckia tenella Dec.
— Omphalodes L. C	Aegopogon pusillus Sch.
Omphalodes vernaLehm.	et Roem.
- pictum Ait. B.	Cyperus alopecuroides
creticum All.	Rottb. C
cheirifolium Jacq. Collect.	glomeratus W
amplexicaule Lam.	- alternifolius L. C

Cyperus articulatus Vahl. C	*Cyperus radicans Schk. C
nodosus W. En.	- surinamensis Rottb. C
- badius Desf. C	— tenuitlorus Rottb. C
- brunneus Swartz. C	_ vegetus Yahl C
- brizaeus Rich. A	compressus Jacq.
- cinnamomeus Retz. A	monandrus Roth.
- conglomeratus Rottb. C	glomeratus Walt.
strictus Lam. •	declinatus Moench.
- difformis Brown. A	eragrostis Lam.
— elegans Vahl· A	- virens Mich. C
laxus Lam.	- Ascosus Ait. C
- esculentus L. C	elegans Rotth.
*_ flavescens L. C	Scirpus viscosus Poir.
terminalis Mich. herb.	Cypripedium Calceolus L. C.
*_ fuscus L. A	- spectabile W. C
ferrugineus Forsk.	album Curt. Mag.
* \(\beta \).virescensHoffm.	Cyrtanthus angustifolius
viridis Krocker.	w. C
— globosus All. C	Amaryllis cylindracea
fascicularis Lam.	L'Herit.
glomeratus Host. A	Crinum anguștifol. L.
australis Schrad.	supple
alopecuroides & Poiret.	Timmia angustifolia
- Haspan Vahl. C	Grel.
aphyllus Rohr.	— obligues W. C
— longus Vahl. C	Crinum obliquum L.
- Monti L. suppl. C	Cyrilla racemillona L. D
serotinus Vahl.	Itea racemiforaL'Herit.
glaber Vill.	Cytisus alpinus Kit. D
— mucronatus Vahl. C	argenteus L. B
lateralis Forsk.	_ austriacus L. D
maritimus Gouan.	_ biflorus Ait. D
distachyus All.	glaber L. suppl.
junciformis Desf.	_ Cajan L. D
- Papyrus Vahl. C	pseudo Cajan Jacq.
- pannonicus L. A	Cajanus flavus Dec.
_ patulus Host. C	- capitatus L. D
imbricatus Vill.	- divaricatus L. D
— B. caucasius.	elongatus Kit. D
Paramatta Martius. A	- Talcatus Kit. D
spectabilis Schreb.	— Toliosus Ait. D

Cytisus hirsutus L.	D	Cytisus sessilifolius L.	D
- Laburnum L	D	- supinus L.	D
- nigricans L.	D	hirsutus Pall.	D
- purpureus W.	D	- wolgaricus W.	ע
- proliferus Ait.	D	pinnatus Pall.	
- paniculatus II. Cren			
cen.	D		
•	I)	,
*Dactylis glomerata L.	\mathbf{C}	Datura fastuosa L.	A
- glaucescens W.	\mathbf{C}	fl. pleno.	
- hispanica Roth.	. C	— ferox L.	A.
- memphitica Spreng.	A	- fruticosa Horn.	D
- paspaloides W. En.	. A	— laevis L.	A
Dineha arabica Jacq	•	inermis Jacq.	
Cynosurus retroflexi	45	— Metel L.	Ą.
Vahl.		*_ Stramonium L.	A
Dais cotinifolia L.	D	- suaveolens Humb.	D
laurifolia Jacq.		arborea W.	
Dalea alopecuroides	W.	Brugmansia candida	.
En.	Ą.	Pers.	
- Lagonus, Cav.	. A	- Tatula L.	A
Psoralea leporina A	it.	*Daucus Carota L.etSpi	
- Thouini Schrank.	pl.	— gingidium L. etSpr. 1	łБ
rar.	A	polygamus Gouan.	-
Dalechampia scandens		- gummifer Lam.	В
D. 7 1 -	D	- hispidus Desf.	В
Daphne alpina L.	D	- lucidus L. et Spr.	В
Cneorum L.	D	hispanicus Gouan.	. 10
- Gnidium L.	D	- mauritanicus L.etSpr	г.Б
- Laureola L.	D	maximus Desf.	75
- marginata H. Cels.	D	- maritimus Lam.	В
*— Mezereum L. — album.	D	— muricatus L. et Spr.	B F
- odora Ait.	ъ	Davallia canariensisW.	in.
	D	0	
- oleoides L.	D	Caenopteris canariem	1218
pontica L.villosa L.	D D	W. Spec. Trichomanes canaries	1010
Datisca cannabina L.	C	L.	1013
		Decumaria barbara L.	D
Datura ceratocaulaJaco	1·	H	• • • • • • • • • • • • • • • • • • •

Cyperus articulatus Vahl. C	*Cyperus radicans Schk. G
nodosus W. En.	- surinamensis Rottb. C
- badius Desf. C	- Tenuitlorus Rottb. C
- brunneus Swartz. C	_ vegetus Yahl C
- brizaeus Rich. A	compressus Jacq.
- cinnamomeus Retz. A	monandrus Roth.
- conglomeratus Rottb. C	glomeratus Walt.
strictus Lam.	declinatus Moench.
- difformis Brown. A	erugrostis Lam.
- elegans Vahl· A	_ virens Mich. C
laxus Lam.	- viscosus Ait.
- esculentus L. C	elegans Rotth.
*_ flavescens L. C	Scirpus viscosus Poir.
terminalis Mich. herb.	Cypripedium Calceolus L. G.
*_ fuscus L. A	- spectabile W. C
ferrugineus Forsk.	album Curt. Mag.
* &.virescensHoffm.	Cyrtanthus angustifolius
viridis Krocker.	W . "
- globosus All. C	Amaryllis cylindracea
fascicularis Lam.	L'Herit.
_ glomeratus Host. A	Crinum angustifol. L.
australis Schrad.	supph
alopecuroides &. Poiret.	Timmia apgustifolia
- Haspan Vahl. C	Chel.
aphyllus Rohr.	- obligues W.
_ longus Vahl. C	Crinym obliquum L.
- Monti L. suppl. C	Cyrilld racemillona L. D
serotinus Vahl.	Itea racemiforaL'Herit.
glaber Vill.	Cytisus alpinus Kit.
- mucronatus Vahl. C	argenteus L. B
lateralis Forsk.	_ austriacus L. D
maritimus Gouan.	- biflorus Ait. D
distachyus All.	glaber L. suppl.
junciformis Desf.	_ Cajan L. D
- Papyrus Vahl. C	pseudo Cajan Jacq.
- pannonicus L. A	Cajanus flavus Dec.
_ patulus Host. C	- capitatus L.
imbricatus Vill.	Mvaricatus L. 1'
&. caucasius.	_ elongatus Kit. D
Paramatta Martius. A	- Talcotus Kit.
spectabilis Schreb.	— Toliosus Ait.

Cytisus hirsutus L.	D	Cytisus sessilifolius L.	D
Laburnum L.	D	- supinus L.	D
- nigricans L.	D	hirsutus Pall.	-
- purpureus W.	\mathbf{D}	- wolgaricus W.	D
- proliferus Ait.	D	pinnatus Pall.	
- paniculatus II. Cres			
cen.	D		
	D		
*Dactylis glomerata L.	C	Datura fastuosa L.	A
- glaucescens W.	\mathbf{C}	fl. pleno.	
- hispanica Roth.	· C	— ferox L.	A.
- memphitica Spreng.	. A	- fruticosa Horn.	D
- paspaloides W. En.		- laevis L.	A
Dineha arabica Jacq		inermis Jacq.	
Cynosurus retroflex	us	— Metel L.	A
Vahl.		*_ Stramonium L.	A.
Dais cotinifolia L.	\mathbf{D}	- suaveolens Humb.	D
laurifolia Jacq.		arborea W.	
Dalea alopecuroides	W.	Brugmansia candida	i.
En.	Ą	Pers.	
- Lagopus Cav.	A	— Tatula L.	A
Psoralca leporina A		*Daucus Carota L.etSpi	
- Thouini Schrank.	pl.	- gingidium L. etSpr. 1	АБ
rar.	A	polygamus Gouan.	D
Dalechampia scandens		- gummifer Lam.	B B
Dankus alnina T	D	- hispidus Desf.	В
Daphne alpina L. *— Cneorum L.	D D	— lucidus L. et Spr. hispanicus Gouan.	D
- Gnidium L.	D	- mauritanicus L.etSp	n R
- Laureola L.	Ď	maximus Desf.	u.D
- marginata H. Cels.	Ď	- maritimus Lam.	B
*— Mézéreum L.	Ď	- muricatus L. et Spr.	В
- album.	2	Davallia canariensisW.	
- odora Ait.	D	200000000000000000000000000000000000000	C
- oleoides L.	$\tilde{\mathbf{D}}$	Caenopteris canaries	ısie
- pontica L.	$\tilde{\mathbf{D}}$	w. Spec.	
- villosa L.	$\tilde{\mathbf{D}}$	Trichomanes canaries	ารเร
Datisca cannabina L.	C	L.	
Datura ceratocaulaJaco	4. A	Decumaria barbara L.	D

Decumaria sarmentosa W.	Delphinium pictum W.En.
Forsythia scandens	staphysagria var. B.Lam.
Walth	maritimum Cay. et Balb.
Decum. scandens Hort.	- puniceum Pall. C
Delphinium ajacis L. A	- spēciosum M.B. C
_ flore pleno.	- spurium Fisch. C
- \(\beta \). ambignum	- Staphysagria L. B
Mill. dict.	- villosum Steven. C
- americanum Mill.dict.C	- urceolatum Jacq. · C
anomalum Spreng. Cat.	Dendrobium Sp. nova ex
C	Brasilia.
- Cheilanthum Fisch. C	*Dentaria bulbifera L. C
— Consolida L. A	Cardamine bulbifera
- fl. pleno.	Ait.
_ cuneatum Stev. C	- pentaphylla W. C
azurcum H. Paris.	Cardamine pentaphylla
hybridum Herb. Lin.	Ait.
elatum \(\beta \). Lam.	- pinnata Lam. C
_ dyotiocarpum Dec. C	Cardamine pinnata Ait.
elegans Dec. C	Desmanthus diffusus W. D
— exaltatum Ait. C	Miniosa pernambucana
tridactylum Mich.	T.
_ flexnosum M. B. C	— plenus L. A
gracile Dec. A	Mimosa plena L.
grandiflorum L. C	
8	punctatus III.
_ il. pleno. _ hirsutum Roth. C	Mimosa punctata L.
_ hybridum W. C	— Vii Busus
hirsutum Pers. non Roth.	Mimosa virgata L. Dianella caerulea W.En. C.
	— nemorosa W. En. C
\(\beta \). fissum Kit.	- Remorest //
intermedium Ait. C	Dracaena ensifolia L.
\beta. alpinum Kit.	Anthericum adenanthe-
γ. leptostachyum.	rum Sp. Plant.
Dec.	Dianthus alpestris Balb. C
intermedium	ar a quant
Lapeyr.	B. fruticosus Sp. Plant.
- 5. ranunculifolium	— arenarius L. C
Dec.	*— Armeria L. A
- Laxum Dec.	- asper W. C
— palmafidum Dec. C	_ atrorubens Jacq. · C

	_	
Dianthus barbatus L.	C	Dianthus suavis W. C
- bicolor M. B.	C	- sylvestris Wulf. C
- capitatus H. Vindob.	C	_ tataricus Fisch. C
*— caesius Smith	Č	- virgineus L. C
glaucus Huds.	u	- 1115.111.113
giaucus muus.	C	rupestris L. suppl.
- campestris M. B.		Diarrhena americana P. de
*_ carthusianorum L.	\mathbf{c}	Beauv.
- caryophyllus L.	\mathbf{c}	Dichondra argentea W. C
- chinensis L.	В	— sericea WC
collinus Kit.	C	Dicksonia arhorescens W.
- crinitus Smith.	C	. D
*- deltoides L.	\mathbf{C}	*Dictamnus albus L. C
- diminutus W.	A	- purpureus Gmel. Cat.
- diutinus Kit.	C	, Carolsr.
- dubius Balb.	Č	Diervilla canadensis W.
- ferrugineus L.	B	En. D
- furcatus Balb.	Č	Lonicera Diervilla L.
* -	Ğ	Diervilla humilis Pers.
- fragrans M. B.	Ğ	
- glaucus W. En.		— Tournefortii Mich.
- hungaricus Towson.	C	*Digitalis ambigua L.
- hortensis Schrad.	Č	lutea Pall.
- monspeliacus L.	C	grandiflora Lam.
— montanus M. B.	\mathbf{C}	ochroleuca Jacq.
- moschatus Gmelin.	\mathbf{C}	- canariensis L. D
- nitidus Kit.	C	- ferruginea L. CB
ochroleucus Pers.	C	— lanata Kit. B
_ patens Hornem.	C	ferruginea Lam.
- petraeus Kit.	\mathbf{C}	- laevigata Kit. B.
— plumarius L.	Č	*— lutea L. C
- polymorphus M. B.	č	*_ media Roth. cat. bot. C
- praecox Kit.	$\ddot{\mathbf{c}}$	- minor Pers. C
*_ prolifer L.	$\ddot{\mathbf{c}}$	- mrerantha Schrad. C
profiler D.	В	- obscura L. G
- pseudarmeria M. B.	C	
— jungens W.		- Or ignetion in
- rigidus W. En.	C	— pur vinora vacqu
- ruthenicus Dec. Cat.	Č.	*_ purpurea L. B
_ saxatilis Pers.	C	flore albo.
- scaber Suter.	Ċ	*- purpurascens Roth.
_ serotinus Kit.	C	Cat. bot.
squarrosus H. Erf.	C	- Sceptrum L. D
*_ superbus L.	C	fruticosa L. Suppl.
~		÷

Digitalis Thapsi L. C	Diospyros Kaki L. D
*Digitaria stolonifera	Diospyros Kaki L. D. Lotus L. D.
Schrad. C	- virginiana L. B
	Diotis candidissima Sp.
Panicum Dactylon L.	nova? D
Cynodon Dactylon W.	
En.	
- aegyptiaca W. A	Dipsacus fullonum E. B
Panicum _aegyptiacum	— ferox Lois. B
L.,	- Gmelini M-B, B
— filiforme Jacq.	*— laciniatus L. B
Syntherisma aegyptiaca	*_ sylvestris L. B
Schrad.	*_ pilosus L. B
*_ ciliata W. En. A	Dirca palustris L. D
Panicum ciliare, L.	Disandra prostrata L. C
Syntherisma ciliaris	Sibtorphia peregrina Sp.
Schrad.	plant.
*_ glabra Schrad. A	Dodartia orientalis L. C
Panicum lineare L.	Dodecatheon Meadia L. C
*- sanguinalis W. En. A	Dodonaea angustifolia L.
Panicum sanguinale L.	D
Syntherisma vulgaris	- triquetra L. D
Schrad.	- viscosa L. D
Dillenia vide Hibertia.	
	Ptelea viscosa Spec.
Dioscorea triphylla L. C. willosa L. C.	Dollar T
	(Dolichos aureus L. A
paniculata Mich.	- biflorus L. A
quaternata Walth.	(— Lablab L.)
quinata Walth.	ignosus L. D
Diosma alba Thunb. D	— luteolus Jacq. A
— ciliata W. D	- muricatus H. Erf. A
Hartogia ciliata L. sp.	- pruriens L. A
plant.	- purpureus L. A
- cupressina L. D	- sesquipedalis L. A
dichotoma Berg.	- sinensis W A
Brunia uniflora Sp. plant.	(— Soja L.) A
- hirsuta W. D	- tranquebaricus Jacq. A
- oppositifolia L. D	- trilobus H. Berol. A
pectinata W. En.	- unguiculatus L. A
succulenta Berg.	- violaceus H. Berol. A
scabra Lam.	Dondia Epipactis Spr. C
- virgata Thunb. D	Astrantia Epipactis L.
2~~~ ~ T	acorrancea spepactes L.

Doronicum austriacum L. C	Dracaena Boscii H. Cels.
- altaicum W. C	Yucca Boscii Desf.
- bellidiastrum L. C	Bonaparta juncea Ruiz.
Arnica bellidiastrum W.	- Praco L. D
- lucidum H. Erf. C	ferrea L. D
	- marginata Ait. D
- macrophyllum H. Erf.	- marginata Ait.
- orientale w. C	Aloe marginata W. En.
S. S. Statement Street, and J.	— purpurea Lam.
caucasicum M. B. - Pardalianches L. C	Lomadophyllum borbo-
	nicum H. Schoenbr.
- plantagineum Roth. C	- reflexa Pers. D
scorpioides W. C	— undulata L. D
Dorstenia contrajerva L.	Asparagus undulatus
· ·	Thunb.
Doryanthes excelsa Brown.	Dracocephalum altaicum
D	w <i>c</i>
Dorycnium herbaceum	- austriacum L. C
. Vill. c	— canariense_L. D
- monspeliense w. D	- canescens L. AB
suffruticosum Vill.	- denticulatum Ait. C
fruticosum Pers,	- Moldavica L. A
· <i>parviflorum</i> Savi.	— nutans L. A
Lotus Dorycnium L.	- peltatum L. A
- latifolium W. D	- peregrinum L. C
Draba aizoides L. C	- Ruyschiana L. C
- contorta Ehrh. C	- sibiricum L. C
- helvetica Schleicher. C	- thymiflorum L. C
- hirta w. C	- virginianum L. C
norvegica Flor. Dan.	Dracontium pertusum L.
- incana L. B	D
_ lasiocarpa Rochel. C	Dryas octopetala L. D
ciliata Schranck.	chamaedrifolia Pers.
*_ muralis L. A	Drypis spinosa L. B
- nemoralis W. B	Duhamelia sphaerocarpa
— nivalis Dec. C	Pers. D
- pyrenaica Jacq. C	Duranta Ellisia L. D
_ stellata Jacq. C	- micropylla W. En.
austriaca Cranz.	suppl. D
hirta Vill.	- Plumieri L. D
*- verna L. A	

Echinops	exaltatus	н.	Eclypta:	
•	Landsh.	\mathbf{C}	Cotula prostrata Sy	8
- horrid	us Pers.	, C	Nat.	
- panicu	latus Jacq.	. C	Ehretia laxa Jacq.]
- Ritro	L	. C	- linifolia L.]
	cephalus L.	\mathbf{C}	Ehrharta panicea Smith.	, (
- viscosu	is M.B.	${f B}$	erecta Lam.	_
Echium a	ustrale Lam.	A	Eleagnus orientalis L.	1
- ambigi		\mathbf{D}	Elaeodendron orientale	N
- bifrons		$\tilde{\mathbf{D}}$		1
- creticu		Ā	Elephantopus carolinian	u
- fastuos		\mathbf{D}	w.	(
- frutico		\mathbf{D}	- scaber L.	•
- gigante	eum L.	\cdot \mathbf{D}	Eleusine coracana Pers.	
— glabru		\mathbf{D}	Cynosurus coracanus	1
- grandi	florum Desf	. A	- domingensis W. En.	
- italicu	m L.	В	virgata W. Sp.	
altissim			Cynosurus domingens	
— lineatu	m Jacq.	\mathbf{D}	Rhabdochloa dominger	n-
- parvifl	orum Roth.	A	sis Sch. et Rom	
- plantag		Α	0110 4	A
- rubrun		A C	Chloris filiformis Poire	
- simple		В	Leptochloa filiformis	Ρ.
- strictu		В	de Beauvois.	
— violace		Ā	Festuca filiformis Lan	1.
* vulga	re L.	В	Elichrysum bracteatum W	ſ.
Echites bi	flora Jacq.	\mathbf{D}	Super St. See 14	B
Nerium	sarmentos	um	Xeranthemum bracted	
	Brown.		tum Vent.	
	nis Walther.	\mathbf{D}	- fulgidum W.	D
— umbell		\mathbf{D}	Xeranthemum fulgidu	n
scanden	s'Brown.		ل.	
Eclypta en	recta L.	A	- I GOOT LEIGHT AN	D
- latifoli	a L.	Ā	Entitle Hychelea 11.	A
- prostra		Ā	Elsholtzia cristata W.	A
	na prostra	ta	Hyssopus ocymifilius	
	Spec. plant		Lam.	

Elsholtzia;	Embothrium salicifolium
Mentha ovata Cav.	W. En. vide
- Patrini Pall.	Hackea.
*Elymus arenarius L. C	*Empetrum nigrum L. D
- canadensis L. C	Epacris grandiflora W. D
*— caninus L. C	— pulchella Cav. D
Triticum caninumSchreb.	Ephedra altissima Duh.arb.
– sepium Lam.	nouv. Edit. D
Agropyrum caninum Sch.	— distachya L. D
et Roem.	— monostachya L. D
- Caput-Medusae L. AB	Epidendrum elongatum W.
- crinitus Schreb. C	, , , , , , , , , , , , , , , , , , ,
Hordeum jubatum Dec.	Epilobium alpestre
non L .	Schmidt. C
- crinitum Desf.	alsinifolium Ait.
- europaeus L. C	- alpinum L. C
Hordeum cylindricum	anagallifolium L. C
Murr.	*- angustifolium L. C
- europaeum Allion.	spicatum Lam.
- montanum Schrank.	- angustissimum Ait. L
- sylvaticum Vill.	rosmarinifoliumHaenck.
Cuviera europaea Koel.	dodoneifolium All.
- geniculatus Smith. C	Halleri Retz.
- giganteus Vahl. C	- coloratum Mich. C
mexicanus Cav.	- dauricum Spr. C
macrostachys Spr.	*_ hirsutum L. C
racemosus Lam.	grandistorum Curt.
- glaucifolius Mühlenb. C	- incanum H. Pesth. C
- hordeiformis H. Par. C	- molle Lam. C
- indermedius M. P. C	*_ montanum L. C
hordeiformis Hortul.	— nutans Horn. · C
- philadelphicus W. En.	- obscurum Roth. C
C	- origanifolium Lam. C
- sabulosus M. B. C	*— palustre L. C
grenarius Pall.	*— pubescens L. C
- striatus W. C	parviflorum Hoffm.
- sibiricus L. C	*— roseum Schreh. C
- tener L. C	- 100cum Schren. C
- villosus Mühlenb. C	montanum y. L.
hirsutus Schreb.	trigonum Pors
	- trigonum Pers. C
- virginicus L. C	Epimedium alpinum L. C

E.

Echinops	exallatus	ы.	Ecirpta:	
•	Landsh.	\mathbf{C}	Cotula prostrata Sys	ŧ.
- horrid	us Pers.	' C	Nat.	
- panicu	latus Jacq.	C		D
- Ritro	Ĺ.	. G	— linifolia L.	D
	cephalus L.	\mathbf{C}	Ehrharta panicea Smith.	C
- viscosu	ıs M.B.	${f B}$	erecta Lam.	
Echium a	ustrale Lam.	A	Eleagnus orientalis L.	D
	uum Dec.	D	Elaeodendron orientale W	V.
- bifron		Ď		D
- creticu		Ā	Elephantopus caroliniani	18
- fastuos		D	w.	C
- frutico		Ď	- scaber L.	€
		- D	Eleusine coracana Pers.	A
— gigant		\mathbf{p}	Cynosurus coracanus I	Ĺ,
- glabru	III W		- domingensis W. En.	A
— grand	florum Desf	. А В	virgata W. Sp.	•
— italicu		Б	Cynosurus domingens	is
	um Jacq.	D	L.	
- lineatu		Ā	Rhabdochloa domingen	ı-
	orum Roth.	·A	sis Sch. et Rom	a.
- planta		AC	filiformis Pers.	A
- rubrui		В	Chloris filiformis Poire	ŧ.
- simple		В	Leptochloa filiformis I	
- strictu		Ā	de Beauvois.	
- violace		B	Festuca filiformis Lam	ı.
* vulga		_	Elichrysum bracteatum W	
Echites b	iflora Jacq. sarmentos	\mathbf{D}		B
Nerium		um	Xeranthemum bracțea	:-
	Brown.		tum Vent.	
	nis Walther	. D	- fulgidum W.	D
— umbell		\mathbf{D}	Xeranthemum fulgidu	n
scanden	s Brown.		L.	
Eclypta e	recta L.	A	- retortum W.	D
— latifoli		Ā		A
- prostr		Ā	-	A
	na prostra			
F #1 0031	Spec. plant		Hyssopus ocymifilius Lam.	
	phoc. hunn	·• <i>,</i>	L'am.	

Elsholtzia:	Embothrium salicifolium
Mentha ovata Cav.	W. En. vide
- Patrini Pall.	Hackea.
*Elymus arenarius L. C	*Empetrum nigrum L. D
- canadensis L. C	Epacris grandiflora W. D
*— caninus L. C	- pulchella Cav. D
Triticum caninumSchreb.	Ephedra altissima Duh.arb.
- sepium Lam.	nouv. Edit. D
Agropyrum caninum Sch.	— distachya L. D
et Roem.	— monostachya L. D
- Caput-Medusae L. AB	Epidendrum elongatum W.
— crinitus Schreb. C	C
Hordeum jubatum Dec.	Epilobium alpestre
non L .	Schmidt. C
— crinitum Desf.	alsinifolium Ait.
— europaeus L. C	- alpinum L . C
Hordeum cylindricum	anagallifolium L. C
Murr.	*- angustifolium L. C
— europaeum Allion.	spicatum Lam.
- montanum Schrank.	- angustissimum Ait. L
— sylvaticum Vill.	rosmarinifolium Haenck.
Cuviera europaea Koel.	dodoneifolium All.
- geniculatus Smith. C	Halleri Retz.
- giganteus Vahl. C	- coloratum Mich. C
mexicanus Cav.	- dauricum Spr. C
macrostachys Spr.	*— hirsutum L. C
racemosus Lam.	grandiflorum Curt.
- glaucifolius Mühlenb. C	- incanum H. Pesth. C
- hordeiformis H. Par. C	- molle Lam. C
- indermedius M. P. C	*— montanum L. C
horderformis Hortul.	— nutans Horn. C
- philadelphicus W. En.	- obscurum Roth. C
\overline{c}	- origanifolium Lam. C
- sabulosus M. B. C	*— palustre L. C
grenarius Pall.	*— pubescens L. C
- striatus W. C	parviflorum Hoffm.
- sibiricus L. C	*_ roseum Schreh. C
- tener L. C	montanum y. L.
- villosus Mühlenb. C	*_ tetragonum L. C
hirsutus Schreb.	- trigonum Pers. C
- virginicus L. C	Zpimedium alvinum L. C

*Epipactis cordata Swartz.	Erica:
\boldsymbol{c}	procera Salisb.
Ophrys cordata L.	Scoparia Thunb.
★ — ensifolia Sw. C	- B. parviflora
Serapias ensifolia Engl.	- articulata Thunb. D
Bot.	Blaeria articulata W.
*— latifolia Sw. C	- assurgens L. D
Seranias latifolia Hossm.	— australis L. D
*_ Nidus avis Sw. C	pistillaris Salisb.
Ophrys Nidus avis L.	- baccans L. D
*_ ovata Sw. C	- blanda Ait. D
*_ ovata Sw. C Ophrys ovata L.	- blaeria Thunb.
*_ pallens W. C	Blaeria ericoides W.
Serapias grandiflora	- capitata L.
Engl. Bot.	byssina Salisb.
- Lonchophyllum L.	- cerinthoides L. D
Supp.	crinifolia Salisb.
*_ palustris Sw. C	- ciliaris Ait. D
Serapias longifolia L.	- cincrea L. D
- nalustris Engl. Bot.	mutabilis Salisb.
- palustris Éngl. Bot. *— rubra Sw. C	- Ilore albo.
Serapias rubra L.	- conspicua Ait. D
*Equisetum arvense L. C	- concinna Ait. D
\star fluviatile L .	paludosa Salish.
cburneum Roth.	- coarctata W. En. Suppl.
Telmateja Ehrh.	D
*_ hyemale L. C	- congesta Andrews. D
\star limosum L .	_ cruenta Ait. D
\star palustre \boldsymbol{L} .	melliflua Salish.
	— culcitaeflora Salisb. D
polystachion Ray. *- sylvaticum L. C	spurin Andrews.
*— sylvaticum L. C *— umbrosum W. En. C	— curviflora L. D
	simpliciflora Ait.
	- cylindrica Thunb. D
Eranthemum parviflorum Pers D	- discotor Andr. D
	— elata Ait. D
Erica aggregata Wendl. D albens L. D	- Cluta Hitt
— amens II. D	longiflora Salisb. — empetrifolia L D
viminalis Salisb.	- emperimental -
amoena Ait. D	— Clubescens inte
plumosa Andr.	13 H CA WALLE
— arborea L. D	<i>Uhria</i> Andr.

		,	7.5
Erica:	•	Erica multiflora L.	Ø
decora Salish.		- II. albo.	
- fascicularis Ait.	D	- nigrita L.	D
coronata Andr.		laricina Berg.	
radiiflora Salish.		velutaeflora Salisb.	-
octophylla W.	p	- nudiflora L.	D
- gelida Andr.	ע	floribunda Wendl. sertiflora Salisb.	
alveiflora Salish. — gilva W.	D	- Patersonia Andr.	\mathbf{a}
gracilis Ait.	Ď	spissifolia Salisb.	
- grandiflora L	$\tilde{\mathbf{q}}$	abietina L.	
- herbacea L.	$\bar{\mathbf{D}}$	fl. roseo	
saxatilis Salish.		- pellucida Ait.	D
β. carnea.		- pendula Wendl.	D
- hispidula Ait.	\mathbf{p}	- Petiveriana W.	D
virgularis S. Salisb.		fl. albo	
— hybrida H. Cels.	\mathbf{a}	- 4. rubro	
- ignescens Wendl.	\mathbf{D}	- Persoluta L.	\mathbf{a}
- imbricata L.	\mathbf{D}	pelviformis Salisb.	
pyramidalis Salisb.		subdivaricata Berg.	
- laniflora Wendl.	Þ	alba —	
sordida Andr.	_	- major	
floccosa Salisb.		- pylicoides W.	D
- laevis Wendl.	D	- Pluckenetiana Ait.	
- leucanthera L.	D	- pinea Ait.	
spiraeaestora Salish.	**	pinifolia Salisb.	
- Linnacana Ait.	$\mathbf{\tilde{p}}$	- polytrichifolia H. P	
- lychnidea Wendl.	D		D
- margaritacea W. cristata Thunb.	D	- procumbens Wendl.	D
cristata Thunb,		- pubescens Curtis,	v
obesa Salish.	D	tardiflora Pers.	
- mamosa L.	ע	pallida Salisb. — pulchella W.	D
abictina Thunb.			ע
verticillata Andr.		argutifolia Salish. — purpurascens L.	D-
— β. major		- pur pur ascens 2: - pyrolaeflora Salisb.	
— — γ. minor — marifolia Ait.	D	- quadriflora W.	\mathbf{D}
— mediteranea L.	Ď	Bergiana Ait. et W.	-
lugubris Salisb.	_	lacunaeflora Salish.	. ,
- mellifera Wendl.	\mathbf{q}	ramentacea Andr.	D
- minima H. Cels.	D	bullularis Salisb.	
	_	I	
AD .		-	

Erica reflexa alba Wend	17	Ening riggonia XX
		Erica viscaria W.
	D D	- flore albo
	_	
	D D	- relleriflora Ait.
- Scoparia L.	ע	- CHCIMOIU III
fucata W.	n	bruniades Andr.
Part S. Sandrade B. C. C. L. L. L.	D	villosa Wendl.
Pluckeneti Berg.		capitata Thunb.
socciflora Pers.	n	*Erigeron acre L. A
pproute 221	D	— alpinam 23.
sessiliftora L. Suppl.	'n	- Donartense III
DCILLUI I I I I I I I I I I I I I I I I I	D	*_ canadense L. A
spumosa Thunb.	<u> </u>	- Cui Olitiiuliulii Lii
	D	- Caucasicani III. Di
aspera Andr.		— delphinifolium Humb.
hystriciflora Salisb.		В
A	D	- foetidum L. A
- varietas		— glutinosum L. D
- stricta W.		 graveolens Lam. laevigatum Richard.
multicaulis Salisb.		_ laevigatum Richard. B
	D	— linitolium W. A
	\mathbf{D}	— philadelphicum L. C
	D	- purpureum Ait. C
7,20	\mathbf{D}	- uniflorum L. C
cylindrica W.		- Villarsii Bell. C
<i>fistulaeflora</i> Salisb.		atticum Vill.
,	D	Erinus alpinus L. C
<i>botuliformis</i> Salisb.		Eriocephalus africanus L.
— flore albo		D
— thymifolia• Wendl.	D	Eriophorum alpinum L. C
planifolia L.		hudsonianum Mich.
	\mathbf{D}	*- angustifolium Roth. C
- triflora L.	${f D}$	polystachium Poll. et L.
- trosula wendl.	\mathbf{D}	— capitatum Hoffm. C
- urceolaris Ait.	\mathbf{D}	vaginatum &. Suter.
caffra L.	•	Scheuchzeri Vahl.
lamellaris Salisb.		alpinum Vill,
- vagans Smith.	D	*_ latifolium Hoppe. C
vaga Salisb.	-	polystachion W.
<i>multiflora</i> La Billard.		Linagrostis pedunculata
	D	Lam.

*Eriophorum triquetrum	Erodium:
´ Hoppe. C	Geran. trifolium Cav.
gracile Roth.	- geifolium Desf incarnatum W. D
linagrostis pedunculata	- incarnatum W. D
B. Lam.	Geranium incarnatum
*_ vaginatum L. C	Cav.
caespitosum Host.	- laciniatum L'Herit. A B
Linagrostis vaginata	Geran. laciniatum Cav.
' Lam.	- littoreum Dec.
Eriostemon dentatum H.	- maritimum W. C
Cels. D	Geran. maritimum L.
Erodium alpinum L'Herit.	- malacoides W. A
G	Geran. malacoides L.
Geranium alpinum Cav.	- moschatum W.
- Chamaedrioldes w. En.	Geran. moschatum L.
7	- romanum Ait. A
Geran. chamaedrioides	— ruthenicum β . C
Cav	Errum dispermum Roxb. A camelorum Pott.
- Reichardi L. - chium W. A	- dipyllum Sciborski. A
	*— hirsutum L. A
Geranium chium L. — ciconium W. A	Lens L. A
Geranium ciconium L.	Cicer Lens W.
*_ ciontarium W. A	Ervum lenticula
Geranium cicutarium L.	Schranck.
- chaeropyllum Cav.	2. aegyptiacum
_ & pimpinellifoli-	* tetraspermum, L. A
— — β . pimpinellifoli- um Cav.	Eryngium amethystinum
Erodium pimpinel-	Kit. C
lifolium W.	azureum? H. Par.
lifolium W. - Cotyledonis W. D	— alpinum L. C
Geran. Cotyledonis L.	β. monstrosum
— glaucopyllum Ait. A	_ asperifolium De La-
Geran. glaucopyllum L.	roche. C
- gruinum Ait. A	- Bourgati Gouan. C
Geranium gruinum L.	alpinum L. Mant.
- Botrys Cav hirtum W. D	foetidum Forsk. non L.
hirtum W. D	*_ campestre L. C
Geranium hirtum Vahl.	_ coeruleum Pers. C
- hymenoides L'Herit. D	— corniculatum W. C
trilobatum Jacq.	odoratum Encycl. bot

Erica reflexa alba Wen		Erica viscaria W.
777	D	viscida Salisb.
- regerminans W.	$\tilde{\mathbf{D}}$	- flore albo
- ruhens Thunb.	D	- flore roseo
- Scoparia L.	\mathbf{D}	- velleriflora Ait. D
fucata W.		bruniades Andr.
- Sebana Ait.	\mathbf{D}	villosa Wendl.
Pluckeneti Berg.		capitata Thunb.
socciflora Pers.		*Erigeron acre L A
- spicata L.	\mathbf{D}	- alpinum L. C
: sessiliftora L. Suppl.		- bonariense W. A
- sexfaria Ait.	Ď	*_ canadense L. A
spumosa Thunb.		- carolinianum L. A
- Sparmanni L.	D	- caucasicum M. B. C
aspera Andr.		- delphinifolium Humb.
hystriciflora Salisb.		В
- speciosa Ait.	D	- foetidum L. A
- varietas	~	— glutinosum L. D
- stricta W.	•	graveolens Lam. A
multicaulis Salisb.		_ laevigatum Richard. B
	D	- linifolium W. A
- strigosa Ait. - taxifolia Ait.	D.	- philadelphicum L. C
- tenella Ait.	Ď	- paritude princular 20
•	D	Par par causi 11100
- tenuiflora Ait.	ָּט	- unition and D.
cylindrica W.		A MINTERIA TO (III.
fistulaeflora Salisb.	T	atticum Vill.
- Tetralix L.	D	Erinus alpinus L. G
botuliformis Salish.		Eriocephalus africanus L.
— — flore albo		D
- thymifolia Wendl.	D	Eriophorum alpinum L.C
planifolia L.		hudsonianum Mich.
- triceps Wendl.	\mathbf{D}	*- angustifolium Roth. C
- triflora L.	\mathbf{D}	polystachium Poll. et L.
- trosula Wendl.	\mathbf{D}	— capitatum Hoffm. C
- urceolaris Ait.	\mathbf{D}	vaginatum &. Suter.
caffra L.		Scheuchzeri Vahl.
lamellaris Salisb.		alpinum Vill.
- vagans Smith.	D	*_ latifolium Hoppe. C
vaga Salisb.	-	polystachion W.
multiflora La Billard.		Linagrostis pedunculata
	D	Lam.

*Eriophorum triquetrum	Erodium:
Норре. С	Geran. trifolium Cav.
gracile Roth.	- geifolium Desf.
linagrostis pedunculata	— incarnatum W. D
Lam.	Geranium incarnatum
*_ vaginatum_L. C	Cav.
caespitosum Host.	- laciniatum L'Herit. A B
Linagrostis vaginata	Geran. laciniatum Cav.
Lam.	- littoreum Dec.
Eriostemon dentatum H. Cels. D	— maritimum W. C
	Geran. maritimum L.
Erodium alpinum L'Herit.	- malacoides W. A
G G	Geran. malacoides L.
Geranium alpinum Cav.	- moschatum W.
- Chamaedrioides W. En.	Geran. moschatum L.
	— romanum Ait. A
Geran. chamaedrioides Cav.	— ruthenicum β . C
- Reichardi L.	Ervum dispermum Roxb. A camelorum Pott.
- chium W. A	— dipyllum Sciborski. A
Geranium chium L.	*— hirsutum L. A
- ciconium W. A	- Lens L. A
Geranium ciconium L.	Cicer Lens W.
*_ cicutarium W. A	Ervum lenticula
Geranium cicutarium L.	Schranck.
- chaeropyllum Cav.	aegyptiacum
— B. pimpinellifoli-	*_ tetraspermum L. A
um Cav.	Eryngium amethystinum
Erodium pimpinel-	Kit. C
lifolium W.	azureum? H. Par.
- Cotyledonis W. D	— alpinum L. C
Geran. Cotyledonis L.	— β . monstrosum,
- glaucopyllum Ait. A	— asperifolium De La-
Geran. glaucopyllum L. — gruinum Ait. A	roche. C
— gruinum Ait. A	- Bourgati Gouan. C
Geranium gruinum L.	alpinum L. Mant.
- Botry's Cav hirtum W. D	foetidum Forsk. non L.
hirtum W. D	*_ campestre L. C _ coeruleum Pers. C
- hymenoides L'Herit. D	— corniculatum W. C
trilobatum Jacq.	odoratum Encycl. bot
ermountum sacy.	outrament Encycle But

Decumaria sarmentosa W.	Delphinium pictum W.En.
D	ND residence (20
Forsythia scandens	staphysagria var. B. Lam
Walth	maritimum Cay. et Balb
Decum. scandens Hort.	- puniceum Pall. (
Delphinium ajacis L. A	- spēciosum M. B.
_ flore pleno.	- spurium Fisch.
— — &. ambignum	- Staphysagria L. I
Mill. diet.	- villosum Steven.
— americanum Mill.dict.C	- urceolatum Jacq. · C
- anomalum Spreng. Cat.	Dendrobium Sp. nova en
C	Brasilia.
- Cheilanthum Fisch. C	*Dentaria bulbifera L. (
- Consolida L. A	Cardamine bulbifera
fl. pleno	Ait.
_ cuneatum Stev. C	- pentaphylla W. C
azureum H. Paris.	Cardamine pentaphyllo
hybridum Herb. Lin.	Ait.
elatum B. Lam.	- pinnata Lam.
- dyotiocarpum Dec. C	Cardamine pinnata Ait
_ elegans Dec. C	Desmanthus diffusus W. I
- exaltatum Ait. C	Miniosa pernambucana
tridactylum Mich.	L .
<u>flexuosum</u> M. B. C	— plenus L. A
_ gracile Dec. A	Mimosa plena L.
_ grandiflorum L. C	- punctatus W.
tl. pieno.	Mimosa punctata L.
_ hirsutum Roth. C	— virgatus W.
_ hybridum W. C	Mimosa virgata L.
hirsutum Pers. non Roth.	Dianella caerulea W.En. C
\(\beta \). fissum Kit.	- nemorosa W. En. C
_ intermedium Ait. C	Dracaena ensifolia L.
β. alpinum Kit.	Anthericum adenanthe
2. leptostachyum.	rum Sp. Plant.
Dec.	Dianthus alpestris Balb. C
intermediu m	— arboreus L. D
Lapeyr.	B. fruticosus Sp. Plant.
- 5. ranunculifolium	— arenarius L. C
Dec.	*_ Armeria L. A
t. laxum Dec	- asper W.
natmafidum Dec. C	atrorubens Jacq. • C

Dianthus barbatus L.	C	Dianthus snavis W.	C
- bicolor M. B.	\mathbf{C}	- sylvestris Wulf.	C
- capitatus H. Vindob.	\mathbf{C}	- tataricus Fisch.	C
*_ caesius Smith	C	- virgineus L.	C .
glaucus Huds.		rupestris L. suppl.	
- campestris M. B.	C	Diarrhena americana P. d	•
*_ carthusianorum L.	\mathbf{C}	Beauv.	
— caryophyllus L.	\mathbf{C}	Dichondra argentea W.	C
- chinensis L.	В	- sericea W.	C
collinus Kit.	\mathbf{C}	Dicksonia arborescens W	<i>T</i> .
- crinitus Smith.	\mathbf{C}		D
*_ deltoides L.	\mathbf{C}	Dictaminate Library	C
- diminutus W.	A	- purpureus Gmel. Cat	t.
- diutinus Kit.	C	Carolsr.	
- dubius Balb.	C	Diervilla canadensis W	
- ferrugineus L.	В		D
furcatus Balb.	C	Lonicera Diervilla L.	
- fragrans M. B.	C	Diervilla humilis Pers.	
- glaucus W. En.	C	- Tournefortii Mich	a.
- hungaricus Towson.	C	*Digitalis ambigua L.	
- hortensis Schrad.	\mathbf{C}	lutea Pall.	
- monspeliacus L.	\mathbf{C}	grandiflora Lam.	
— montanus M. B.	C	ochroleuca Jacq.	
- moschatus Gmelin.	C		D
- nitidus Kit.	C	- ferruginea L. C	В
- ochroleucus Pers.	C		В
- patens Hornem.	Ċ	ferruginea Lam.	
- petraeus Kit.	\mathbf{C}		В.
— plumarius L.	C	* lutea L.	C
- polymorphus M. B.	\mathbf{C}	*_ media Roth. cat. bot.	\mathbf{C}
- praecox Kit.	\mathbf{C}	- minor Pers.	\mathbf{C}
*_ prolifer L.	\mathbf{C}		\mathbf{C}
- pseudarmeria M. B.	В	- obscura L.	\mathbf{G}
— jungens W.	\mathbf{C}	- orientalis W.	H
- rigidus W. En.	\mathbf{C}	- parviflora Jacq.	R
- ruthenicus Dec. Cat.	C	*- purpurea L.	В
- saxatilis Pers.	\mathbf{C}	flore albo.	
- Scaber Suter	\mathbf{C}	- flore albo. * purpurascens Roth.	
_ serotinus Kit.	C	Cat. bot.	٠.
- squarrosus H. Erf.	C	- Sceptrum L.	D
*_ superbus L.	C	fruticosa L. Suppl.	
•		· -	

Digitalis Thapsi L. C	Diospyros Kaki L. D
*Digitaria stolonifera	_ Lotus L. D
Colonia C	
Schrad. C	VII BIIII
Panicum Dactylon L.	Diotis candidissima Sp.
Cynodon Dactylon W.	nova? D
En.	- ceratoides L. D
- aegyptiaca w. A	Dipsacus fullonum L. B
Description W.	— ferox Lois. B
Panicum aegyptiacum	
L	— Gmelini M. B. B
filiforme Jacq.	*— laciniatus L. B
Syntherisma aegyptiaca	*_ sylvestris L. B
Schrad.	*_ pilosus L. B
*_ ciliata W. En. A	Direa palustris L. D
Panicum ciliare, L.	
Syntherisma ciliaris	Sibtorphia peregrina Sp.
Schrad.	plant.
*_ glabra Schrad. A	Dodartia orientalis L. C
Panicum lineare L.	Dodecatheon Meadia L. C.
*- sanguinalis W. En. A	Dodonaea angustifolia L.
	D
Panicum sanguinale L.	
Syntherisma vulgaris	- triquetra L. D
Schrad.	— viscosa L. D
Dillenia vide Hibertia.	Ptelea viscosa Spec.
Dioscorea triphylla L. C	plant.
- villosa L. C	[Dolichos aureus L. A
111000	- biflorus L. A
paniculata Mich.	Table T
quaternata Walth.	(— Lablab L.)
quinata Walth.	ignosus L. D
Diosma alba Thunb. D	- luteolus Jacq. A
- ciliata W. D	- muricatus H. Erf. A
Hartogia ciliata L. sp.	- pruriens L. A
plant.	- purpureus L. A
	1 1
dichotoma Berg.	- sinensis W. A
Brunia unifloraSp.plant.	(— Soja L.) A
- hirsuta W. D	- tranquebaricus Jacq. A
- oppositifolia L. D	- trilobus H. Berol. A
pectinata W. En.	- unguiculatus L. A
succulenta Berg.	- violaceus H. Berol. A
scabra Lam.	Dondia Epipactis Spr. C
- virgata Thunb. D	Astrantia Epipactis L.

Doronicum austriacum L.	Dracaena Boscii H. Cels.
- altaicum W. C	Yucca Boscii Desf.
- bellidiastrum L. C	Bonaparta juncea Ruiz.
Arnica bellidiastrum W.	- Draco L. D
- lucidum H. Erf. C	- ferrea L. D
- macrophyllum H. Erf.	— marginata Ait. D
C	Aloe marginata W. En.
- orientale w. C	— purpurea Lam. 🛶
caucasicum M. B.	Lomadophyllum borbo-
- Pardalianches L. C	nicum H. Schoenbr.
- plantagineum Roth. C	- reflexa Pers. D
scorpioides W. C	— undulata L. D
Dorstenia contrajerva L.	Asparagus undulatus
C	Thunb.
Doryanthes excelsaBrown.	Dracocephalum altaicum
D	, w. <i>c</i>
Dorycnium herbaceum	- austriacum L. C
. Vill. $oldsymbol{c}$	— canariense L. D
- monspeliense w. D	- canescens L. AB
suffruticosum Vill.	- denticulatum Ait. C
fruticosum Pers.	- Moldavica L. A
parviflorum Savi.	— nutans L. A
Lotus Dorycnium L.	- peltatum L. A
_ latifolium W. D	- peregrinum L. C
Draba aizoides L. C	- Ruyschiana L. C
— contorta Ehrh. C	- sibiricum L. C
 contorta Ehrh. C helvetica Schleicher. C 	- thymiflorum L. C
- hirta W. C	- virginianum L. C
norvegica Flor. Dan.	Dracontium pertusum L.
- incana L. B	D
- lasiocarpa Rochel. C	Dryas octopetala L. D
ciliata Schranck.	chamaedrifolia Pers.
*_ muralis L. A	Drypis spinosa L. B
— nemoralis W. B	Duhamelia sphaerocarpa
— nivalis Dec. C	Pers. D
— pyrenaica Jacq. C	Duranta Ellisia L. D
stellata Jacq. C	- micropylla W. En.
austriaca Cranz.	suppl. D
hirta Vill.	- Plumieri L. D
*- verna L. A	<i>F</i>

Ecunops	exalitatus	11.	Ectypia:	
•	Landsh.	\mathbf{C}	Cotula prostrata Sys	t.
- horrid	us Pers.	· C	Nat.	
- panicu	latus Jacq.	C		D
- Ritro	Ĺ.	. G		D
	cephalus L.	\mathbf{C}	Ehrharta panicea Smith.	C
- viscosu	ıs M.B.	${f B}$	erecta Lam.	
Echium a	ustrale Lam.	A	Eleagnus orientalis L.	D
- ambigi		\mathbf{D}	Elaeodendron orientale W	Į.
- bifrons		Ď		D
- creticu		Ā	Elephantopus carolinianu	18
- fastuos	um Ait.	$\ddot{\mathbf{D}}$	_ ~ ~	Ç
- frutico		$\tilde{\mathbf{D}}$		C
_ gigante		, D	Eleusine coracana Pers.	
- glabru	m 117.	Ď	Cynosurus coracanus I	
_ grandi	florum Desf.		- domingensis W. En.	A
- italicu	florum Desf. m L.	В	virgata W. Sp.	·
altissim		-	Cynosurus domingens	is
- lineatu		D	L.	
- parvifl	orum Roth.	Ā	Rhabdochloa domingen	ı-
- plantag		'Ā	sis Sch. et Ræn	
- rubrur		AC		A
- simple		В	Chloris filiformis Poire	
- strictu		В	Leptochloa filiformis I	٦.
- violace		A	de Beauvois.	
*- vulga		B	Festuca filiformis Lan	
	_	D	Elichrysum bracteatum W	
The same of the sa	flora Jacq.			B
Nertum	Sarmentos	um	Xeranthemum bractea	;
difform	Brown. nis Walther.	n	tum Vent.	_
— umbell		D		D
	s Brown.	D	Xeranthemum fulgidu	n
scanden	s promu.		L.	_
Eclypta e	recta L.	A	The state of the s	Ď
- latifoli	a L.	A	Ellisia Nyctelea L.	A
- prostra	ítá L,	A	Elsholtzia cristata W.	A
Verbesi	na prostra	ta	Hyssopus ocymifilius	
	Spec. plant.		Lam.	

Elsholtzia :	Embothrium salicifolium
Mentha ovata Cav.	W. En. vide
- Patrini Pall.	Hackea.
*Elymus arenarius L. C	*Empetrum nigrum L. D
- canadensis L. C	Epacris grandiflora W. D
*_ caninus L. C	- pulchella Cav. D
Triticum caninum Schreb.	Ephedra altissima Duh.arb.
- sepium Lam.	nouv. Edit. D
Agropyrum caninum Sch.	— distachya L. D
et Roem.	- monostachva L. D
- Caput-Medusae L. AB	Epidendrum elongatum W.
- crinitus Schreb. C	<i>c</i>
Hordeum jubatum Dec.	Epilobium alpestre
non L .	Schmidt. C
- crinitum Desf.	alsinifolium Ait.
— europaeus L. C	— alpinum L .
Hordeum cylindricum	anagallifolium L. C
Murr.	*- angustifolium L. C
— europaeum Allion.	spicatum Lam.
- montanum Schrank.	— angustissimum Ait. L
- sylvaticum Vill.	rosmarinifolium Haenck.
Cuviera europaea Koel.	dodoneifolium All.
— geniculatus Smith. C	Halleri Retz.
— giganteus Vahl. C	- coloratum Mich. C
mexicanus Cav.	— dauricum Spr. C
macrostachys Spr.	\star — hirsutum \hat{L} . C
racemosus Lam.	grandiflorum Curt.
— glaucifolius Mühlenb. C	- incanum H. Pesth. C
- hordeiformis H. Par. C	- molle Lam. C
— indermedius M. P. C	*— montanum L. C — nutans Horn. C
hordeiformis Hortul.	— nutans Horn. C
- philadelphicus W. En.	- obscurum Roth. C
$\boldsymbol{\mathcal{C}}$	- origanifolium Lam. C
— sabulosus M. B. C	\star — palustre L . C
grenarius Pall.	*— pubescens L. C
— striatus W. C	parviflorum Hoffm.
— sibiricus L. C	*— roseum Schreh. C
- tener L . C	montanum y. L.
— villosus Mühlenb. C	*_ tetragonum L. C
hirsutus Schreb.	- trigonum Pers. C
- virginicus L. C	Zpimedium alpinum L. C

*Epipactis cordata Swartz.	Erica:
C.	procera Salisb.
Onlines condata I	Scoparia Thunb.
Ophrys cordata L. *— ensifolia Sw. C	— B. parviflora
	- articulata Thunb. D
Serapias ensifolia Engl.	
Bot.	Blaeria articulata W.
* latifolia Sw. C	- assurgens L. D
Seravias latifolia Hossm.	— australis L. D
★_ Nidus avis Sw C	pistillaris Salisb.
Ophrys Nidus avis L.	- baccans L. D
★ — ovata Sw. C	- blanda Ait. D
Ophrys ovata L.	- blaeria Thunb.
* pallens W. C	Blaeria ericoides W.
Serapias grandiflora	- capitata L.
. Engl. Bot.	byssina Salisb.
Lonchophyllum L.	- cerinthoides L. D
Supp.	crinifolia Salisb.
*_ palustris Sw. C	— ciliaris Ait. D
Serapias longifolia L.	— cinerea L. D
- palustris Engl. Bot.	mutabilis Salisb.
- palustris Engl. Bot. *_ rubra Sw. C	_ flore albo.
Serapias rubra L.	- conspicua Ait. D
	- concinna Ait. D
*Equisetum arvense L. C *_ fluviatile L. C	paludosa Salisb.
eburneum Roth.	- coarctata W. En. Suppl.
eburneum Rotti.	D Coarctata W. En. Supplie
Telmateja Ehrh.	
*_ hyemale L. C	
\star limosum L .	— Cruenta Itie.
*_ palustre L. C	melliflua Salish.
polystachion Ray.	— culcitaessora Salisb. D
★ — sylvaticum L. C	spuria Andrews.
★ — umbrosum W. En. C	- curviflora L. D
★ variegatum All. C	simpliciflora Ait.
Eranthemum parviflorum	- cylindrica Thunb. D
Pers. D	- discolor Andr. D
Erica aggregata Wendl. D	— elata Ait. D
Erica aggregata Wendl. D albens L. D	longiflora Salisb.
viminalis Salisb.	- empetrifolia L. D
amoena Ait. D	- erubescens Ait. D
plumosa Andr.	- Ewerana Ait. D
- arborea L. D	Uhria Andr.

		,	,-
Erica:	•	Erica multiflora L.	D
decora Salisb.		- II. albo.	
- fascicularis Ait.	D	- nigrita L.	D
coronata Andr.		laricina Berg.	
radiiflora Salish.		velutaeflora Salisb.	
octophylla W.		- nudiflora L.	\mathbf{n}
- gelida Andr.	\mathbf{a}	floribunda Wendl.	
alveistora Salisb.	_	sertiflora Salish.	
– gilva W.	D	- Patersonia Andr.	a
gracilis Ait.	$\tilde{\mathbf{D}}$	spissifolia Salish.	_
grandiflora L	$\tilde{\mathbf{q}}$	abietina L.	
- herbacea L.	$\tilde{\mathbf{p}}$	- Il. roseo	
	D	- II. Poseo	D
saxatilis Salish.		- pellucida Ait.	-
— β. carnea.	**	- pendula Wendl.	Ď
- hispidula Ait.	\mathbf{p}	- Petiveriana W.	D
virgularis J. Salisb.		— — fl. albo	
— hybrida H. Cels.	D	- 4. rubro	
- ignescens Wendl,	\mathbf{D}	- Persoluta L.	D
- imbricata L.	\mathbf{D}	pelviformis Salisb.	
pyramidalis Salisb.		subdivaricata Berg.	
- laniflora Wendl.	þ	_ alba	
sordida Andr.	~	- major	
floccosa Salisb.		- pyrcoides w.	D
- laevis Wendl.	\mathbf{D}	- Pluckenetiana Ait.	
- leucanthera L.	Ď	— pinea Ait.	
	ע		•
spiraeaeflora Salish.	\mathbf{D}	pinifolia Salisb.	
- Linnaeana Ait.		- polytrichifolia H. P.	
- lychnidea Wendl.	Ď		D
- margaritacea W.	D	- procumbens Wendl.	D
cristata Thunb.		- pubescens Curtis.	D
obesa Salisb.		tardiflora Pers.	
- mamosa L.	D	pallida Salisb.	
abietina Thunb.		- pulchella W.	\mathbf{D}
verticillata Andr.		argutifolia Salisb.	
		- purpurascens L.	D
β. major γ. minor		- pyrolaeflora Salisb.	
- marifolia Ait.	D	- quadriflora W.	D
- mediteranea L.	Ď	Bergiana Ait. et W.	_
	1	lacunaeftora Salish.	
lugubris Salisb. — mellifera Wendl.	\mathbf{q}	- ramentacea Andr.	D
			IJ
- minima H. Cels.	D	bullularis Salisb.	
· ·		1	
₹ 7			

	* '
Erica reflexa alba Wendl.	Erica viscaria W.
D.	viscida Salisb.
- regerminans W. D	flore albo
- rubens Thunb. D	flore roseo
	- velleriflora Ait.
fucata W.	bruniades Andr.
- Sebana Ait. D	villosa Wendl.
Pluckeneti Berg.	capitata Thunb.
socciflora Pers.	*Erigeron acre L A
- spicata L. D	- aibinam 12.
sessiliftora L. Suppl.	- bonariense W. A
- sexfaria Ait. D	*_ canadense L. A
spumosa Thunb.	- carolinianum L. A
- Sparmanni L. D	- caucasicum M. B. C
aspera Andr.	- delphinifolium Humb.
hystriciflora Salisb.	В
- speciosa Ait. D	- foetidum L. A
- speciosa Ait. D	- glutinosum L. D
- stricta W.	graveolone I am A
multicaulis Salisb.	_ laevigatum Richard. B
	_ linifolium W. A
	— philadelphicum L. C
— taxifolia Ait. D	- philadelphicum 2.
- tenella Ait. D	- pur pur cum rate.
- tenuiflora Ait. D	- uninorum L.
cylindrica W.	- Villarsii Dell.
fistulaeflora Salisb.	atticum Vill.
- Tetralix L. D	Ermus aipinus L.
botuliformis Salisb.	Eriocephalus africanus L.
flore albo	D - C
- thymifolia Wendl. D	Eriophorum alpinum L. C
planifolia L.	hudsonianum Mich.
- triceps Wendl. D	*- angustifolium Roth. C
— triflora L. D	polystachium Poll. et L.
- trosula Wendl. D	_ capitatum Hoffm. C
- urceolaris Ait. D	vaginatum B. Suter.
caffra L.	Scheuchzeri Vahl.
lamellaris Salisb.	alpinum Vill,
	*_ latifolium Hoppe. C
,	- latitudium Hopper
vaga Salish.	polystachion W.
multiflora La Billard.	Linagrostis pedunculata
— viridipurpurea L. D	Lam.

*Eriophorum triquetrum	Erodium:
Hoppe. C	Geran. trifolium Cav.
gracile Roth.	- geifolium Desf.
linagrostis pedunculata	- incarnatum W. D
&. Lam.	Geranium incarnatum
★— vaginatum L. C	Cav.
caespitosum Host	- laciniatum L'Herit. A B
Linagrostis vaginata	Geran. laciniatum Cav.
` Lam.	- littoreum Dec.
Eriostemon dentatum H.	- maritimum W. C
Cels. D	Geran. maritimum L.
Erodium alpinum L'Herit.	- malacoides W. A
. c	Geran. malacoides L.
Geranium alpinum Cav.	- moschatum W.
- Chamaed rioldes W. En.	Geran. moschatum L.
C	- romanum Ait. A
Geran. chamaedrioides	— ruthenicum β . C
Cav	Ervum dispermum Roxb. A
- Reichardi L.	camelorum Pott.
- chium W. A	- dipyllum Sciborski. A
Geranium chium L.	*— hirsutum L. A
- ciconium W. A	— Lens L. A
Geranium ciconium L.	Cicer Lens W.
*_ cicutarium W. A	Ervum lenticula
Geranium cicutarium L.	Schranck.
— chaeropyllum Cav.	— - 2. aegyptiacum
— B. pimpinellifoli-	* tetraspermum L. A
um Cav.	Eryngium amethystinum Kit. C
Erodium pimpinel-	
lifolium W.	azureum? H. Par.
— Cotyledonis W. D	— alpinum L. C
Geran. Cotyledonis L.	— β. monstrosum,
gradeopynum Att. A	- asperifolium De La-
— glaucopyllum Ait. A Geran. glaucopyllum L. — gruinum Ait. A	
Garanium amiinum I	0 .
Geranium gruinum L.	alpinum L. Mant.
- Botrys Cav hirtum W. D	foetidum Forsk. non L. *— campestre L. C
Geranium hirtum Vahl.	— coeruleum Pers. C
- hymenoides L'Herit. D	— corniculatnm W. C
trilobatum Jacq.	odoratum Encycl. bot.
er mooutune naci.	Outraments, Lineyous But

Eryngium dichotomum	Erythraea:
Desf. C	Gentiana palustris Lam.
- giganteum M. B. C	Erythrina abysinica w. D
- maritimum L. C	— carnea Ait. D
- planum L. C	americana Mill. dict.
- tricuspidatum L. B	- Corallodendron L. D
*Erysimum Alliaria L. B	spinosa Mill. dict.
- angustifolium Ehrh. B	- herbacea W. D
- bicorne W. A	— picta L. D
Notoceras canariensis Ait.	Erythronium Dens-canis
- diffusum W. B	L. C
Cheirantkus alpinus L.	longifolium Mill. dict.
*_ hieracifolium L. AB	Ethulia conyzoides L. A.
- junceum W. B	Eu¢alyptus capitellata
- longisiliquum W. B	· / · Smith. D
— murale Dec. B	- hypericifolia H. Par. D
* odoratum W. B	- obliqua Smith. D
hieracifolium Jacq.	- piperita Smith. D
pannonicum Cranz.	- resinifera Smith. D
*— officinale L. A	Metrosideros gummifera
Sisymbrium officinale	Gaertn.
Scop.	- robusta Smith. D
- pallens Pers. A	Eucomis nana Jacq. C
- repandum L. A	Fritillaria nana L.
Cheiranthus paniculatus	- punctata L'Herit. C
Lam.	Asphodelus comosus L.
- virgatum W. En. suppl.	- regia Ait, C
B	Fritillaria regia L.
Erythraea conferta Pers. C	Eugenia australis Wendl.
Chironia conferta L.	D D
*— centaurium Pers. A	- elliptica Smith. D
Chironia Centaurium	— Jambos L. D
Schmidt,	
Gentiana Centaurium L.	michelii Lam.
— inaperta Pers. A	Myrtus brasiliana Sp.
Gentiana pusilla Lam.	plant,
Chironia Vailantii Vaill.	Plinia pedunculata Sp.
— inaperta W.	Suppl.
*_ ramosissima Pers. A	- rubra L. Mant.
<i>Chironia Gerardi</i> Sch mi dt.	Eupatorium ageratoides L.
ouneaut.	<u>u</u>

Eupatorium :		Euphorbia diversifolia	
urticaefolium W.		Dest.	'C
- altissimum Jacq.	C	- dulcis Jacq.	C
- aromaticum L.	C	- elliptica Lam.	A
*- cannabinum L.	C	prunifolia Jacq.	
- coelestinum L.	C	— emarginata Ait.	C
- cordifolium Swartz.	D	*_ Esula L.	\mathbf{G}
- Houstoni L.	\mathbf{D}	*- exigua L.	Â
Mikania Houstoni Pe	rs.	*— exigua L. *— falcata L.	A
- maculatum L.	C	- flavicoma Dec.	C
- perfoliatum L.	C	- genistoides L. Mant.	D
truncatum W.		*- Gerardiana Jacq,	\mathbf{C}
- punctatum W.	C		n.
maculatum Hortul		suppl.	C
- purpureum L.	C	- globosa Horn,	A
- sessilifolium L.	C	*← helioscopia L.	A
- syriacum L.	C	- Humboldii W. En.	A
- trifoliatum W.	C	- humifussa L.	A
- verticillatum Mühler	nb.	- hypericitolia L.	A.
-	C	- Hystrix Jacq.	D
*Euphorbia amygdaloi	des	loricata Pers.	
Lam.	C	- juncea Jacq.H.Schoen	b.
sylvatica Poll.		• • • • • • • • • • • • • • • • • • • •	·B
aleppica L.	C	— <u>lanugi</u> nosa	C.
anacantha Ait.	D	dulcis B. Jacq.	
tridentata Lam.		- Lathyris L.	B
androsaemifolia		- literata Jacq.	A.
Schousb.	D	- longibracteata Dec.	\mathbf{D}
_ angulata Jacq.	C	- lucida Kit.	\mathbf{C}
_ atropurpurea W.En.	\mathbf{D}	- maculata L.	A.
- canariensis L.	D	- mammilaris L.	\mathbf{D}
- canescens W. En.	A	- mauritanica L.	\mathbf{D}
- caespitosa Tenore	C	- mellifera Ait.	\mathbf{D}
_ Characias W.	\mathbf{D}	- micrantha W.	\mathbf{D}
_ Caput-Medusae L.	D	- minima? H. Landsl	1.
- coralloides L.	C		A
- cotinifolia L.	\mathbf{D}	- myrsinites L.	C
- cyathophora W.	\mathbf{D}	 neapolitana Tenore. nerenolia L. 	
heterophylla Jacq.		- nereifolia L.	D
*_ Cyparissias L.	C	- nicaeensis All.	C
- dentata W.	A	— nudillora L.	

Euphorbia nummulariaefo-	- taurinensis W. En.
ha W. En. D	suppl. A
pulchella Hortul.	- terracina L. A
- obscura Loisel. C	— <u>Tirucall</u> i L. D
— oleaefolia Gouan, D	- Tithymaloides L. C.
- octogona H, Cels. D	myrtifolia Lam.
- ornithopus Jacq. D	padifolia W
* palustris L. C	— undulata W. C
— Paralias L., D	Euphorbia valentina W. A
— Peplis L. A	heterophylla Hortul.
- Peplus L. A	- veneta W. En. D
— nilosa L. C	— verruçosa L. C
— pilulifera L. A	peploides Thuil.
— pinea L. B	— villosa Kit. C
— piscatoria Ait. D	- Virgata Kit. C
— Pithyusa L. D	*Euphrasia lutea L. A
*- platyphyllos L. A	*— officinalis L. A
- portlandica L. D	*— odontites L. A
- provincialis W. A	Evonymus americanus L.
- prunifolia W. B	D
- pubescens L. C	semporvirens H. Cels.
- rotundifolia Lois. A	- atropurpureus Jacq. D
— salicifolia Host. C	caroliniensis Marsh.
- segetalis L A	*— europaeus L. D
gracilis M. B.	- fol. variegatis
- serrata Vahl. C	- latifolius Jacq. D
- seticornis H. Erf. A	- verracosus L. D
- spartioides Jacq. H.	Eutaxia myrtifolia Brown.
Schoenb. D	a
- spinosa W. En. D	Exacum viscosum Smith.
- subciliata Thuill. C	D
- taurica H. Cremee. 6	Gentiana viscosa Ait,
the contraction	•
. F	1
	e.
Walter than bearings of	
Fabricia laevigata Smith.	Fagus americana W. En.
muntifolio Chauf. D	υ D
- myrtifolia Gaertn. D	- ferruginea W. D
Fagonia cretica W B	latifolia L'Herit.
spinosa L.	*— sylvatica L. D

Digitized by Google

•	•
Fagus sylvatica z. atropur-	Ferraria pavonia L. G
purea	Tigridia pavonia Curt.
Fagus sanguinca Pers.	- undulata L. C
— — β. creps de	punctata Pers.
Cocy. H.	Moraea undulata Thunb.
Paris.	
	Iris stellata Barr.
- γ. asplenifolia	Ferula austriaca Spr. C
Fagus asplenifolia L.	Selinum austriacum Jacq.
Par.	— argenteum All.
Falkia repens L. C	- communis L. et Spr. C
Convolvulus Falki a	— clegans Spr. B
Thunb.	Selinum clegans Balb.
Fedia Cornucopiae Pers.	- Ferulago L. et Spr. C
A	- gigantea Hornem. C
Valeriana cornucopiae	- glauca L. et Spr. C
I.	* gravesland Com
* carinata Lois, Suppl.	*— graveolens Spr. A
	Anethum graveolens L.
A A	— montana Spr. C
- coronata W. En. A	Selinum montanum L.
Valeriana coronata L.	— nodiflora L. et Spr. C
*— dentata W. En. A	— peucedanoides Spr. C
Valeriana dentata L.	Selinum peucedanum
- discoidea W. En. A	Desf.
Valeriana discoidea W.	- rablensis Wulf.etSpr. C
Sp.	— ruthenica Spr. G
- echinata w. En. A	Peugedanum ruthenicum
Valeriana echinata L.	M. B.
- eriocarpa Sch. et Roem.	
A	Jmperatoria ruthenica H. Vind.
Valorianella	
Valerianella eriocarpa	- sibirica Spr. C
Desvaux.	tatarica Fisch. C
membranacea Lois. A	caspica M. B.
- olitoria W. En. A	Peucedanum sibiricumL.
Valeriana olitoria L.	— tingitana L. C
- rugulosa Schrad. A	- verticillata Spec. nova.
- rupestris Vahl. C	G
Valeriana sibirica L.	Festuca Alopecuros
- uncinata W. En. A	Schousb. A
Valeriana uncinataM.B.	
	*_ amethystina Host. C
Valeriana vesicaria L.	tenuifolia Smith.

Festuca arundinacea Lil-	*Festuca elation L. C
· jebl. C	arundinacea Schreb.
Schenodorus arundina-	Schenodorus elatior Sch.
ceus Sch et	et Roem.
Roem.	Bromus arundinaceus
- Barrelieri Tenore. A	Roth.
Brachypodium Barreli-	— littoreus W.
eri Sch. etRoem.	Poa elatior Bernh.
*- bromoides Smith. A.	— flavescens Bellard.
Bromus dertonensis All.	*_ fluitans L. C
- ambiguus Cyrill.	Glyceria fluitans R.
Vulpia Sciuroides Gmel.	Brown.
fl. Bad.	Poa fluitans Bernh.
β. Festuca sciuroides	*_ glauca Lam. C
Roth.	involuta Moench.
- calycina Willd. A	pallens Hest.
barbata L .	<u> </u>
Koeleria calycina Dec.	— Halleri Vill. C
Schismus marginatus P.	- Taevigata Gaud. C
de Beauv.	*_ loliacea Schrad. C
- capillata Lam. A	elongata Ehrh.
Poa setacea Koelle.	adscendens Retz.
- cespitosa Hall. Allg. Lit.	Schenodorus loliaceus
Zeit. C	Sch. et Roem.
Brachypodium ramosum	*_ myurus L. A
P. de Beauv.	— nemorum Leyss. C
- ciliata Link. A	heterophylla Henck.
Vulpia pilosa Gmel. fl.	nemorosa Latour.
Rad.	- nigrescens Gaud. C
- diandra Mich. C	barbata Schranck.
- distachya W. A	rubra Suter.
pseudo distachya Koel.	Schenodorus uigrescens
Bromus distachyos L.	Sch. et Roem.
- ciliata Lam.	- nutans Spr. C
- Buxbaumii Tenore.	*_ ovina L.
Triticum ciliatum Dec.	- pannomica Host.
*— duriuscula Schrad. C	_ polystachya Mich.
β. heterophylla L.	. fascicularis Lam.
- divaricata Desf. A	aquatica Bosc.
Schenodorus divaricatus	Diplachne fasciculari
Sch. et Roem.	P. de Beauv.
	▼ .

	• • • • • • • • • • • • • • • • • • •
Festuca poaeformis Host.	Festuca:
· C	0 1000 6 1000
rhaetica Dec.	Bromus pinnatus Pallas:
Schenodorus poaeformis	Triticum sylvaticum
Sch. et Roem.	Moench.
pratensis Huds. C	- teretiflorum Wib.
elatior L. fl. suec.	- tenuiflora Schrad. A
Bromus elatior Koel.	Brachypodium tenuiflo-
Poa curvata Koel.	rum Schet
Gram.	Rœm.
	Triticum tenellum Host:
Schænodorus pratensis	- uniglumis Smith. A-
Sch. et R.	Lolium bromoides Huds-
- pumila Host.	Stipa membranacea L.
Schenodorus pumilus P.	- vaginata Kit. C
de Beauv.	valesia Gaud.
- rigida Roth. A	- violacea Gaud. C
Brachypodium asperum	Schenodorus violaceus
Sch. et Roem.	P. de Beauv.
Triticum asperum Dec.	— varia Schrad. C
*_ rubra W. C	flavescons Gaud.
pratensis Schreb.	acuminata id.
- serotina Host. C	Ficus arbutifolia Lam. D
Schenodorus scrotinus	pertusa W.
Sch. et Roem.	- australis W. D
Bromus strictus Scop.	rubiginosa Desf.
Agrostis serotina L.	ferruginea Hortul.
🗠 Scheuchzerii Gaud. C	- benghalensis L. D
- spadicea Schrad. C	- bejamina L. D
Schenodorus spadiceus	mycrocarpa L. Suppl.
Sch. ét Roem.	- capensis L. D
Festuca aurea Lam.	_ Carica L. D
Anthoxanthum panicu-	- citrifolia L. D
latum L.	_ costata W. D
Poa Gerardi All.	- elastica Sp. nova! D
- spadicea Koelle.	- heteropylla W. D
_ stricta Host. C	scabra Thunb.
cinerea Vill.	— glandulosa H. Cels. D
*— sylvatica Vill. C	— indica L. D
gracilis Schrad.	- mauritiana Lam. D
Bromus sylvaticus Gaud.	terragona Bory de St.
dumosus Vill:	Vincent:
	7 Meent.
•	

Ficus nitida W.	D	*Fragaria elatior W. muricata L.	Ĉ
- nymphaeifolia L.	D	- grandiflora W.	À
- oppositifolia L.	$\tilde{\mathbf{D}}$	resca Ananas Ait.	~
hispida L.	_	— indica Bot. Repert.	Ċ
scabra Jacq.		- monophylla W.	Ċ
- pendula. cujus?	D	semperflorens Pers.	
- populifolia Vahl.	D .	*— vesca L.	C
racemosa L.	D	- virginiana W.	C
religiosa L.	\mathbf{D}	Frankenia hirsuta L.	C
- speciosa Sp. nova	\mathbf{D}	- laevis L.	C
→ stipulata W.	D	— pulverulenta L.	A
scandens Lam.		Franseria artemisioides V	N۶
Jussieua repens L.			D '
+ sycomorus? L.	\mathbf{D}	Ambrosia arborescei	ns
terebrata W.	\mathbf{D}	Lam.	
pertusa Bory. de S	it.	Xanthium fruticosum	L.
Vinc.		Suppl.	_
	D	Fraxinus alba W. En.	D
	D	- americana L.	D
, , , , , , , , , , , , , , , , , , , ,	D	acuminata Lam.	
Filago: vide Gnaphaliu	m	novæ angliae Wangen	
Flacourtia Ramontchi Per		- atrovirens Pers.	Ŋ
	Ď.	excelsior B. crispa.	_
	Ι.	— aureà W. En.	D
	A.	- caroliniana W.	D
	A	*— excelsior L.	Ð
Milleria Contrayerva	Z.	γ. jaspidea	
Lam.		- 5. pendula	т.
Vermifuga corymbosa	Ž	- epiptera Vahl.	Ď
Ruitz.		- expansa W. En. supple	
Fontanesia philliraeoide		- elliptica W. En.	D
	D	— jnglandifolia W.	D
Fothergilla alnifolia L.	D.	caroliniana Duroi?	D
Gardeni Jacq.		— lentiscifo ia W.	D
Forskohlea angustifolia 1	Ā	parvifolia Lam.	
	A	myarophylla W. En. suppl.	
Fragaria chiloensis V		tamariscifolia Vahl.	
Tuguita Childensis	C	chinensis Hort. Paris.	
224 777 72	č	— β. monophyll	
**************************************	•	h. monobaya	

Fraxinus nana W. D	Fraxinus verrucosa W.En.
•	
Ornus europaea Pers.	Fritillaria imperialis L. C
Frax. paniculata Lam.	— Meleagris L. C
— florifora Scop.	- persica L. C
- July of the Beep.	
_ parvifolia W. Berl.	- pyrenaica L. C
Baumz. D.	Fuchsia coccinea L. D
- platycarpa Vahl. D	magellanica Lam.
_ pubescens W. D	Nahusia coccinea Schk.
	- lycioides W. En. D
nigra Duroi.	
- quadrangulata Mich. D	Fumaria capreolata L. A
tetragona W. En. suppl.	- claviculata W. AB
- rotundifolia W. D	*→ officinalis L. A
- salicifolia H. Belved. D	
Outros	
- sambucifolia W. D	tenuifolia Roth.
- simplicifolia W. D	- prehensilis H. Pesth.
monophylla Hortul.	A
diversifelia Ait	- spicata L. A
diversifolia Ait.	
heterophylla Vall.	* VaillantiiLoisel, Suppl.
subvillosa Bosc. D	A
-	
a secondaria.	
· · · · · · · · · · · · · · · · · · ·	2
(ī.
- (F.
Galanthus nivalis L. C	*Galcopsis grandiflora
Galanthus nivalis L. C. Galega caribaea Jacq. D	*Galcopsis grandiflora Roth. A
Galanthus nivalis L. C. Galega caribaea Jacq. D. C. officinalis L. C.	*Galeopsis grandiflora Roth. A Ladanum B. L.
Galanthus nivalis L. C. Galega caribaea Jacq. D. C. C.	*Galcopsis grandiflora Roth. A
Galanthus nivalis L. C. Galega caribaea Jacq. D. C. officinalis L. C. C. ochroleuca Jacq. D.	*Galcopsis grandiflora Roth. A Ladanum & L. dubia Leers.
Galanthus nivalis L. C. Galega caribaea Jacq. D. Gothroleuca Jacq. D. Gorientalis Lam.	*Galcopsis grandiflora Roth. A Ladanum & L. dubia Leers. angustifolia Ehrh.
Galanthus nivalis L. C. Galega caribaea Jacq. D. — officinalis L. C. — ochroleuca Jacq. D. — orientalis Lam. C. — stricta Ait. D.	*Galcopsis grandiflora Roth. A Ladanum & L. dubia Leers. angustifolia Ehrh. villosa Huds.
Galanthus nivalis L. C. Galega caribaea Jacq. D. officinalis L. C. ochroleuca Jacq. D. orientalis Lam. C. stricta Ait. D. pulchella Scop.	*Galcopsis grandiflora Roth. A Ladanum & L. dubia Leers. angustifolia Ehrh.
Galanthus nivalis L. C. Galega caribaea Jacq. D. officinalis L. C. ochroleuca Jacq. D. orientalis Lam. C. stricta Ait. D. pulchella Scop.	*Galcopsis grandiflora Roth. A Ladanum & L. dubia Leers. angustifolia Ehrh. villosa Huds.
Galanthus nivalis L. C. Galega caribaea Jacq. D. — officinalis L. C. — ochroleuca Jacq. D. — orientalis Lam. C. — stricta Ait. D. putchella Scop. mucronata Thunb.	*Galcopsis grandiflora Roth. A Ladanum \beta. L. dubia Leers. angustifolia Ehrh. villosa Huds. * \beta. ochroleuea Lam.
Galanthus nivalis L. C. Galega caribaea Jacq. D. officinalis L. C. ochroleuca Jacq. D. orientalis Lam. C. stricta Ait. D. pulchella Scop. mucronata Thunb. virginica W. C.	*Galcopsis grandiflora Roth. A Ladanum \(\beta \). L. dubia Leers. angustifolia Ehrh. villosa Huds. *— \(\beta \). ochroleuea Lam. *— Ladanum \(\beta \).
Galanthus nivalis L. C. Galega caribaea Jacq. D. officinalis L. C. ochroleuca Jacq. D. orientalis Lam. C. stricta Ait. D. putchella Scop. mucronata Thunb. virginica W. C. *Galeobdolon luteum Huds.	*Galcopsis grandiflora Roth. A Ladanum \(\beta \). L. dubia Leers. angustifolia Ehrh. villosa Huds. *— \(\beta \). ochroleuea Lam. *— Ladanum \(\beta \). A *— Tetrahit L.
Galanthus nivalis L. C. Galega caribaea Jacq. D. officinalis L. C. ochroleuca Jacq. D. orientalis Lam. C. stricta Ait. D. putchella Scop. mucronata Thunb. virginica W. C. *Galeobdolon luteum Huds. C	*Galcopsis grandiflora Roth. A Ladanum \(\beta \). L. dubia Leers. angustifolia Ehrh. villosa Huds. *— \(\beta \). ochroleuea Lam. *— Ladanum \(\beta \). *— Tetrahit L. A Galinsoga parvifiora Cav.
Galanthus nivalis L. C. Galega caribaea Jacq. D. officinalis L. C. ochroleuca Jacq. D. orientalis Lam. C. stricta Ait. D. putchella Scop. mucronata Thunb. virginica W. C. *Galeobdolon luteum Huds. C	*Galcopsis grandiflora Roth. A Ladanum \(\beta \). L. dubia Leers. angustifolia Ehrh. villosa Huds. *— \(\beta \). ochroleuea Lam. *— Ladanum \(\beta \). *— Tetrahit L. A Galinsoga parvifiora Cav. A
Galanthus nivalis L. C. Galega caribaea Jacq. D. officinalis L. C. ochroleuca Jacq. D. orientalis Lam. C. stricta Ait. D. pulchella Scop. mucronata Thunb. virginica W. C. *Galeobdolon luteum Huds. vulgare Pers.	*Galcopsis grandiflora Roth. A Ladanum \(\beta \). L. dubia Leers. angustifolia Ehrh. villosa Huds. *— \(\beta \). ochroleuea Lam. *— Ladanum \(\beta \). *— Tetrahit L. A Galinsoga parvifiora Cav. A
Galanthus nivalis L. C. Galega caribaea Jacq. D. officinalis L. C. ochroleuca Jacq. D. orientalis Lam. C. stricta Ait. D. putchella Scop. mucronata Thunb. virginica W. C. *Galeobdolon luteum Huds. vulgare Pers. Galeopsis Galeobdolon L.	*Galcopsis grandiflora Roth. A Ladanum \(\beta \). L. dubia Leers. angustifolia Ehrh. villosa Huds. *————————————————————————————————————
Galanthus nivalis L. C. Galega caribaea Jacq. D. officinalis L. C. ochroleuca Jacq. D. orientalis Lam. C. stricta Ait. D. pulchella Scop. mucronata Thunb. virginica W. C. *Galeobdolon Inteum Huds. vulgare Pers. Galeopsis Galeobdolon L. Leonurus Galeobdolon W.	*Galcopsis grandiflora Roth. A Ladanum \(\beta \). L. dubia Leers. angustifolia Ehrh. villosa Huds. *————————————————————————————————————
Galanthus nivalis L. C. Galega caribaea Jacq. D. officinalis L. C. ochroleuca Jacq. D. orientalis Lam. C. stricta Ait. D. putchella Scop. mucronata Thunb. virginica W. C. *Galeobdolon luteum Huds. vulgare Pers. Galeopsis Galeobdolon L. Leonurus Galeobdolon W. *Galeopsis canabina Roth.	*Galcopsis grandiflora Roth. A Ladanum \(\beta \). L. dubia Leers. angustifolia Ehrh. villosa Huds. *————————————————————————————————————
Galanthus nivalis L. C. Galega caribaea Jacq. D. officinalis L. C. ochroleuca Jacq. D. orientalis Lam. C. stricta Ait. D. pulchella Scop. mucronata Thunb. virginica W. C. *Galeobdolon Inteum Huds. vulgare Pers. Galeopsis Galeobdolon L. Leonurus Galeobdolon W.	*Galcopsis grandiflora Roth. A Ladanum \(\beta \). L. dubia Leers. angustifolia Ehrh. villosa Huds. *————————————————————————————————————

*Galium aparine L. e	t A	Galium pedemontanum All.	A.
- aristatum L.	C	Valantia pedemontar	na
- articulatum H. Erf.	C	Kit?	
t austriacum Jacq.	C	*- pusillum L.	C
glabrum Schrad.		sylvestre Poll.	•
lacve Dec.		- purpureum L.	C
pusillum a. L.		rubrum Scop.	٠.
_ borcale L.	Ç	- rubrum L.	G
- campestre Schousb.	À	_ rigidum W.	C
- campestre Schousb caucasicum Lagasca.	C	- rotundifolium L.	C
- cinereum All.	C	- rubioides L.	\mathbf{C}
	t	- saccharatum All.	A
Roem.	G	Valantia Aparine L.	
Valantia chersonensi	S	*- spurium L.	A
w. "		hispidum Roth.	
*- cruciata Smith.	C	*_ sylvaticum L.	G
Valantia cruciata L.	_	- tenuissimum M. B.	C,
- diffusum Schrad.	Ċ	- tricorne Smith.	C
- divaricatum W.	A.	Valantia aparine Po	1
- ellipticum W.En. sup		- tyrolense W.	Č
	Č.	- uliginosum L.	Č
* glaucum L.	C	* verum L.	C
campanulatum Vill.			Ħ.
montanum Poll.	,	Monach.	Ď
*_ harcynicum Weige	er.	- florida L.	D
A 3 * * 3 * * 3 * * 3 * * * * * * * * *	A	- Ilore pleno L	
*- hispidum W.	A	- Randia L.	D
scaberrimum Horn.		aculeata Ait.	:-
- infestum Kit.	A	Randia Mitis L.Sp. plan	16.
Vaillantii Dec.	~	Garidella Nigellastrum	
- linifolium Ait.	C	a minmata Ait	A. D.
— Iuchtam All.	Č	Garuga pinnata Ait.	v
*- Mollugo L.	Č	Gastrilobium bilobum Brown.	n
- maritimum L.	Č		D,
— obliquum Vill.	č	Gaultheria procumbens	D.
*— palustre L. — parisiense L.	Ă	Gaura biennis L.	В
Litigiosum Hall. fil.	-	— fruticosa Jacq.	Ď
minutiflorum Brot.		— mutabilis L.	D.
- parviflorum Horn.	Δ		
E beramorem morn.	A	Oenothera anomala Cur	L.

Genista anglica L. D — albida W. D — canariensis L. D — candicans L. D — decumbens W. D pedunculata L'Herit. prostrata Lam. — diffusa W. D humifusa Wulf.	Gentiana lutea L. C. — Pneumonanthe L. C. — pannonica Jacq. C. — punctata L. C. — purpurea L. C. *— utriculosa L. C. — verna L. C. elongata Jacq. collect. Georgina frustranea Dec.
Spartium decumbens	coccinea W. En
Host.	Dahlia coccinea Thouin.
*_ germanica L. D	- bidentifolia Salisb.
- linifolia L. D	_ a. coccinea
Spartium linifolium W.	_ β. crocea
ovata Kit. D	- 2. flava
* phosa L. D	— superflua Dec. C
*_ sagittalis L. D	variabilis W. En.
_ sibirica L. D	- «. alba
*- tinctoria L D	B. flavescens
- virgata W. D	— 2. lilacina
Gentiana acaulis L. C	— — 5. purpurea
&. angustifolia	— - t. rubra
alpina L. C	ζ. pallida n. flore pleno
*— amarcila L. A	— n. flore pieno
- asclepiadea L. C	Geranium aconitifolium
fl. incarnato.	L'Herit. C *)
gavarica L. G	rivulare Vill.
_ brachiphylla Vill. C	- anemonaefolium L'He-
- campestris L. C	rit. G
*_ ciliata L. A	palmatum Cav.
*_ cruciata L. C	rutilans Ehrh.
- glacialis Frocl. C	- argenteum L. D
_ hybrida Schl. U	— hatrachioides Cav. B
macrophylla L. C nivalis L. C	- bohemicum L. A - canescens W. C

^{*)} pedunculi pube molli eglandulosa adspersi, calyces pilis mollibus tenuibus eglandulosis patentibus obsessi.

Geranium carolinianum L.	*Geranium pusillum L. A — purpureum Vill. B
*— columbinum L. A	*— rotundifolium L, A *— robertianum L. A
- collinum Steph. C	*— sanguineum L. C
*— dissectum L. A	
	- prostratum Cav.
- divaricatum Ehrh, B	- sibiricum L. A
Winterli Roth.	- striatum L. C
- fuscum L .	*— sylvaticum L. C+)
— ibericum W. C	- tuherosum W. C
- incanum L. C	*— umbrosum Kit. C
- lividum L'Herit.	Geropogon glaber L. A
patulun Vill.	Gesneria tomentosa L. D.
subcoeruleum Desf.	erecta Brown,
*_ lucidum L. A	Geum album W. C
— macrorhizon L. C	- atlanticum Desf. C
\perp maculatum L . C^*	- helveticum Schleich. C
*— molle L. A	- hirsutum Kit. C
— nodosum L. C	- intermedium W. C
\star — palustre L . $C^{\star\star}$)	- macrophyllum W. En. C
- fl. albo	- mo anum L. C
— phaeum L . C	- potentilloides W. En.
- parviflorum W. En. C	Dryas geoides Jacq.
*— pratense L . C^{***}	Pententilla geoides H.
- pyrenaicum L. B	Goett.
pyromatoum D.	Polémi

^{*)} pedunculi pilis eglandulosis rigidis deflexis tecti, calyces pilis glandulosis patentibus obsessis.

^{**)} pedunculi setis rigidis deflexis tecti, calyces subglabri vel setulis rigidis incumbentibus parce. adspersi.

^{***)} pedunculi pilis glandulosis obsessi, calyces duplo majores antecedente, bracteae plerumque pedunculis dimidio breviores, pedunculi deflerati deflexi.

^{†)} pedunculi pilis glandulosis obsessi, calyces dimidio minores sequente, bructeae perumque pedunculis multo breviores. pedunculi deflor. erecti.

Geum pyrenaicum W. C	Globba nutans L. C
ightharpoonup reptans L .	Alpinia nutans Redouté.
*_ rivale L. C	Renealmia nutans Andr.
- strictum W. C	Globularia cordifolia L. C
aleppicum Jacq.	- longifolia Pers. D
*— urbanum L. C	— nana L. C
caryophyllatum Pers.	- nudicaulis L. C
- virginianum W. C	*— vulgaris L. C
canadense Jacq.	Gloriosa superba L. C
Gladiolus albidus Jacq. C	Methonica superba
- angustus L. C	Redouté.
hastatus W.	Gloxinia maculata L'Herit.
- cardinalis W. En C	C
— communis L. C	Martynia perennis L.
- longiflorus Vahl. C	- formosa Spec. nova ex
tubiflorus Hort. Cant.	hort Kew. C
Jxia longiflora Jacq.	Glycine Apios L. C
- tristis L. C	- bituminosa L. C
- tubiflorus L. C	- Caribaca Jacq. D
- Watsonius W. C	- clandestina W. D
praecox Andr.	— frutescens L. D
Glaucium violaceum Smith.	— monoica L: A
· A	- precatoria w. En. D
Chelidonium hybridum	— tomentosa Pers. D
$oldsymbol{L}.$	Dolichos pubescens W.
*Glaux maritima L. C.	En.
* $Glechoma$ hederacea $L.$ C	- virginica Schrad Journ.
- hirsuta Kit. C	\boldsymbol{c}
Gleditschia horrida w. D	Glycirrhiza echinata L.
macrocanthos W. En.	<i>C</i>
Suppl.	— foetida Desf. C
— caspica Bosc. D	- glabra L. C
— monosperma W. D	laevis Pall.
caroliniensis Lam.	Liquiritia officinalis
aquatica Marsh.	Pers.
- sinensis Lam. D	Gnaphalium alpinum L. C
- triacanthos L. D	*— arenarium L. C
- B. inermis	*— arvense W. A
G. inermis L.	Filago arvensis L.
G. taevis H. Par.	aureum Thunb. B
Globba japonica Thunb. C	— carniolicum Bernh. D

Gnaphalium cephaloidum	Gnaphalium rectum L. C
w. A	- rigidum wendl: D
- collinum La Billard. B	- Stoechas L. D
- crassifolium L. D	italicum Roth.
_ cymosum L. C	— supinnm L.
- diosmaefolium W. En.	*- sylvaticum L; A
*_ dioicum L. C	— undulatum L: A
- divaricatum Thunb, D	*— uliginosum L: A
spathulatum Burm.	Gnidia simplex L. D
- ericoides L. D	
- ferrugineum Herb, Juss,	Gomphrena brasiliensis W.
D	D
— foetidum L. B	- decumbens Jacq: A:
≠— gallicum W. A	→ globosa L: A:
Filago gallica L.	- interrupta W. A
* germanicum W. A	Celosia procumbens
Filago germanica L.	Jacq.
— glomeratum L. A	Goodenia calendulacea W;
- helianthemifolium L. D	En. D
serpillifolium Lam.	Scaevola suaveolens
- haemisphaericumHorn;	Arown
· C	- grandiflora W. En. DB
_ imbricatum L. D	appendiculata Jacq
nanioulatum Rora	— ovata Vent. D
- linarifolium Wendl. D	- paniculata Smith. D
- Leontopodium W. C	. Boutonia pomifera H.
Filago Leontopodium L.	Erf
*_ luteo-album L. A	Goodia lotifolia Brwn.
— margaritaceum L; C	— pubescens Brown, D
*— moutanum W. A	Gorteria pectinata Pers. D
Filago montana L.	- rigens W. D
initidumH. Gremec. C	Gazania rigens Gaertn
- odoratissimum L. D	Gossanian barbadansa T
- obtusitolium L. A	Gossypium barbadense L. B.D.
- orientale L. D	- chinense H. Erf. D
- pensylvanicum L. A	— latifolium Murr D
- pussillum Haenck. C	- peruvianum W. BD
- pygmaeum A	- religiosum L. D
	*Gratiola officinalis L. C
Evax pygmaea Pers. — pyramidatum W. A	Grewia occidentalis L. D
Filago nenamidata T	
Filago pyramidata L.	- orientalis L. D

•		vy
Grewia obtusifolia Wendl. — D — Spec. nova. D Grindelia inuloides W. D Aster spathularis Brouss. Gronovia scandens L. A Guajacum officinale L. D Gunnera perpensa W. C Guilandina Bonduc L. D Gymnocladus canadensis Lam. D Guilandina dioica L. Gymnostyles anthemifolia Juss. A Gypsophila altissima L. C — adscendens Jacq. C	Gypsophila acutifolia Fischer. — arenaria Kit. — dubia W. — elegans Jacq. *— fastigiata L. — glomerata M. B. *— muralis L. — paniculata L. — perfoliata L. — repens L. — saxifraga L. — scabra Schulth. — Steveni H. Gor. — struthium L. — viscosa. L.	
. İ -	Ť.	
	1,	
Haemanthus coccineus L. C puniceus L. C Haematoxylon campechianum L. D spinosum Brown. Hackea dactyloides Pers.	— sangna Brown. Embothrium salignum Andr.	D D
Bancksia dactylbides Gaertn. Conchium nervosum	heterophylla H. Cels. Bancksia heterophyll Hortul.	_
Smith. — dactyloides Vent. — gibbosa Brown. — pubescens Schrad. Conchium gibbosum	— tetrapiana L. Halleria neida L.	D D D D
Smith. Bancksia gibbosa W. obliqua Brown. pugioniformis Brown. D glabra Schrad.	tetragonia L'Herit. Tetragonia ivaefolia I Hamamelis virginica L. I	D D
0	T POLETIN PER PER	••

Digitized by Google

Hamellia chrysantha Jacq.	Hedysarum conchinchi-
D	nense Schranck.
Harrachia speciosa Jacq. D	pl. rar. 🛸
Justicia infundibulifor-	- crista-galli L. A
mis Valil.	- flexuosum L. A
Hasselquistia aegyptica L.	- frutescens L. D
A	- frutescens L. D. Lespedeza fruticosa
- cordata W. A	
Hebenstreitia albiflora. no-	gangeticum L. A
va Sp. A	
*Hedera Helix L. D	- gyroides H. Hallensis.
_ fol. variegatis	B D
Hedychium coronarium W.	- hirtum Mich. C
C	- junceum L. C
Hedyotis diffusa W. A	Lespedeza juncea Pers.
- lactea W. En. A	- lineatum L. D
Oldenlandia Hedyotidis	Lespedeza lineata
$\mathbf{W}.$	Pers.
Hedypnois aspera Desf. A	Flemmingia lincata Ait.
- cretica W. A	- maculatum L. A
Hyoseris cretica L.	- muricatum W. A
_ mauritanica W. A	-obscurum L. C
Hyoseris mauritanica L.	* Onobrychis L. C
monspeliensis W. A.	Onobrychis sativa Lam.
Hyoseris Hedypnois L.	 — β. grandiflorum — Pallasii W. G
— pendula W. A	- Pallasii W. G
Hyoseris pendula L.	— paniculatum L. C
- rhagadioloides W. A.	- petraeum M. B. C
Hyoseris_rhagadioloides	- purpureum W. En. D
. L.	- saxatile L. C
<u>tubaeformis</u> Tenore. A	- strobiliferum W. D
Hedysarum abyssinicum W.	Zornia strobilacea Pers.
En. appl. D	Flemmingia strobilifera
_ alatum H. Monach. D	Ait.
_ alpinum L. C	- styracifolium L. D
_ arenarium W. En. C	- trinervium W. En.
- canadense L. C	suppl. D
- Caput-galli L. A	- uncinatum Jacq. D
carpathicum W. En. C	_ vaginale L. A
- coronarium L. B	- vespertilionis L. A
— — fl. albo.	Helenium autumnale L. C
•	i

Helenium	quadridentat	um	Helianthemum punctati	ım
_	W. En.	A	W.	• A
alatum			Cistus punctatus L.	
Rudbeck	k <i>ia alata</i> Ja	cq.	- pulverulentum Pers.	П
H elianther	mum aegypti	ia– .	Cistus pulverulentus	•
	cum Pers.	A	Thuil	•
Cistus d	iegyptiacus I	٠.	- roseum Jacq.	TD
- angusti	folium Jacq.	D	- salicifolium Dec.	A
	num W. En.	\mathbf{D}	- stoechadifolium Brot.	. D
	penninus L.		— thymifolium Pers.	\mathbf{D}
	um W. En.	D	*— vulgare Dec.	\mathbf{D}
	ense W. En.	D	Cistus Helianthemum	L.
- calycin	um W. En.	-D	— vineale Pers.	\mathbf{D}
ducussa	tum Bernh.	D	Cistus vinealis L.	
- erongat	um W. En.	\mathbf{D}	Helianthus altissimus L.	\mathbf{c}
* Gum	formosus W.	· .	- annuus L.	\mathbf{A}
*— fuman	aw.	D	- decapetalus L.	\mathbf{C}
Cistus f	umana L.	ъ	dodecapetalus, Jacq.	
- glaucun		D	- divaricatus L.	C
- guttatu	laucus L.	A	excelsus W.	Č
- guttatur	II VV.	A	- exaltatus nova Spec.	Č
- balimifo	olium W. En.	C	- ilexuosus H. Vindob.	Č
Cietue h	dimicolina Co	D.	- giganteus L.	C,
- lanceola	<i>alimifolius</i> Ca tum H. Vin		- indicus L.	A
- Junecora	eam H. Am	D	- macrophyllus W.	C
- Ledon		\mathbf{p}	- multiflorus L.	C
	edon Pers.	T.	— mollis W.	C
- laevipes	W.	D	tomentosus Mich. — prostratus W.	_
Cistus la	evipes L.	ב	- pubescens Vahl.	C
- ledifoliu	m Dec.	A	canescens Mich.	u
	difolius L.		mollis Lam.	
lineare	Pers.	D	- parviflorus Bernh.	C
— marifoli		$\widetilde{\mathbf{D}}$	- strumosus Bocc.	C
— mutabile		$\bar{\mathbf{q}}$	- trachelifolius W.	Ğ.
	utabilis L.	_	- tuberosus L.	Ğ
🗕 niloticuı	n W.	A	- tubaeformis W.	Ā
- obscuru		$\overline{\mathbf{D}}$	Heliconia humilis Jacq.	C
— pilosum		D	- psittacorum L. Supp	ıl.
Cistus pi			- oupp	\ddot{c}
	m W	D	- Spec. nova.	$\tilde{\mathbf{c}}$

Helicteres baruensis Jacq.	Helonias:
Ď	Hebelia allemanica
jamaicensis Jacq. D	Gmel. fl. Bad.
- Ísora L. D	*_ borealis β. minor.
yerbascifolia H, Cels. D	Hebelia collina Gmel. fl.
Heliocarpus americana L.	Bad.
D	77
Heliophila amplexicaulis L.	Hemerocallis coerulea
A	Andr C
- crithmifolia W. En. A	japonica &. W.
- pendula W. En. A	— flava L. C
Heliotropium curassavicum	— fulva L. C
L. A	graminea AndreC
- corymbosum Sims. D	_ japonica W. C
grandiflorum H. Paris.	aloa Andr
* europaeum L. A	Hemimeris coccinea. W. D.
— indicum L. A	linearis Pers.
cordifolium Moench.	Celsia linearis Jacq.
Tiaridium indicum	Alonsoa linearis Ait.
Lehm.	- B. latifolia
- parviflorum L. A	Hem. inter-
	<i>media</i> Hortul.
angiospermum Murr. peruvianum L. D	- urticaefolia W. D
- supinum L. A	Celsia urticaefolia Curt.
Helleborus foetidus L. C	Magaz.
- hyemalis L. C	Alonsoa incisifolia Ait.
	Hemionitis W. En. C
Eranthis hyemalis Dec. — lividus Ait. G	Acrostichum tartareum
	Swartz.
triphyllus Lam. — niger L. C	Heracleum angustifolium
niger L.odorus Kit.	L. B
purpurascens Kit. C	flavescens Willd.
— viridis L. C	- absinthifolium Vent. B
Helmintia echioides W. A	Tordylium absinthifoli-
Picris echioides L.	um Pers.
Helonias bullata L. C	Zosima absinthifolia
latifolia Mich.	Hoffm.
*_ borealis W C	- alpinum L. C
Tofieldia palustris Pers.	- Panaces L. B
Anthericum calycula- tum	— pimpinellifolium Spr. Prodr. B

Heracleum:	Hermannia incana Cav. D
Pastinaca pimpinellifol.	_ lavandulifolia L. D
М. В.	<u>micans</u> W D
- pyrenaicnm Lam. B	- multiflora Jacq. D
amplifolium Lapeyr.	- plicata Ait. D
speciosum Hortul.	althaeifolia Jacq.
gummiferum Willd, h,	- procumbens Cay. D.
Berol,	- scabra Jacq. D
asperum Fischer.	Hernandia sonora L. D
- sibiricum W. B	Herniaria alpina W. C
tauricum Pall.	*— glabra L. A
*_ Sphondylium L. B	*_ hirsuta L. A
_ a. longifolium	- incana Lam. C
Heracl. longi-	Hesperis africana L. A
folium M. B.	hispida Rom.
Wendia choro-	Malcomia africana Ait.
danum Hoffm.	- arenaria Desf. A
— β. angustifolium	- inodora L. B
Heracl. angu-	— inodora L. B. — laciniata All. B.
stifolium Jacq.	_ laxa Lam. A
2. elegans	— matronalis L. G
Heracl. elegans	fl. pleno.
Jacq.	- ramosissima W. A
— - J. giganteum	- runcinata Kit. B
Heracl. gigan-	- sibirica L. A
teum Londes,	- tristis L. B
*- Tordylium Spr. A	— verna L. A
Tordylium maximum L.	Heterospermum pinnatum
- villosum Fischer. B	W. A
pyrenaicum Hornem.	Heuchera americana L. C
Hermannia alnifolia L. D	Hibbertia volubilis Andr.
- althaeifolia L. D	D
aurea Jacq.	Dillenia volubilis Vent.
- angularis Jacq. D	- scandens W.
— candicans Jacq. D	- speciosa Curt.
- cuneifolia Pers. D	— grossulariaefolia Salisb.
- denudata Jacq. D	D
- disticha W.	crenata Andr.
hirsuta W. D	Hibiscus Abelmoschus L.
— holoserieea Jacq. D	D
- hyssopifolia L. D	Alcea hirsuta Brown.

Hibiscus brasiliensis L. D	Hieracium amplexicaule L.
- cannabinus L. A	G 77511
- diversifolius Jacq. D	pulmonarioides Vill.
ficulneus Cav.	Lepicaune balsamea
- elatus Swartz. D	Lapeyr
- esculentus L. A	- andryaloides Vill. C
- ficulneus L. D	- angustifolium W. C
- grandiflorus, Pers. C	— aurantiacum L. C
- never ophymus Pers. D	— aureum Vill. C
- Manihot E. D	Leontodon aureum Jacq.
palmatus Cav.	*_ Auricula L. C
— mutabilis L. D	dubium et auricula Poll.
- palustris L. C'	- auriculatum L. C
pentacarpos L. C	- Blattarioidis L. C
- phoeniceus, L. D	pilosum W.
— populnens L. D	pyrenaicum W.
- pruriens L. A	Ricris pyrenaica L.
- Rosa-sinensis L. D	- bifidum W. En. Suppl.
— a. fl. simplici	C
\(\mu \). fl. pleno atro-	- bifurcum M. B. C
purpu r eo	collinum? Besser.
7. fl. pleno rubro-	calcareum Bernh. C
flavescente	- calyculatum Horn. C
5. fl. rubro pleno	— carpaticum Bess. C
- speciosus Curt. C	- canescens Schleich. C
- syriacus L. D	- ecrinthoides Guan, C
$ \alpha$. fl. albo	- cotoneifolium Lam. C
— B. fl. albo pleno	- coronopitolium Bernh.
- 2. II. rubro pleno - 5. fol. variegatis	C.
S. fol. variegatis	- croaticum Kit. C
- unacens L. U.	- crassifolium II. Creme-
- trionum - A	cen. C
ternatus Cav.	- cydoniaefolium Vill. C
— vesicarius Cav. A	- denudatum Lapeyr. C
<u>vitifolius</u> L. A	- dubium L. C
Hieracium alpestre W. C.	cauricula Fl. Dan.
tubulosum Schl.	echioides Vill
- alpinum W. C	eriophyllum W. C
incanum L.	— fallax W. C
Apargio incana Pers.	- flexuosum K.it. C
— β. dentatum	bupleuroides Billard.

Hieracium flagellare W. C	Hieracium !
— flosculosum Horn. C	Hypochaeris pontana L.
*_ florentinum All. C	
cymosum Leers.	- molle Jacq. G *- murorum L. G
piloselloides Vill.	* \ellar . maculatum
— foliosum Kit. C	— nemorosum Pers. C
corymbosum Pers.	— nigrescens W
_ fruticosum Desf. D	_ ovatum Schl. C
— glaucum All. C	— paniculatum L. C
scorzoneraefolium Vill.	*— paludosum L. C
500. Z011 II J 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	— pallescens Kit. C
	- parviflorum Schl. C
D	
D. 0.7. (1.1.0.)	*— Peleterianum Merat.
conyzacfolium Roth.	Pilosella B. Pollich.
leucopappum 6. Vill.	- pictum Pers. C
Lepicaune grandiflora	*— Pilosella L. G
Lapevr. Halleri Vill. C	- pilosum Spr. Cat. • C
	- porrifolium All. G
	— porrifolium All. C — polyphyllum W. C
pumilum Jacq.	— pumilum Hoppe. C
Jacquini Vill.	- praemorsum L. C - prostratum Dec. C
- humifusum Spr. C	- prostratum Dec. C
— incanum M. B. C	- prunellaefolium L. C
- intybaceum Jacq. C	Lepicaune prunellaefo-
albidum Vill.	lia Lapeyr.
tubulosum Pers.	- prenanthoides Vill. C
Lepicaune intybacea	spicatum All.
Lapeyr.	- pyrenaicum L. C
*_ LachenaliGmel fl. Bad.	helveticum L. et W.
` G	Lepicaune multicaulis
— <u>lanceolatum</u> Vill. C	Lapeyr.
- laevigatum W. G	racemosum Kit. C
lapsanoides Gouan. C	- ramosum Kit. C
- Liottardi Vilk C	rupestre All. G
- longifolium Schl. C	*_ sabaudum L. C
- Lawsonii Vill. C	- saxatile Jacq. C
saxatile Dec.	_ Schraderi Dec. C
lanatum Kit. C	sibiricum W. C
- montanum Jacq. C	Crepis sibirica L.
Andryala pontana Vill.	_ speciosum W. C
	•

Hieracium staticefolium	*Holcus mollis L. C
All. C	Arena mollis Koel.
- stolonislorum Kit. C	*_ lanatus L. C
— succisaefolium All. C	Avena lanata Koelle.
- sylvaticum Gouan. C	Holosteum cordatum W. A
Murorum All.	*— umbellatum L. A
- tomentosum H. Err. C	ноmalium racemosum
Lepicaune tomentosa	Pers: D
Lapeyr.	Hordeum bulbosum L. C
*— umbellatum L. C	ciliatum Lam.
lineare Pers.	- distichum L. A.
Crepis umbellata Bernh.	— — β . nudum
undulatum Smith. C	y. imberbe
- Villarsii Balb. C	- hexastichon L. AB
Leondoton Villarsii W.	— intermedium n. Spec. A
- villosum L. C	- Jubatum L. B
- valde pilosum Vill.	- Hystrix Roth. A
elongatum Lapeyr.	- maritimum With. A
- virgatum Pursh. C	rigidum Roth.
	geniculatum All. marinum Huds.
Eriocephalus pectinifo- lius L.	*_ murinum L. A
Tanacetum frutescens L.	- nigrum W. En. B
Hippocrepis bissora H. Erf.	Hord. vulgare y. W. Sp.
A	*— pratense Huds. A
★— comosa L. C	nodosum L.
- multisiliqua L. A.	maritimum Koelle.
- unisiliqua L. A	secalinum W.
Hippomane biglandulosa	- vulgare W. B
Swartz. D	— β. coeleste
Sapium aucuparium W.	- Zeocriton w. En. A
Hippophae canadensis L. D	distichum B. Lam.
*— Rhamnoides L.	Horminum pyrenaicum
*Hippuris vulgaris L. C	Herm. C Melissa pyrenaica W.
Holcus borealis Schrad, C	Melissa pyrenaica W.
odoratus Willd.	Salvia pyrenaica L.
repens Host.	Hornemannia bicolor W.
Hierochloa borealis Sch.	En. A
et Roem.	Gratiola goodenifol.
- bulbosus Schr. C	Hornem.
Avena bulbosa L.	Trevirana GratiolaeRoth.
The same of the same	

En. A Gratiola viscosa Horn. *Hottonia palustris L. C Houstonia coccinea W. En. Jxora americana Jaeq. — tenuifolia Cav. — B. crocea H. Cels. Hoya serrata H. Cels. D *Humulus Lupulus L. C Hydroctyle sipthorpioides Lam. C Hydroctyle sipthorpioides Lam. C Hydrostyle sipthorpion Lam. C Hydrostyle sipthorpion Hydrostyle sipthorpion Hydrostyle sipthorpion Hydrostyle sipthorpion Hydrostyle sipthorpi	Hornemannia viscosa W.	Hydrangea guercifolia W.
*Hottonia palustris L. C Houstonia coccinea W. En. D Jxora americana Jacq. — tenuifolia Cav. — B. crocea H. Cels. Hoya serrata H. Cels. D *Humulus Lupulus L. C HydrocherisMorsus-ranæ L. C Hydroctyle sipthorpioides Lam. C Hydrophyllum canadense L. C Hydrophyllum canadense L. C Hydrostis canadensis L. C Hydrastis canadensis L. C Hydrastis canadensis Dec. — magellanicum Lam. C Aldeaea circinata W. Heliotropium pinnatum Vahl. — virginicum L. C Hyoscyamus agrestis Kit. — whoscari L. C Hyoscyamus agrestis Kit. — albus L. A — aureus L. C Hyoscyamus agrestis Kit. — aureus L. C Hydrastis canadensis — virginicum Lam. C Hyoscyamus agrestis Kit. — aureus L. C Hydrophyllum canadense L. C Hydrophyllum canadense L. C Hydrophyllum canadense L. C Hydrostis Canadensis L. C Hydrostis canadensis L. C Hydrophyllum canadense L. C Hydrophyllum canadense L. C Hydrophyllum canadense L. C Hydrostis Canadensis L. C Hydrostis Canadensis L. C Hydrophyllum canadense L. C Hydr		D
*Hottonia palustris L. C Houstonia coccinea W. En. D Jxora americana Jacq. — tenuifolia Cav. — — B. crocea H. Cels. Hoya serrata H. Cels. D *Humulus Lupulus L. C Hydrocotyle sipthorpioides L. C Hydrophyllum canadense L. C Hydrophyllum canadense L. C Hydrophyllum canadense L. C Hydrostis canadensis Dec. — magellanicum Lam. C Aldeaea circinata W. Heliotropium pinnatum Vahl. — virginicum L. C Muscari comosum W. En. — Muscari moschatum W. — monstrosus L. C B. H. comosus Dec. — nonscriptus L. C — orientalis L. C — nutans C — nutans C — nutans C — mirea Mich. — wilgaris M. C — magellanicum Lam. C Hydrophyllum canadense L. C Hydrophyllum canadense L. C Hydrostis canadensis L. C Hydrostis L. C Hydrophyllum canadense L. C Hydrostis L. C Hydrophyllum canadense L. C Hydrostis L. C Hydrophyllum canadense L. C Hydrostis L. C Hydrophyllum canadense L. C Hydrostyle sipthorpioides L. C Hydrophyllum canadense L. C Hydrostyle sipthorpioides L. C Hydrophyllum canadense L. C Hydrostyle sipthorpioides L. C Hydroctyle sipthorpioides L. C Hydrophyllum canadense L. C Hydrophyllum canadense L. C Hydrostyle Hydroctyle Hydroctyle Hydroctyle Hydroctyle Hydroctyle Hyd	Gratiola viscosa Horn.	- radiata W. D
# Same process of the control of the		nivea Mich.
Javora americana Jacq. — tenuifolia Cav. — B. crocea H. Cels. D *Humulus Lupulus L. C Byacinthus amethystinus — L. C — botryoides L. C Muscari botryoides W. — cernuus L. C Scilla cernua Bernh. *— comosus L, C Muscari comosum W. En. — Muscari L. C Buscari moschatum W. — monstrosus L. C — nonscriptus L. C — orientalis L. C — nutans — racemosus L. C Muscari racemosum W. En. HydrochærisMorsus-ranæ L. C Hydrocotyle sipthorpioi- des Lam. C Hydrophyllum canadense L. C Hydrastis canadensis Dec. — magellanicum Lam. C Aldeaea circinata W. Heliotropium pinnatum Vahl. — virginicum L. C Hyoscyamus agrestis Kit. — albus L. A — albus L. A — albus L. A — orientalis M. B. C — orientalis M. B. C — pallidus W. A — polysaloides L. C Scopolia L. C Lapsana foetida W. Lapsana foetida W. Lapsana foetida W. Lapsana foetida L. — caurus L. A — radiata L. C Lapsana foetida W. Lapsana foetida L. — caurus L. A — cradiata L. C Lapsana foetida W.		glauca H. Par.
L. G. Hydrocotyte sipthorpioides Lam. G. Hydrostyte sipthorpioides Lam. G.	\mathbf{D}	
des Lam. C Hoya serrata H. Cels. D Humulus Lupulus L. C Hydrophyllum canadense L. C Hydrastis canadensis Dec. L. C Hydrastis canadensis Dec. Muscari botryoides W. En. Cernuus L. C Muscari comosum W. En. Muscari L. C Muscari moschatum W. Muscari moschatum W. Muscari nutans Dec. Muscari nutans M. B. Muscari racemosum W. Muscari nutans M. B. Muscari racemosum W. Muscari nutans M. B. Muscari racemosum W. Muscari racemosum W. Muscari racemosum W. Muscari nutans M. B. Muscari	Jxora americana Jacq.	L. C
des Lam. C Hoya serrata H. Cels. D Humulus Lupulus L. C Hydrophyllum canadense L. C Hydrastis canadensis Dec. L. C Hydrastis canadensis Dec. Muscari botryoides W. En. Cernuus L. C Muscari comosum W. En. Muscari L. C Muscari moschatum W. Muscari moschatum W. Muscari nutans Dec. Muscari nutans M. B. Muscari racemosum W. Muscari nutans M. B. Muscari racemosum W. Muscari nutans M. B. Muscari racemosum W. Muscari racemosum W. Muscari racemosum W. Muscari nutans M. B. Muscari	- tenuifolia Cav.	Hydrocotyle sipthorpioi-
*Humulus Lapulus L. C Byacinthus amethystinus L. C *— botryoides L. C Muscari botryoides W. En. — cernuus L. C Scilla cernua Bernh. *— comosus L, C Muscari L. C Muscari L. C Muscari Muscari L. C Muscari Muscari Muscari Muscari L. C Muscari Muscari Muscari Muscari L. C Muscari Muscari Muscari Muscari Natura Muscari L. C Muscari Muscari Natura N	— β. crocea H. Cels.	
Hyacinthus L. C *— botryoides L. C Muscari botryoides W. En. — cernuus L. C Scilla cernua Bernh. *— comosus L, C Muscari comosum W. En. — Muscari L. C Muscari moschatum W. — monstrosus L. C B. H. comosus Dec. — nonscriptus L. C — orientalis L. C — orientalis L. C — nutans Scilla nutans M. B. Scilla nutans Smith. *— racemosus L. C Muscari racemosum W. En. Hydrangea arborescens L. D vulgaris Mich. — heterophylla H. Cels. D — hortensis W. D Opuloides Lam. Hortensia mutabilis L. — opuloides Jacq. — fl. coeruleo L Mydrastis canadensis Dec. Hydrastis canadensis Dec. Hydraelia Cancillam. Heliotropium pinnatum Vahl. — virginicum L. C Hyoscyamus agrestis Kit. — aureus L. C — aureus L. C — aureus L. A — orientalis M. B. C — pallidus W. A — pallens Kit. A — pusillus L. A — pusillus L. A — pusillus L. C Senecionis W. En. C Seris arenaria W. En. Lapsana foetida W. En. — lucida L. C — radiata L. C — scabra L. — taraxacoides Lam. C	ноуа serrata H. Cels. D	*— vulgaris L. C
Hydrastis canadensis L. C *— botryoides L. C Muscari botryoides W. En. — cernuus L. C Scilla cernua Bernh. *— comosus L, C Muscari comosum W. En. — Muscari L. C Muscari moschatum W. — albus L. A — monstrosus L. C B. H. comosus Dec. — nonscriptus L. C — orientalis L. C — nutans C Muscari nutans M. B. Scilla nutans Smith. *— racemosus L. C Muscari racemosum W. En. Bydrangea arborescens L. D vulgaris Mich. — heterophylla H. Cels. D — hortensis W. D 'opuloides Lam. Hortensia mutabilis L. — opuloides Jacq. — fl. coeruleo L Muscari canadensis Dec. Hydrastis canadensis Dec. Heliotropium pinnatum Vahl. — virginicum L. C Hyoscyamus agrestis Kit. — orientalis M. B. C — aureus L. A — orientalis M. B. C — pallidus W. A — pallidus W. A — pusillus L. A — pusillus L. A — pusillus L. C Senecionis W. En. C Seris arenaria W. En. Lapsana foetida W. En. — lucida L. C Lapsana foetida W. En. — lucida L. C — radiata L. C — scabra L. A — taraxacoides Lam. C	*Humulus Lupulus L. C	<i>Hydrophyllum</i> canadense
*— botryoides L. C **Muscari botryoides W. En. cernuus L. C **Scilla cernua Bernh. **— comosus L, C **Muscari comosum W. En. Muscari L. C **Muscari moschatum W. monstrosus L. C **B. H. comosus Dec. nonscriptus L. C orientalis L. C orientalis L. C mutans C **Muscari nutans M. B. **Scilla nutans Smith. **— racemosus L. C **Muscari nutans M. B. **Scilla nutans Smith. **— racemosus L. C **Muscari racemosum W. **En. **Muscari mutans Smith. **— pusillus L. A physaloides L. C **Scopolia L. C **Scopolia L. C **Scopolia L. C **Scopolia L. C **Seris arenaria W. En. **A **Lapsana foetida W. **En. lucida L. C **Lapsana foetida W. **En. lucida L. C radiata L. C scabra L. A radiata L. C scabra L. A taraxacoides Lam. C	nyacinthus amethystinus	L. C
Muscari botryoides W. En. — cernuus L. — comosus L. — comosus L. — Muscari comosum W. En. — Muscari moschatum W. — monstrosus L. — orientalis L. — orientalis L. — nutans — comosus L. — corientalis L. — orientalis L. — corientalis M. B. — corientalis M. B. — corientalis M. B. — pallidus W.	· L. C	Hydrastis canadensis
En. — cernuus L. — Comosus L. — comosus L. — Comosus L. — Muscari Comosum W. En. — Muscari L. — Muscari moschatum W. — monstrosus L. — Comosus Dec. — nonscriptus L. — orientalis L. — orientalis L. — orientalis L. — consus Smith. — racemosus L. — Comuscari nutans M. B. — Scilla nutans Smith. — racemosum W. — En. — Muscari racemosum W. — En. — pusillus L. — copuloides Lam. — copuloides Lam. — foetida L. — copuloides Lam. — lucida L. — copuloides Jacq. — fl. coeruleo — taraxacoides Lam. — taraxacoides Lam.		=
Scilla cernua Bernh. *— comosus L, C Muscari comosum W. En. — Muscari L. C Muscari moschatum W. — monstrosus L. C — albus L. A — albus L. A — albus L. A — albus L. A — aureus L. C — orientalis M. B. C — orientalis L. C — pallidus W. A — pictus? H. Goett. A — pictus? H. Goett. A — pusillus L. A — polysaloides L. C — Scopolia L.	Muscari botryoides W.	
Scilla cernua Bernh. - comosus L, C — virginicum L. C — Hyoscyamus agrestis Kit. - Muscari L. C — albus L. A — albus L. A — albus L. A — aureus L. C — aureus L. C — orientalis M. B. C — orientalis M. B. C — pallidus W. A — pallens Kit. A — pallens Kit. A — pallens Kit. A — pictus? H. Goett. A — pusillus L. C — Scopolia L. C — Scopolia L. C — Scopolia L. C — Serie arenaria W. En. A — foetida L. C — Lapsana foetida W. En. — lucida L. — c — lucida L. — c — radiata L. — c — scabra L. — c — scabra L. — taraxacoides Lam. C		
*— comosus L, C Muscari comosum W. En. — Muscari L. C Muscari moschatum W. — albus L. A — monstrosus L. C — nonscriptus L. C — orientalis L. C — nutans C — nutans C — muscari nutans M. B. C — pallidus W. A — pallens Kit. A — pallens Kit. A — pallens Kit. A — pallens Kit. A — pictus? H. Goett. A — pusillus L. A — pusillus L. A — pusillus L. A — physaloides L. C — Scopolia L. C — Scopolia L. C — Scopolia L. C — Senecionis W. En. C — senecionis W. En. C — seris arenaria W. En. Muscari nutabilis L. — foetida L. C — Lapsana foetida W. — Lapsana foetida W. — Lapsana foetida L. C — radiata L. C — scabra L. A — taraxacoides Lam. C		Heliotropium pinnatum
Muscari comosum W. En. — Muscari L. — Muscari moschatum W. — monstrosus L. — b. H. comosus Dec. — nonscriptus L. — orientalis L. — orientalis L. — orientalis M. B. — pallidus W. — pusillus L. — polysaloides L. — Scopolia L. — Scopoli		
- Muscari L. C Muscari moschatum W. — albus L. A - monstrosus L. C — aureus L. C B. H. comosus Dec. *— niger L. A - orientalis L. C — orientalis M. B. C - orientalis L. C — pallidus W. A - nutans C — pallens Kit. A - muscari nutans M. B. — pictus? H. Goett. A Scilla nutans Smith. *— pusillus L. A *— racemosum W. En. Muscari racemosum W. En. Muscari racemosum W. En. Bydrangea arborescens L. C — Scopolia L. — Scopolia L. C — Scopolia L. — Scopoli		
Muscari moschatum W. — albus L. — A — monstrosus L. — C — h. comosus Dec. — niger L. — A — orientalis L. — C — orientalis M. B. — C — nutans — pallidus W. — A — pallens Kit. — A — pictus ? H. Goett. — A — pusillus L. — A — pusillus L. — C — Muscari racemosum W. — D — Muscari racemosum W. — Scopolia L. — C — Senecionis W. En. — C — senecionis W. — A — foetida L. — C — Lapsana foetida W. — L — radiata L. — — — — — — — — — — — — — — — — — —		Hyoscyamus agrestis Kit.
- monstrosus L. C — aureus L. C B. H. comosus Dec. *— niger L. A - nonscriptus L. C — orientalis M. B. C - orientalis L. C — pallidus W. A - nutans C — pallens Kit. A - miscari nutans M. B. — pictus? H. Goett. A - Scilla nutans Smith. *— pusillus L. A - pusillus L. A - pusillus L. A - pusillus L. C - Muscari racemosum W. En. - En. - Mydrangea arborescens L. - Bydrangea arborescens L. - bortensis W. D - hortensis W. D - hortensis W. D - hortensia mutabilis L. — radiata L. C - pulloides Jacq. — fl. coeruleo - complete Lam. C		, <u>,</u> ,
# niger L. A nonscriptus L. C nutans C — pallidus W. A nutans M. B. C pallens Kit. A muscari nutans M. B. C pallens Kit. A pictus? H. Goett. A pusillus L. A pusillus L. A pusillus L. A pusillus L. C Muscari racemosum W. En. En. Hydrangea arborescens L. byulgaris Mich. — heterophylla H. Cels. D hortensis W. D puloides Lam. Hortensia mutabilis L. — radiata L. C populoides Jacq. — fl. coeruleo *— niger L. A — orientalis M. B. C — pallidus W. A — pictus? H. Goett. A — pusillus L. A — physaloides L. C senecionis W. En. C seris arenaria W. En. Lapsana foetida W. En. — lucida L. C Lapsana foetida L. C Laps		
- nonscriptus L. C - orientalis M. B. C - orientalis L. C - pallidus W. A - pallens Kit. A - pallens Kit. A - pictus? H. Goett. A - pusillus L. C - Scopolia L		
- orientalis L. C - pallidus W. A - pallens Kit. A - pallens Kit. A - pallens Kit. A - pictus? H. Goett. A - pusillus L. C - pallens Kit. A - pictus? H. Goett. A - pusillus L. A - pusillus L. C - pusillus L	В. н. comosus Dec.	- niger L. A
- nutans - mutans - muta	- nonscriptus L. C	
Muscari nutans M. B. Scilla nutans Smith. The racemosus L. C. Muscari racemosum W. En. Hydrangea arborescens L. Describe arenaria W. En. Wulgaris Mich. The heterophylla H. Cels. D. The hortensis W. The publides Lam. Hortensia mutabilis L. The opuloides Jacq. The coeruleo Dictus? H. Goett. A pusillus L. Scopolia L	_	
Scilla nutans Smith. *— racemosus L. C. Muscari racemosum W. En. Hydrangea arborescens L. D vulgaris Mich. — heterophylla H. Cels. D. — hortensis W. D. 'opuloides Lam. Hortensia mutabilis L. — opuloides Jacq. — fl. coeruleo — pusillus L. — physaloides L. — C. Scopolia L. —	- Marano	- pallens Kit. A
*— racemosus L. C. *Muscari racemosum W. En. *Bydrangea arborescens L. **D **vulgaris Mich.** — heterophylla H. Cels. D. — hortensis W. **D **opuloides Lam.** *Hortensia mutabilis L. — opuloides Jacq. — fl. coeruleo **Devisaloides L. Scopolia L. Scopolia L. Scopolia L. Senecionis W. En. **Seris arenaria W. En. **Lapsana foetida W. **En. - lucida L. — radiata L. — radiata L. — scabra L. — taraxacoides Lam. **Complex Complex C		Dictus 7 H. Goett. A
Muscari racemosum W. En. Hydrangea arborescens L. D vulgaris Mich. — heterophylla H. Cels. D — hortensis W. D vopuloides Lam. Hortensia mutabilis L. — opuloides Jacq. — fl. coeruleo — Scopolia L. Senecionis W. En. Seris arenaria W. En. Lapsana foetida W. En. — lucida L. — radiata L. — radiata L. — scabra L. — taraxacoides Lam.		pusinus L. A.
En. Hydrangea arborescens L. D vulgaris Mich. — heterophylla H. Cels. D — hortensis W. Hortensia mutabilis L. — opuloides Jacq. — fl. coeruleo Senecionis W. En. Lapsana foetida W. Lapsana foetida W. Lucida L. — lucida L. — radiata L. — radiata L. — scabra L. — taraxacoides Lam.		
wulgaris Mich. — heterophylla H. Cels. D — hortensis W. — hortensia mutabilis L. — opuloides Jacq. — fl. coeruleo		
vulgaris Mich. — heterophylla H. Cels. D — hortensis W. D D Lapsana foetida W. En. — lucida L. — lucida L. — radiata L. — opuloides Jacq. — fl. coeruleo D A Lapsana foetida W. Lapsana foetida W. — lucida L. — radiata L. — radiata L. — scabra L. — taraxacoides Lam.		
vulgaris Mich. — heterophylla H. Cels. D — hortensis W. Opuloides Lam. Hortensia mutabilis L. — opuloides Jacq. — fl. coeruleo — foetida L. Lapsana foetida W. En. — lucida L. — radiata L. — radiata L. — scabra L. — taraxacoides Lam.		
— heterophylla H. Cels. D — hortensis W. D Nopuloides Lam. Hortensia mutabilis L. — opuloides Jacq. — fl. coeruleo Lapsana foetida W. En. — lucida L. — radiata L. — scabra L. — taraxacoides Lam.		
- hortensis W. D En. opuloides Lam. — lucida L. C Hortensia mutabilis L. — radiata L. G opuloides Jacq. — scabra L. A - fl. coeruleo — taraxacoides Lam. C	- heterophylle II Cels D	
opuloides Lam. — lucida L. C Hortensia mutabilis L. — radiata L. C opuloides Jacq. — scabra L. A fl. coeruleo — taraxacoides Lam. C	- hortensis W D	
Hortensia mutabilis L. — radiata L. — C — opuloides Jacq. — scabra L. — A — fl. coeruleo — taraxacoides Lam. C		
- opuloides Jacq scabra L. A - fl. coeruleo - taraxacoides Lam. C		
fl. coeruleotaraxacoides Lam. C		
A7.L		M

Gnaphalium cephaloidum	Gnaphalium rectum L. C
W. A	rigidam wendl; D
— collinum La Billard. B	— Stoechas L. D
_ crassifolium L. D	italicum Roth.
- cymosum L .	- supinnm L . C
- diosmaefolium W. En.	*— sylvaticum L; A
*— dioicum L. C	— undulatum L_i A
- divaricatum Thunb, D	*— uliginosum L: A
spathulatum Burm.	Gnidia simplex L. D
- ericoides L. D	viridis Berg
- ferrugineum Herb, Juss.	Gomphrena brasiliensis W.
D	
— foetidum L. B	— decumbens Jacq: A
★ — gallicum W. A	$ ightharpoonup$ globosa $L_{ ightharpoonup}$ A
Filago gallica L.	- interrupta W. A
- germanicum W. A	Celosia procumbens
Filago germanica L.	Jacq.
- glomeratum L . A	Goodenia calendulacea W;
- helianthemifolium L. D	En. D
serpillifolium Lam.	Scaevola suaveolens
- haemisphaericumHorn:	Arown
c	- grandiflora W. En. DB
imbricatum L. D	appendiculata Jacq.
paniculatum Berg.	- ovata Vent. D
- linarifolium Wendl. D	- paniculata Smith. D
- Leontopodium W. C	. Boutonia pomifera H.
Filago Leontopodium L.	Erf.
*_ luteo-album L. A	Goodia lotifolia Brwn.
- margaritaceum L. C	— pubescens Browm, D
*— moutanum W. A	Gorteria pectinata Pers. D
Filago montana L.	— rigens W. D
initidumH. Gremec. C	Gazania rigens Gaertn.
— odoratissimum L. D	Gossypium barbadense L.
— obtusifolium L_{\bullet} A	B D
— orientale L. D	- chinense H. Erf. D
— pensylvanicum L. A	- latifolium Murr D
— pussillum Haenck. C	— peruvianum W. BD
- pygmaeum A	— religiosum L. D
Evax pygmaea Pers.	*Gratiola officinalis L. C
- pyramidatum W. A	Grewia occidentalis L. D
Filago pyramidata L.	— orientalis L. D
	-

	•
Grewia obtusifolia Wendl. — D — Spec. nova. D Grindelia inuloides W. D Aster spathularis Brouss. Gronovia scandens L. A Guajacum officinale L. D Gunnera, perpensa W. C Guilandina Bonduc L. D Gymnocladus canadensis Lam. D Guilandina dioica L. Gymnostyles anthemifolia Juss. A Gypsophila altissima L. C	Fischer. C - arenaria Kit. C - dubia W. C - elegans Jacq. A * fastigiata L. C - glomerata M. B. C * muralis L. A - paniculata L. C - perfoliata L. C - saxifraga L. C - scabra Schulth. G - struthum L. C
adscendens Jacq. C	— viscosa. L. C
į.	I.
Haemanthus coccineus L.	Hackea:
C	Conchium pugioniforme
puniceus L. C	Smith.
Haematoxylon campechi-	- ruscifolia Wendl. D
anum L. D	- saligna Brown. D
spinosum Brown.	Embothrium salignum
Hackea dactyloides Pers.	Andr.
D	- suaveolens Brown. D
Bancksia dactyloides	heterophylla H. Cels.
Gaertn.	Bancksia heterophylla
Conchium nervosum	Hortul.
Smith.	Halesia diptera L D
- dactyloides Vent.	— tetraptera L. D
— gibbosa Brown. D	Halleria L. D
pubescens Schrad.	Haloragis cercodia L. D
Conchium gibbosum	alata Jacq.
Smith.	tetramonia Tillonia
	tetragonia L'Herit.
Bancksia gibbosa W. — obliqua Brown. D	Tetragonia ivaefolia L.
- pugioniformis Brown.	Hamamelis virginica L. D
	Hamellia patens L. D
Wakna Sabaad	coccinea Swartz.
glabra Schrad.	Duhamelia patens Pers.

Hamellia chrysantha Jacq.	Hedysarum conchinchi-
D	nense Schranck.
Harrachia speciosa Jacq. D	pl, rar. 🕒
Justicia infundibulifor-	- crista-galli L. A
mis Vahl.	- nexuosam d. A
Hasselquistia aegyptica L.	- frutescens L. D
A	- frutescens L. D. Lespedeza fruticosa
- cordata W. A	Pers.
Hebenstreitia albiflora. no-	- gangeticum L. A
va Sp. A	— gyrans L. BD
*Hedera Helix L. D	- gyroides H. Hallensis.
fol. variegatis	B D
Hedychium coronarium W.	- hirtum Mich. C
	- junceum L. C
Hedvotis diffusa W. A	Lespedeza juncea Pers.
- lactea W. En. A	- lineatum L. D
Oldenlandia Hedyotidis W	Lespedeza lineata
***	Pers.
Hedypnois aspera Desf. A — cretica W.	Flemmingia lineata Ait. — maculatum L. A
	— maculatum L. A
Hyoseris cretica L. — mauritanica W. A	— muricatum W. A.— obscurum L. C.
— mauritanica W. A Hyoseris mauritanica L.	*— Obscurum L. C *— Onobrychis L. C
monspeliensis W. A.	Onobrychis sativa Lam.
Herosonia Hedynnois I.	— β. grandiflorum
Hyoseris Hedypnois L. pendula W. A	- Pallasii W. G
Hyoseris pendula L.	- paniculatum 1. C
- rhagadioloides W. A	- petraeum M. B. C
Hyoseris_rhagadioloides	- purpureum W. En. D
L.	- saxatile L. C
- tubaeformis Tenore. A	- strobiliferum W. D
Hedysarum abyesinicum W.	Zornia strobilacea Pers.
En. appl. D	Flemmingia strobilifera
alatum H. Monach. D	Ait.
_ alpinum L. C	- styracifolium L. D
_ arenarium W. En. C	- trinervium W. En.
— canadense L. C	suppl. D
- Caput-galli L. A	- uncinatum Jacq. D
carpathicum W. En. C	- vaginale L. A
- coronarium L. B	- vespertilionis L. A
fl. albo.	Helenium autumnale L. C
•	1

Helenium	quadridentatu	m	Helianthemum punctat	um
•	W. En.	A	W.	→ A
alatum			Cistus punctatus L.	
Rudbeck	k <i>ia alata</i> Jac	q.	- pulverulentum Pers.	П
Helianthei	mum aegyptia	a – .	Cistus pulverulentus	-
	cum Pers.	A	Thuil.	· •
Cistus d	negyptiacus L.		- roseum Jacq.	TD
- angusti	folium Jacq.	D	- salicifolium Dec.	A
- appenin		D	- stoechadifolium Brot	. D
Cistus a	penninus L.		- thymifolium Pers.	D
		D	*- vulgare Dec.	$\bar{\mathbf{D}}$
		D	Cistus Helianthemum	L.
- calycin		D	- vineale Pers.	D
ducussa		D	Cistus vinealis L.	
- elongat		D	Helianthus altissimus L.	C
vistus f	formosus W.	_	- annuus L.	A '
*— fuman	a W.	D	- decapetalus L.	C
Cistus f	umana L.	_	dodecapetalus, Jacq.	
- glaucun	Pers.	D	— divaricatus L.	C
Cistus g	laucus L.		excelsus W.	C
- guttatur	II VV	A.	- exaltatus nova Spec.	Ç
- glutinos	um Pers.	C	- flexuosus H. Vindob.	
Cietus h	olium W. En. 1	D .	- giganteus L.	\mathbf{C}_{\cdot}
- lancools	ulimifolius Car	7. 1	- indicus L.	A
- Tallecola	tum H. Vind	ı. D	- macrophyllus W.	C
- Ledon		D.	- multiflorus L.	C
	edon Pers.	D,	— mollis W.	G
- laevipes	W 1	D	tomentosus Mich.	_
Cistus la	evines I.		- prostratus w.	C
- ledifoliu	m Dec.	4	- pubescens Vahl.	C
Cistus le	difolius L.	. 1.	canescens Mich, mollis Lam.	
- lineare	Pers. I	0	- parviflorus Bernh.	•
— marifoli		õ	— strumosus Bocc.	Ç
- mutabile			— trachelifolius W.	G
	utabilis L.		- tuberosus L.	G
- niloticui	n W.	1	- tubaeformis W.	
- obscuru	m Pers. I	O	Heliconia humilis Jacq.	A
pilosum	Pers. I)	- psittacorum L. Supp	ol Ol
Cistus pi			Ti. Bup	C
— polifolia	m w I) .	- Spec. nova.	Ğ
			¥	~

Helicteres baruensis Jacq.	Helonias:
Ď	Hebelia allemanica
jamaicensis Jacq. D	Gmel. fl. Bad.
- Ísora L. D	*_ borealis β. minor.
yerbascifolia H. Cels. D	Hebelia collina Gmel. fl.
Heliocarpus americana L.	Bad.
D	77.
Heliophila amplexicaulis L.	Hemerocallis coerulea
A	Andr C
- crithmifolia W. En. A	japonica &. W.
- pendula W. En. A	— flava L, C
Heliotropium curassavicum	— fulva L. C
L. A	graminea AndreC
- corymbosum Sims. D	_ japonica W. C
grandistorum H. Paris.	alba Andr
* europaeum L. A	Hemimeris coccinea. W. D
- indicum L. A	linearis Pers.
cordifolium Moench.	Celsia linearis Jacq.
Tiaridium indicum	Alonsoa linearis Ait.
Lehm.	- B. latifolia
- parviflorum L. A	Hem. inter-
angroon or Munn	<i>media</i> Hortul.
angiospermum Murr.	- urticaefolia W. D
— peruvianum L. D. A.	Celsia urticaefolia Curt.
Helleborus foetidus L. C	Magaz.
	Alonsoa incisifolia Ait.
<i>.</i>	Hemionitis W. En. C
Eranthis hyemalis Dec.	Acrostichum tartareum
_ lividus Ait. C	Swartz.
triphyllus Lam. — niger L. C	
	Heracleum angustifolium L. B
purpurascens Kit.viridis L.	flavescens Willd. — absinthifolium Vent. B
	Tordylium absinthifoli- um Pers.
Picris echioides L.	*****
Helonias bullata L. C	Zosima absinthifolia
latifolia Mich.	Hoffm.
*_ borealis W C	- alpinum L. C - Panaces L. B
Tofieldia palustris Pers.	
Anthericum calycula-	- pimpinellifolium Spr.
†1/772	Prour. M

Heracleum:	Hermannia incana Cav. D
Pastinaca pimpinellifol.	- lavandulifolia L. D
м. в.	— micans W D
- pyrenaicnm Lam. B	- multiflora Jacq. D
amplifolium Lapeyr.	- plicata Ait. D
speciosum Hortul.	althaeifolia Jacq.
gummiferum Willd, h.	- procumbens Cay. D
Berol,	- scabra Jacq. D
asperum Fischer.	Hernandia sonora L. D
- sibiricum W. B	Herniaria alpina W. C
tauricum Pall.	*— glabra L. A *— hirsuta L A
*_ Sphondylium L. B	*_ hirsuta L A
— α. longifolium	— incana Lam. C
Heracl. longi-	Hesperis africana L. A
folium M. B.	hispida Rom.
Wendia choro-	Malcomia africana Ait.
danum Hoffm.	- arenaria Desf. A
— β. angustifolium	— inodora L. B
Heracl. angu-	Laciniata All. B
stifolium Jacq.	— laxa Lam. A
γ . elegans	— matronalis L. C
Heracl. elegans	- fl. pleno.
Jacq.	ramosissima W. A
J. giganteum	- runcinata Kit. B
Heracl, gigan-	- sibirica L. A
teum Londes.	- tristis L. B
*- Tordylium Spr. A	— verna L. A
Tordylium maximum L.	Heterospermum pinnatum
- villosum Fischer. B	W. A Heuchera americana L. C
pyrenaicum Hornem.	
Hermannia alnifolia L. D althaeifolia L. D	Hibbertia volubilis Andr.
aurea Jacq.	Dillenia volubilis Vent.
- angularis Jacq. D	- scandens W.
- candicans Jacq. D	- speciosa Curt.
- cuneifolia Pers. D	- grossulariaefolia Salisb.
— denudata Jacq. D	D
- disticha W.	crenata Andr.
hirsuta WD	Hibiscus Abelmoschus L.
- holoserieea Jacq. D	D
- hyssopifolia L. D	Alcea hirsuta Brown.
- zyjookiina zi	The state of the s

Cannabinus L. diversifolius Jacq. D ficulneus Cav. elatus Swartz. D esculentus L. A ficulneus L. D grandiflorus. Pers. C heterophyllus Pers. D Manihot E. D palmatus Cav. mutabilis L. D palustris L. C' pentacarpos L. C phoeniceus, L. D populneus L. D populneus L. D prurieus L. A Rosa-sinensis L. D - a. fl. simplici - b. fl. rubro pleno - speciosus Gurt. C syriacus L. D - a. fl. albo pleno - p. fl. rubro pleno - cotoneifolium Lam. C - cotoneifolium Bernh. - cotoneifolium W. En. Suppl cotoneifolium Lam. C - cotoneifolium Lam. C - cotoneifolium Lam. C - cotoneifolium Bernh cotoneifolium Lam. C - cen. C - cydoniacfolium Vill. C - denudatum Lapeyr. C - dubium L. C - cen. C - cydoniacfolium Vill. C - cenioides Vill. Lepicaune balsamea Lapeyr. - andryaloides Vill. C - angustifolium W. C - aureum Vill. C - auricula E. C - blituring W. En. Suppl calcareum Bernh. C - carpaticum Besser calcareum Bernh. C - carpaticum Besser calcareum Bernh. C - carpaticum Lam. C - cotoneifolium Lam. C - cotoneifolium Lam. C - cen. C - cydoniacfolium Vill. C - denudatum Lapeyr. C - dubium L. C - cenioides Vill auricula Fl cenioides Vill auricula Fl cen. C - cydoniacfolium Vill. C - denudatum Lapeyr. C - dubium L. C - cenioides Vill - ceniodes Vill - ceniod	Hibiscus brasiliensis L. D	Hieracium amplexicaule L.
- diversifolius Jacq. D ficulneus Cav. - elatus Swartz. D - esculentus L. A - ficulneus L. D - grandiflorius. Pers. C - heterophyllus Pers. D - Manihot E. D - palustris L. D - palustris L. D - palustris L. D - palustris L. D - populneus L. D - populneus L. D - populneus L. D - provincus L. D - purpureo - P. fl. pleno atropurpureo - P. fl. rubro pleno - speciosus Gurt. C - syriacus L. D - p. fl. albo pleno - P. f		C.
Lepicaune balsamea Lapeyr: — esculentus L. A — ficulneus L. D — grandifloriis, Pers. C — heterophyllus Pers. D — palmatus Cav. — mutabilis L. D — palustris L. C — pentacarpos L. C — phoeniceus, L. D — populneus L. D — populneus L. D — populneus L. D — prurieus L. D — prurieus L. D — prurieus L. D — prurieus L. D — a. fl. simplici — bifiqum W. En. Suppl. — a. fl. rubro pleno — speciosus Curt. C — syriacus L. D — a. fl. albo pleno — 7. fl. rubro pleno — 7. fl. rubro pleno — 7. fl. rubro pleno — 5. fol. variegatis — tibiaceus L. D — trionum L. A ternatus Cav. — vesicarius Cav. A — vitifolius L. A Hieracium alpestre W. C tubulosum Schl. — alpinum W. C incanum L. C — echioides Vill. C — andryaloides Vill. C — angustifolium W. C — aurantiacum L. C — dubium et auricula Poll. — auriculatum L. C — pilosum W. — pyrenaicum W. — pilosum W. — calareum Bernh. C — calareum Bernh. C — calareum Bernh. C — carpaticum Bess. C — carpaticum Bess. C — cotoneifolium Lam. C — cotoneifolium Lam. C — cen. C — cydoniaefolium Vill. C — denudatum Lapeyr. C — dubium L. C — cehioides Vill — cehioides V		nulmonarioides Vill.
esculentus L. A ficulneus L. D grandifloriis, Pers. C heterophyllus Pers. D Manihot E. D palmatus Cav. mutabilis L. D palustris L. C' pentacarpos L. C phoeniceus, L. D populneus L. D populneus L. D populneus L. D populneus L. D pririeus L. A Rosa-sinensis L. D A. fl. simplici A. fl. rubro pleno speciosus Curt. C syriacus L. D A. fl. albo pleno - 2. fl. rubro pleno - 3. fl. albo pleno - 4. fl. albo pleno - 5. fol. variegatis - tiliaceus L. D trionum L. A ternatus Cav. Vesicarius Cav. A vitifolius L. C - cechioides Vill. C - auricula El. C - denudatum Lapeyr. C - denudatum Lapeyr. C - denudatum Lapeyr. C - denioides Vill C - cechioides Vill C - denudatum Lapeyr. C		
- liculneus L. D — angustifolium W. C — aurantiasum L. C — aurantium L. C — aurantium W. D — aurantium L. C	- elatus Swartz. D	
- liculneus L. D — angustifolium W. C — aurantiasum L. C — aurantium L. C — aurantium W. D — aurantium L. C	- esculentus L. A	- andrvaloides Vill. C
- grandiflorus, Pers. C - heterophyllus Pers. D - Manihot E. D - palmatus Cav mutabilis L. D - palustris L. C - pentacarpos L. C - phoeniceus, L. D - populnens L. D - populnens L. D - pruriens L. A - Rosa-sinensis L. D - α. fl. simplici - β. fl. pleno atropurpureo - γ. fl. pleno rubroflavescente - δ. fl. rubro pleno - speciosus Curt. C - syriacus L. D - α. fl. albo - α. fl. albo - γ. fl. albo - γ. fl. albo - γ. fl. albo - γ. fl. albo pleno - γ. fl. rubro pleno - γ. fl. albo - γ. fl. albo pleno - γ. fl. rubro pleno - γ. fl. albo pleno - γ. fl. rubro pleno - γ. fl. rubro pleno - γ. fl. albo pleno - γ. fl. albo pleno - γ. fl. albo pleno - γ. fl. rubro ple	- ficulneus L. D	- angustifolium W. C
- heterophyllus Pers. D - Manihot E. D - palmatus Cav mutabilis L. D - palustris L. C - pentacarpos L. C - pentacarpos L. D - populnens L. D - populnens L. D - populnens L. D - pruriens L. A - Rosa-sinensis L. D - a. fl. simplici - b. fl. pleno atropurpureo - r. fl. pleno rubroflavescente - S. fl. rubro pleno - speciosus Curt. C - syriacus L. D - a. fl. albo - a. fl. albo pleno - r. fl. rubro pleno - recaticum Kit. C - crassilolium H. Greme cen. C - cydoniaefolium Vill. C - denudatum Lapeyr. C - dubium t. C - denudatum Lapeyr. C - dubium E. C - crassilolium Vill. C - denudatum Lapeyr. C - dubium E. C - croaticum Kit. C - crassilolium Lam. C - crassilolium Lam. C - cen. C - cydoniaefolium Vill. C - denudatum Lapeyr. C - dubium E. C - crassilolium Vill. C - denudatum Lapeyr. C - dubium E. C - ceriophyllum W. C - cenioides Vill - cenioides Vill - cenioides Vill - ceniophyllum W. C - fallax W.	- grandiflorus, Pers. C	- aurantiacum L. C
- Manihot E. palmatus Cav. - mutabilis L. - palustris L. - pentacarpos L. - phoeniceus L. - populnens L. - populnens L. - Rosa-sinensis L. - β. fl. pleno atropurpureo - γ. fl. pleno rubroflavescente - δ. fl. rubro pleno - speciosus Curt. - α. fl. albo - α. fl. albo - α. fl. albo - α. fl. albo - β. fl. albo pleno - γ. fl. rubro plen		- aureum Vill. C
mutabilis L. D dubium et auricula Poll. palustris L. C — auriculatum L. C — pentacarpos L. C — blattarioidis L. C — phoeniceus, L. D — populnens L. D — pruriens L. A — Pyrenaicum W. Pyrenaicum W. Pyrenaicum W. Picris pyrenaica L. — bifidum W. En. Suppl. — α. fl. simplici — β. fl. pleno rubroflavescente — γ. fl. pleno rubroflavescente — γ. fl. rubro pleno — γ. fl. albo pleno — γ. fl. albo pleno — γ. fl. rubro pleno — γ. fl.		Leontodon aureum Jacq.
palustris L. C — auriculatum L. C — pentacarpos L. G — blattarioidis L. G — phoeniceus L. D — populnens L. D — pyrenaicum W. Pyrenaicum W. Pyrenaicum W. Picris pyrenaica L. — bifidum W. En. Suppl. — α. fl. simplici — β. fl. pleno atropurpureo — γ. fl. pleno rubrofilavescente — γ. fl. rubro pleno — speciosus Curt. C — syriacus L. D — α. fl. albo — α. fl. albo pleno — γ. fl. rubro plen	palmatus Cav.	
- pentacarpos L. C. — Diattarioidis L. C. — phoeniceus, L. D. — populnens L. D. — pruriens L. A. — Rosa-sinensis L. D. — α. fl. simplici — β. fl. pleno atropurpureo — γ. fl. pleno rubroflavescente — γ. fl. rubro pleno — speciosus Curt. C. — syriacus L. D. — α. fl. albo pleno — γ. fl. rubro pleno — γ.		dubium et auricula Poll.
phoeniceus, L. D. pilosum W. populnens L. A. Picris pyrenaica L. kosa-sinensis L. D. a. fl. simplici bifuum W. En. Suppl. bifurcum M. B. C. collinum? Besser. calcareum Bernh. C. calyculatum Horn. C. canescens Schleich. C. syriacus L. D. speciosus Curt. C. syriacus L. D. a. fl. albo pleno β. fl. albo pleno γ. fl. rubro pleno α cotoneifolium Lam. C. corastiolium H. Creme- cen. cen. cen. cen. cultifolius L. dubium L. cen. cen. cultifolius L. dubium L. cen.	- palustris L. C'	— auriculatum L. C
populnens L. pruriens L. Rosa-sinensis L. - a. fl. simplici - a. fl. pleno atropurpureo purpureo - γ. fl. pleno rubroflavescente - 5. fl. rubro pleno speciosus Curt. - a. fl. albo - a. fl. albo - a. fl. albo pleno - γ. fl. rubro	pentacarpos L. C	
- pruriens L. - Rosa-sinensis L. - A fl. simplici - A fl. pleno atropurpureo - γ fl. pleno rubroflavescente - γ fl. rubro pleno - speciosus Curt. - α fl. albo - α fl. albo - α fl. albo pleno - γ fl. rubro pleno - γ fl. rubro pleno - γ fl. albo pleno - γ fl. rubro plen	- phoeniceus, L. D	
- Rosa-sinensis L. D - α. fl. simplici - β. fl. pleno atro- purpureo - γ. fl. pleno rubro- flavescente - δ. fl. rubro pleno - speciosus Curt. C - syriacus L. D - α. fl. albo pleno - γ. fl. albo pleno - γ. fl. rubro ple		
- α. fl. simplici - β. fl. pleno atropurpureo - γ. fl. pleno rubroflavescente - δ. fl. rubro pleno - speciosus Curt. C - calyculatum Horn. C - calyculatum Horn. C - calyculatum Horn. C - canescens Schleich. C - cotoneifolium Lam. C - cotoneifolium Lam. C - cotoneifolium Bernh γ. fl. rubro pleno - γ. f		
- β. fl. pleno atropurpureo - γ. fl. pleno rubroflavescente - δ. fl. rubro pleno - speciosus Curt. C - calcareum Bernh. C - calyculatum Horn. C - calyculatum Horn. C - carpaticum Bess. C - canescens Schleich. C - cotoneifolium Lam. C - cotoneifolium Lam. C - cotoneifolium Bernh γ. fl. albo pleno - δ. fol. variegatis - croaticum Kit. C - crassiolium Kit. C - crassiolium Kit. C - crassiolium Vill. C - canudatum Lapeyr. C - denudatum Lapeyr. C - denudatum Lapeyr. C - denudatum Lapeyr. C - denudatum Lapeyr. C - chioides Vill - carpaticum Schl criophyllum W. C - fallax W. C		
purpureo — γ. fl. pleno rubro flavescente — — δ. fl. rubro pleno — speciosus Curt. C — syriacus L. D — — α. fl. albo pleno — γ. fl. rubro pleno — γ. fl. r	- a. Il. simplici	
- γ. fl. pleno rubro- flavescente - δ. fl. rubro pleno - speciosus Gurt. C - syriacus L. D - α. fl. albo - α. fl. albo pleno - γ. fl. rubro pleno - γ. fl.	- B. il. pleno atro-	
flavescente - S. fl. rubro pleno - speciosus Curf. C - syriacus L. D - a. fl. albo pleno - b. fl. rubro pleno - cotoneifolium Lam. C - c	purpureo	
- S. fl. rubro pleno - speciosus Curt. C - syriacus L. D - α. fl. albo - β. fl. albo pleno - γ. fl. rubro pleno -		
- syriacus L. D. — cerinthoides Guan, C. — a. fl. albo pleno - p. fl. albo pleno - p. fl. rubro pleno - croaticum Kit. C. — crassifolium H. Greme- cen. C. — cydoniaefolium Vill. C. — denudatum Lapeyr. C. — dubium L. — dubium L. — chioides Vill — cehioides Vill — chioides Cuan, C. — cotoneifolium Lam. C. — croaticum Kit. C. — crassifolium H. Greme- cen. C. — cydoniaefolium Vill. C. — dubium L. — chioides Vill — cehioides Vill — cehioides Vill — chioides Guan, C. — cotoneifolium Lam. C. — croaticum Kit. C. — crassifolium Vill. C. — crassifolium Vill. C. — crassifolium Vill. C. — crassifolium Vill. C. — cydoniaefolium L. — chioides Vill — cehiodes Vill — cehiodes Vill — cehiodes Guan, C. — cotoneifolium Lam. C. — croaticum Kit. C. — cydoniaefolium Vill. C. — cehiodes Vill — cehiodes Guan, C. — cotoneifolium Lam. C. — croaticum Kit. C. — cydoniaefolium Vill. C. — cydoniaefolium Vill. C. — cydoniaefolium Vill. C. — cehiodes Vill — cehiodes Cuan — cehiodes Guan — cehi		— calyculatum Horn. C
- syriacus L. D. — cerinthoides Guan, C. — a. fl. albo pleno - p. fl. albo pleno - p. fl. rubro pleno - croaticum Kit. C. — crassifolium H. Greme- cen. C. — cydoniaefolium Vill. C. — denudatum Lapeyr. C. — dubium L. — dubium L. — chioides Vill — cehioides Vill — chioides Cuan, C. — cotoneifolium Lam. C. — croaticum Kit. C. — crassifolium H. Greme- cen. C. — cydoniaefolium Vill. C. — dubium L. — chioides Vill — cehioides Vill — cehioides Vill — chioides Guan, C. — cotoneifolium Lam. C. — croaticum Kit. C. — crassifolium Vill. C. — crassifolium Vill. C. — crassifolium Vill. C. — crassifolium Vill. C. — cydoniaefolium L. — chioides Vill — cehiodes Vill — cehiodes Vill — cehiodes Guan, C. — cotoneifolium Lam. C. — croaticum Kit. C. — cydoniaefolium Vill. C. — cehiodes Vill — cehiodes Guan, C. — cotoneifolium Lam. C. — croaticum Kit. C. — cydoniaefolium Vill. C. — cydoniaefolium Vill. C. — cydoniaefolium Vill. C. — cehiodes Vill — cehiodes Cuan — cehiodes Guan — cehi	specialis Curt	— carpaticum Dess. C
- a. fl. albo - b. fl. albo pleno - cotoneifolium Lam. C - cotoneifolium Bernh cotoneifolium Lam. C - cotoneifolium Bernh cotoneifolium Lam. C - cotoneifolium Bernh cotoneifolium Lam. C - cotoneifolium Bernh cotoneifolium Lam. C - cotoneifo		- canescens Schleich. C
— — — — — — — — — — — — — — — — — — —		estancifolium I am C
— 7. fl. rubro pleno — 5. fol. variegatis — tiliaccus L. D. — crassifolium H. Greme- — ternatus Cav. — cydoniaefolium Vill. C — vesicarius Cav. A — denudatum Lapeyr. C — vitifolius L. A — dubium L. C — tubulosum Schl. — cchioides Vill — cchioides Vill — cchioides Vill — chioides Vill — chiodes Vill		
tiliaceus L. trionum L. ternatus Cav. vesicarius Cav. vitifolius L. Mieracium alpestre W. C. tubulosum Schl. alpinum W. incanum L. Crassifolium H. Creme. cen. cen. cen. denudatum Lapeyr. C. denudatum Lapeyr. C. dubium L. chioides Vill ceriophyllum W. ceriophyllum W. Gerassifolium H. Creme. cen. c	- 2 Il rubro pleno	
tiliaceus L. trionum L. ternatus Cav. vesicarius Cav. vitifolius L. Mieracium alpestre W. C. tubulosum Schl. alpinum W. incanum L. Crassifolium H. Creme. cen. cen. cen. denudatum Lapeyr. C. denudatum Lapeyr. C. dubium L. chioides Vill ceriophyllum W. ceriophyllum W. Gerassifolium H. Creme. cen. c	- 2 fol. variegatis	-
trionum L.— A ternatus Cav. — cydoniacfolium Vill. C vesicarius Cav. A vitifolius L. A Hieracium alpestre W. C. tubulosum Schl. — cchioides Vill — cchioid	— tiliagone I	
ternatus Cav. — vesicarius Cav. — vitifolius L. Hieracium alpestre W. C. — alpinum W. — alpinum W. — chioides Vill — chioides Vill — criophyllum W. — fallax W. — cydoniaefolium Vill. C. — denudatum Lapeyr. C. — dubium L. — curicula Fl. Dan. — cchioides Vill — priophyllum W. — fallax W.	- trionum - A	
- vesicarius Cav. A — denudatum Lapeyr. C - vitifolius L. A — dubium L. C Hieracium alpestre W. C. auricula Fl. Dan. - tubulosum Schl. — cchioides Vill C alpinum W. C — eriophyllum W. C incanum L. C — fallax W. C.		ovdonia ofolium Vill C
Hieracium alpestre W. C. auricula Fl. Dan. tubulosum Schl. — echioides Vill C. alpinum W. C — eriophyllum W. C. incanum L. — fallax W. C.		- denudatum Lapevr. C
Hieracium alpestre W. C. (auricula Fl. Dan. tubulosum Schl. — echioides Vill \ C. alpinum W. C. incanum L. — fallax W. C.		dubium L. C
tubulosum Schl. — cchioides Vill \ C — eriophyllum W. C incanum L. — fallax W. C	Hieracium alpestre W. C.	
— alpinum W. C — eriophyllum W. C incanum L. — fallax W. C		echioides Vill
incanum L. — fallax W. C		- eriophyllum W. C
	incanum L.	— fallax W. C
Aparginational Pers flexuosum Kit. C		- flexuosum Kit. C
- 6 dentatum hunleuroides Rillard	— B. dentatum	bupleuroides Billard.
W. WOMINUME OWDIGHTUNGS DIMBIUS	• · · · · · · · · · · · · · · · · · · ·	,

Hieracium flagellare W. C	Hieracium !
— flosculosum Horn. C	Hypochaeris pontana L.
*— florentinum All. C	— molle Jacq. G
	*— murorum L. G
cymosum Leers. pilosell <u>oides</u> Vill.	*— murorum L. C *— \(\beta \). maculatum
- foliosum Kit. C	— nemorosum Pers. C
corymbosum Pers.	- nigrescens W
- fruticosum Desf. D	ovatum Schl.
- glaucum All. C	— paniculatum L. C
0	* roludosum I
<i>y</i>	*- paludosum L. C
— glaucescens Besser. C	— pallescens Kit. C
— glabratum W. C	- parviflorum Schl. C
- grandiflorum All. C	*- Peleterianum Merat.
conyzaefolium Roth.	C
leucopappum & Vill.	Pilosella B. Pollich.
Lepicaune grandiflora	- nictum Pers. C
Lapeyr	*— Pilosella L. C
- Halleri Vill. C	- pilosum Spr. Cat. • C
- hirsutum Bernh. C	- porrifolium All. C
- humile Host. C	- polyphyllum W. C
pumilum Jacq.	- pumilum Hoppe. C
Jacquini Vill.	- praemorsum L. C
- humifusum Spr. C	- prostratum Dec. C
— incanum M. B. C	- prunellaefolium L. C
- intybaceum Jacq. C	Lepicaune prunellaefo-
albidum Vill.	lia Lapeyr.
tubulosum Pers.	- prenanthoides Vill. C
Lepicaune intybacea	spicatum All.
Ļapeyr.	- pyrenaicum L. C
*_ LachenaliGmel fl. Bad.	helveticum L. et W.
G	Lepicaune multicaulis
	Lapeyr.
 lanceolatum Vill. laevigatum W. 	racemosum Kit.
- Japsanoides Gouan. C	- ramosum Kit. C
Liottardi Vilk C	- rupestre All. G
- longifolium Schl. C	*_ sabaudum L. C
- Lawsonii Vill. C	— saxatile Jacq. C
saxatile Dec.	- Schraderi Dec. C
	arbinoum W
	- sibiricum W. C
— montanum Jacq. C	Crepis sibirica L.
Andryala pontana Vill.	_ speciosum W. C

Hieracium staticefolium	*Holcus mollis L.
All. C	Avena mollis Koel.
- stoloniflorum Kit. C	*_ lanatus L.
— succisaefolium All. C	Avena lanata Koelle.
- sylvaticum Gouan. C	ноlosteum cordatum W. A
Murorum All.	*- umbellatum L.
- tomentosum H. Err. C	Homalium racemosum
Lepicaune tomentosa	Pers: I
Lapeyr:	Hordeum bulbosum L.
\star — umbellatum L. C	ciliatum Lam.
lineare Pers.	- distichum L.
Crepis umbellata Bernh.	B. nudum
— undulatum Smith. C	2. imberbe
- Villarsii Balb. C	- hexastichon L. A B
Leondoton Villarsii W.	- intermedium n. Spec. A
- villosum L C	- Jubatum L. B
- valde pilosum Vill.	- Hystrix Roth. A
elongatum Lapeyr.	- maritimum With. A
etongatum Lapeyr. — virgatum Pursh. C	rigidum Roth.
Hippia frutescens W. D	geniculatum All.
Eriocephalus pectinifo-	marinum Huds.
lius L.	*_ murinum L. A
Tanacetum frutescens L.	- nigrum W. En. B
Hippocrepis biflora H. Erf.	Hord. vulgare 2. W. Sp.
A	*— pratense Huds. A
★— comosa L. C	nodosum L.
- multisiliqua L. A.	maritimum Koelle.
- unisiliqua L. A	secalinuni W.
Bippomane biglandulosa	= vulgare W. B
Swartz. D	— β. coeleste
Sapium aucuparium W.	- Zeocriton w. En. A
#ippophae canadensis L. D	distichum B. Lam.
*- Rhamnoides L.	Horminum pyrenaicum
*Hippuris vulgaris L. C	Herm.
Holcus horealis Schrad, C	Melissa pyrenaica W.
odoratus Willd.	Salvia pyrenaica L.
repens Host.	Hornemannia bicolor W.
Hierochloa borealis Sch.	Hornemannia bicolor W.
et Roem.	Gratiola goodenifol.
- bulbosus Schr. C	Hornem.
Avena bulbosa L.	Trevirana GratiolaeRoth.
	- · · · · · · · · · · · · · · · · · · ·

Hornemannia viscosa W.	Hydrangea guercifolia W.
En. A	D D
Gratiola viscosa Horn.	- radiata W. D
*Hottonia palustris, L. C	nivea Mich.
Houstonia coccinea W. En.	glauca H. Par.
D	*HydrochærisMorsus-ranæ
Jxora americana Jacq.	L. C
— tenuifolia Cav.	Hydrocotyle sipthorpioi-
— β. crocea H. Cels.	des Lam. C
ноуа serrata H. Cels. D	[⋆] — vulgaris L. C
*Humulus Lupulus L. C	Hydrophyllum canadense
nyacinthus amethystinus	L. C
· L. C	Hydrastis canadensis
*_ botryoides L. C	Dec.
Muscari botryoides W.	- magellanicum Lam. C
En.	Aldeaea circinata W.
— cernuus L. C	Heliotropium pinnatum
Scilla cernua Bernh.	Vahl.
*— comosus L, C	- virginicum L. C
Muscari comosum W. En.	Hyoscyamus agrestis Kit.
- Muscari L. C	, <u>,</u>
Muscari moschatum W.	— albus L. A
— monstrosus L. C	- aureus L. C
в. н. comosus Dec.	*— niger L. A
- nonscriptus L. C	- orientalis M. B. C
— orientalis L. C	— pallidus W. A
- Mutualio	— pallens Kit. A
Mitscari nutans M. B.	- pictus? H. Goett. A
Scilla nutans Smith.	- pusillus L. A - physaloides L. C
*— racemosus L. C	Scopolia L. C
Muscari racemosum W. En.	
	senecionis W. En. C. seris arenaria W. En.
Hydrangea arborescens L.	A
vulgaris Mich.	- foetida L. C
- heterophylla H. Cels. D	Lapsana_foetida W.
- hortensis W. D	En.
'opuloides Lam.	- lucida L. C
Hortensia mutabilis L.	- radiata L. C
— opuloides Jacq.	_ scabra L. A
- fl. coeruleo	taraxacoides Lam. C
	M
•	

Hypecoum pendulum L. A	*Hypericum pulchrum L. C
- procumbens L. A	- pyramidatum W. C
Hypericum aegyptiacum L.	amplexicaule Lam.
D	*— quadrangulare L. C
- Androsaemum L. D	— tomentosum L. C
	— undulatum Schousb. C
- Ascyron L. C - balearicum L. D	Hypochaeris Balbisii Nocca.
•	Ay poentaer is Bailisti Nocea.
— ouljoinum 2.	
Ascyron Mill. dict.	
— canariense L. D	
Coris L. D	*— glabra L. A
*— dubinm Leers. C	— helvetica Jacq. C
delphinense Vill.	uniflora All.
fallax Grim.	- hispida W. En. A
maculatum All.	*— maculata L. C
elatum Ait. D	— minima Desf. A
elegans W. C	*_ radicata L. C
_ mmbriatum Lam, C	Hypoxis allia Jacq. Coll.
— floribundum Ait. D	. C
- foliosum Jacq. D	— erecta L. C
- foliosum Jacq. D - hircinum L. D	- villosa L. C
*_ hirsutum L. D	Hyptis pectinata Ait. C
★_ humifusum L. C	Bystropogon pectinatum
- kalmianum L. D	w. '
bartramicum Mill. diet.	- persica W. En. D
- Kohlianum Spr. C	Brotera persica Spr.
★ — montanum L. C	- radiata W. C
- monogynum L. D	Clinopodium rugosum L.
_ olympicum L. C	Hyssopus Lophanthus L. C
— pendulum H. Erf. C.	- nepetoides L. C
*_ perforatum L. C	— officinalis L. C
- prolificum L.	- orientalis W. En. C
kalmianum du Roi.	- scropularifolius W. B
Kuthtanam da 1101	— scropulariionus VI. B
1	T
• .	L•
*Iasione montana L. A	Iasminum frutescens L. D
undulata Lam.	- if ol. variegatis
*_ perennis Lam. C	- gracile Andr. D
Iasminum azoricum L. D	geniculatum Vent.
flexile Vahl.	volubile Jacq.
•	,

	,
Iasminum grandislorum L.	*Ilex Aquifolium L. D
D	— — a. crassifolium
	a. Classitorum
	— β. fol. aureo varie-
- mauritianum W. En.	gatis
suppl. D	— — 2. —macula-
- odoratissimum L. D	tis
	— — 5. heterophylla.
fol. variegatis	- Cassine L. D
- Sambac Ait. D	- B. angustifolia
Nyctanthus Sambac L.	Pers.
- flore pleno tortuosum W. En. D	- echinata Jacq. D
- tortuosum W. En. D	_ fol. aureo varie-
- Pndulatum Pers D	gatis.
Nyctanthus Sambac B.	- laurifolia H. Paris. D
undulata L.	
Mogorium undulatum	
Juss.	crassifolia Meerb.
Jatropha Curcas L. D	aestivalis Lam.
- coccinea H. Cels. D	- salicifolia Jacq. D
urens L. D	- serrata Pers. D
*Iberis amara L. A	- salicifolia Jacq. D - serrata Pers. D - vomitoria Ait. D
	- voinitoria Ait. D
- ciliata W. B	ligustrina Jacq.
_ linifolia W. B	Cassine Peragua Mill.
umbellata B. Gouan.	dict.
- Molineri Balb. D	Illecebrum capitatum L. C
*_ nudicaulis L. A	- canariense L. D
Teesdalia nudicaulis	
Ait.	- javanicum L. D
- odorata L. A	Celosia lanata L.
- parviflora Lam. C	- lanatum L. A
- pinnata L. A	- Paronychia L. B
	— pubescens W. A
- rotundifolia L. C	- polygonifolium L. A.
Hutchinsia rotundifolia	verticillatum W.
Ait.	- narbonense L. A
- saxatilis L. D	- sessue W. A
	Illicium anisatum W. D
	denident the D
— fol. variegatis	- floridanum W. D
- sempervirens L . D	- parvillorum Vent. D
garrexiana All.	Impatiens Balsamina L. A.
_ umbellata L. A	_ capensis L. A
- Secretary Carrier and	

.

*Impations Nolitangere L.	*Inula germanica L. C
Imperatoria alba H. Vind.	<u> </u>
C	- Helenium L. C
- angustifolia Bellard. C	*— hirta L. C
— caucasica Spr. C	— montana L. C
Selinum caucasicum M.	- Oculus Christi L. C
D D	— provincialis L. C
Chahraei Spr. C	
- Chaptael Spil	,
Selinum Chabraei Jacq.	
- flavescens Schulth. C	- squarrosa L. C
_ lucida Spr. C	- suaveolens Jacq. C
Angelica lucida L.	- thapsoides L. C
_ Ostruthium L. C	_ tuberosa Lam. ~ C
Angelica officinalis	'_ Vaillantii All. C
Bernh.	- viscosa W. En. C
- verticillaris Spr C	Erigeron viscosum Jacq.
Angelica verticillaris L.	Ipomaea barbata Roth. A
	_ carolina L. A
	- coccinea W. En. A
-m-#1	— — β . luteola Jacq.
Psordlea cytisoides Sp.	A
Plant.	— glaucifolia L. A
- enneaphylla L. A	- hedcracea Jacq. A
— <u>frutescens</u> W. D	- hepaticaefolia W. A
- hirsuta L. D	- heterophylla W. C
- psoraloides L. D	- hirsutula Jacq. fil. A
Cystisus psoraloides Sp.	- lacunosa W. A.
plant.	
_ tinctoria L. D	 leucantha Jacq. muricata Jacq. A
- viscosa W. En. A	Pes tigridis L. A
Inga alba W. D	tigrina Pers.
Mimosa alba Swartz.	— pilosa Cav A
<u>latifolia</u> W. D	
	2
Minosa latifolia L.	
Inula bifrons W. BC	- speciosa Smith. D
*_ britanica L. • C	Convolvutus nervosus
- Bubonium L. C	Burm.
Aster Bubonium Scop.	— ternata Jacq.
- crithmifolia L. C	- triloba L. A
*— dysenterica L. C	— umbellata L. Suppl. D
- ensifolia L. C	— violacea L.

*.	· ·	
Iresine celosioides W. C	Iris verna Thunb.	C
- diffusa W. D	- versicolor L.	\boldsymbol{c}
1ris acuta W. En. suppl. C	— virginica L.	\boldsymbol{c}
- aphylla L . C	- Xiphium L.	\boldsymbol{c}
nuarcaulis Lam.	hispanica Hortul.	
— arenaria Kit C	— Xiphioides L.	\boldsymbol{c}
— bitlora L. C	auglica Hortul.	
- extrafoliacea Mik. C	Isatis bannatica Kit.	В
_ fimbriata Vent. C	- lustitanica L.	A
chinensis W. En.	orientalis W.	
— flavissima Jacq. C	aleppica Ait.	
- florentina L. C	- praecox Kit.	В
- factidissima L . C	*_ tinctoria L.	\boldsymbol{c}
- fol. variegatis	*Isnardia palustris L.	A
*— germanica L. C	Alsine palustris Ehrl	
— graminea L. C	Ludwigia repens Swar	tz.
- GuldenstaedtiiLepech. C	Oldenlandia aquatic	a
— halophila Pall. C	Brown.	_
- hungarica Kit. C	Isopyrum fnmarioides	L.
— lurida Ait. C		A
- lutescens Lam. C	- thalictroides L.	C
- ochroleuca L. C	Itea virginica L.	D
- orientalis L. C	Iuglans alba L.	D
— pallida Lam. C	- cinerea L.	Ð
- pavonia L. C	oblonga Du Roi.	T
Moroca pavonia Curt.	- fraxinifolia W. En.	D
- persica L . C	— nigra L.	D
- plicata Lam.	— olivaeformis W.	D
*_ Pseud-Acorus L. C	angustifolia Ait.	
paludosa Pers. — pumila L. C	Pecan. Mühlenb.	
— pumila L. C	rubra Gaertn.	D
= sambucina L. C	*— regia L. — _ fructu maxii	
*_ sibirica L. C		C
- albo	Iuncus alpinus Vill.	C
r	*— aquaticus Roth. articulatus a. Poll.	U
Dq		
variegata Jacq. — susiana L. C	obtusiflorus Hall. *- bulbosus L.	C
		v
— Swertii Lam. C	*_ bufonius L.	A
variegata L. C	* capitatus Weig	Ā
_ fol. rugosis.	*_ capitatus Weig.	T

Iuncus:	Iuniperus Sabina L. I
ericetorum Poll.	— α. fol. variega-
gracilis Roth.	tis.
*_ conglomeratus L. C	— β. tamariscifo-
*— consanguineus Ziz, C	lia Du Roi.
*- divergeus Koch, C	- thurifera L. D
\star — effusus L .	- virginiana L. D
- flavescens Host. C	caroliniana Mill. dict.
*— glaucus Sipth. c	Iusticia Adhatota L. D
effusus Poll.	- bicolor Wendl. D
- Iacquini L. C	Eranthemum bicolor
\(\beta \). minor.	Schranck. pl.
- maritimus Lam. C	rarior.
*— squarrosus L. C	— bicalyculata L. A.
*_ subverticillatus Wulff.	ligulata Cav.
· Ç	Dianthera bicalyculata
uliginosus Roth.	Retz.
*— \$. supinus Moench.	— malabarica L.
Moench.	• Suppl.
*_ sudeticus W. C	 paniculata Forsk.
*— sylvaticus L. C	- bracteolata Jacq. D
acutiflorus Hoffm.	— ciliaris L . A
articulatus 7. Poll.	Dianthera ciliata Ruitz.
*_ Tenageja Ehrh. A	- coccinea Vahl. D
Vaillantii Thuill.	— Echoliam L. D.
— tenuis W.	vididis Forsk.
bicornis Mich.	- fermosa W. En. D
— trifidus L. C	furcata W. En. D
— triglumis L . C	peruviana Cav.
Iuniperus bermudiana L.	foliosa Jacq.
D	— gendarussa L. D
\star — communis L . D	- hyssopifolia L. D
— — B. suecica Pers.	 infundibuliformis Vahl.
D	D
- glauca H. Cels. D	 lithospermifolia Jacq.
- lycia W. D	A
— nana W. En. D	- microphylla Pers. D
— Oxycedrus L. D	- nasuta Pers. D
— phoenicea W. D	— nitida Vahl. D
- sinensis W. En. suppl.	- orchioides L. D
Q ·	- paniculata Vahl. A

· -			
Iusticia parviflora W.	Ć	Ixia corymbosa L.	Ċ
pectinata Vall.	_	crispifolia Bot. Reper	
- pulcherrima L.	\mathbf{D}		r.
- interestrina L.	D	- deusta Ait.	u
- quadrifida Vahl.	ע	Tritoma deusta Curt.	_
virgularis Salisb.			C
coccinea Cav.		hyolina Vahl.	
superba Hortul.		Tritonia fenestr ata	
— — β. latifolia — resupinata Vahl.		Curt.	
- resupinata Vahl.	À	- lancea Jacq.	Ċ
sexangularis Cav.			C
_ rubra Vahl. •	D	Gladiolus longiflorus	_
- Ryani Pers.	$\tilde{\mathbf{D}}$	Inca	
totrogona Vahl	\mathbf{p}	Jacq	•
- tetragona Vahl,	D		2
Iva frutescens L.		— miniata Jacq.	Č
Ixia Bulbocodium L.	$\widetilde{\mathbf{C}}$		С.
- bulbifera L.	C	Tritonia squalida Ait.	
Sparaxis hulbifera A	it.	— <u>tricolo</u> r Ćurt.	C
- crocata L.	C	- villosa Jacq.	C
Gladiolus crocatus V	<i>I</i> .	— — B. fl. purpure	0
_ β. fl. roseo		Ixora speciosa W. En. 1	D ·
— . — 2. fl. pallido	,	coccinea L.	
J. fl. aureo			
•	T.	.	
	.1	7.	
Kaemnferia angustifoli	a	Kingelaria africana L.	'n
Kaempferia angustifoli	a C	Kiggelaria africana L. I	Ò
Jacq.	G	Kitaibela vitifolia W.	C
Jacq. — Galanga L.	C	Kitaibela vitifolia W. Kirganelia elegans Juss.l	C D
Jacq. — Galanga L. — rotunda L.	G	Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli	C D
Jacq. — Galanga L. — rotunda L. longa Jacq.	CCC	Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli W.	C D a
Jacq. — Galanga L. — rotunda L. longa Jacq. Kalmia angustifolia L.	CCC	Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli W. Knautia orientalis L.	C D a A
Jacq. — Galanga L. — rotunda L. longa Jacq. Kalmia angustifolia L. — glauca Ait.	D	Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli W. Knautia orientalis L. plumosa L.	C D a A A
Jacq. — Galanga L. — rotunda L. longa Jacq. Kalmia angustifolia L.	CCC	Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli W. Knautia orientalis L. plumosa L. propontica L.	C D A A A
Jacq. — Galanga L. — rotunda L. longa Jacq. Kalmia angustifolia L. — glauca Ait. — latifolia L.	D	Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli W. Knautia orientalis L. plumosa L. propontica L.	C D A A A
Jacq. Galanga L. rotunda L. longa Jacq. Kalmia angustifolia L. glauca Ait. latifolia L. Kennedia macrophylla	DDD	Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli W. Knautia orientalis L. plumosa L. propontica L. Koehleria brachystachy	C D A A A
Galanga L. rotunda L. longa Jacq. Kalmia angustifolia L. glauca Ait. latifolia L. Kennedia macrophylla Spec.	D D D	Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli W. Knautia orientalis L. — plumosa L. — propontica L. Koehleria brachystachy Dec.	C D a A A A A A
Jacq. Galanga L. rotunda L. longa Jacq. Kalmia angustifolia L. glauca Ait. latifolia L. Kennedia macrophylla Spec. monophylla Brown.	C C D D D n. D D	Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli W. Knautia orientalis L. plumosa L. propontica L. Koehleria brachystachy avenacea P. de Beauv.	C D a A A A A A
Galanga L. rotunda L. longa Jacq. Kalmia angustifolia L. glauca Ait. latifolia L. Kennedia macrophylla Spec. monophylla Brown. Glycine bimaculata	C C D D D n. D D	Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli W. Knautia orientalis L. — plumosa L. — propontica L. Koehleria brachystachy Dec. avenacea P. de Beauv. Festuca phleoides	C D a A A A A A A A A A A A A A A A A A A
Jacq. Galanga L. rotunda L. longa Jacq. Kalmia angustifolia L. glauca Ait. latifolia L. Kennedia macrophylla Spec. monophylla, Brown. Glycine bimaculata prostrata Brown.	CC DDD nDD W.D	Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli W. Knautia orientalis L. — plumosa L. — propontica L. Koehleria brachystachy Dec. avenacea P. de Beauv. Festuca phleoides Festuca cristata Aug	C D a A A A A A A A A A A A A A A A A A A
Galanga L. rotunda L. longa Jacq. Kalmia angustifolia L. glauca Ait. latifolia L. Kennedia macrophylla Spec. monophylla, Brown. Glycine bimaculata prostrata Brown. Glycine coccinea W.	CC DDD nDD W.D	Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli W. Knautia orientalis L. — plumosa L. — propontica L. Koehleria brachystachy Dec. avenacea P. de Beauv. Festuca phleoides Festuca cristata Aug	C D a A A A A A A A A A A A A A A A A A A
Galanga L. rotunda L. rotunda L. longa Jacq. Kalmia angustifolia L. glauca Ait. latifolia L. Kennedia macrophylla Spec. monophylla Brown. Glycine bimaculata prostrata Brown. Glycine coccinea W. rubicunda Vent.		Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli W. Knautia orientalis L. plumosa L. propontica L. Koehleria brachystachy Dec. avenacea P. de Beauv. Festuca phleoides Festuca cristata Panicum astraca- nicum	C D a A A A A A A A A A A A A A A A A A A
Galanga L. rotunda L. longa Jacq. Kalmia angustifolia L. glauca Ait. latifolia L. Kennedia macrophylla Spec. monophylla, Brown. Glycine bimaculata prostrata Brown. Glycine coccinea W.		Kitaibela vitifolia W. Kirganelia elegans Juss.l Phyllanthus Kirganeli W. Knautia orientalis L. — plumosa L. — propontica L. Koehleria brachystachy Dec. avenacea P. de Beauv. Festuca phleoides Festuca cristata Aug	C D a A A A A A A A A A A A A A A A A A A

•	•
Koelreuteria paniculataW.	Kyllinga triceps W. C
D	Schoenus niveus L
<i>paulinoides L'</i> Herit.	— monocephala W C
Sapindus chinensis L.	Schoenus coloratus L.
_	
I	
Lachenalia_lanceaefolia	Lagurus ovatus L. A
Jacq. C	*Lamium album L. G
- luteola w. C	*_ amplexicable L. A
tricolor 8. Jacq.	_ gargaticum L. C
- serotina W. C	*_ maculatum L. C
Hyacinthus serotinus L.	- Orvala L. C
- tricolor Jacq. C	Lamium pannonicum
— viridis W. Sp. C	*- purpureum L. A
Hyacinthus viridis L.	- rugosum Ait. C
Zuccagnia viridis W.	Lantana aculeata L. D
En.	- Camara L. D
Lactuca augustana All. A	- involucrata L. D
— elongata W. B	- lavandulacea W. D
— crispa W. A	— melissaefolia Ait. D
_ intybacea Jacq. A	- mista L. D
— palmata W. A	- nivea Vent. D
*_ perennis L. C	- odorata Ait. D
— quercina W. A	- radula Swartz. D
*_ saligna L. A	- rosea_W. D
*_ scariola L. B	- scabrida Ait. D
- sativa L. A	- trifolia Ait. D
- stricta Kit. B	Lippia purpurea Dum.
*- virosa L. B	Cours.
Lagasca mollis Cav. A	— violacea H. Cels. D
Lagerstroemia indica L.	- Spec. nova D
D	Lapeyrousea juncea Ker.
Lagoecia cuminoides L. A	, C
Lagunea angulata W.	Anomatheca juncea Ait.
Suppl. A	Gladiolus junceus W.
- lobata W. A	- polystachios Andr.
Solandra lobata L.	*Lapsana communis L.
Triguera acerifolia Cav.	A
Hibiscus Solandra L'He-	_ crispa W. En. A
rit.	_ lyrata W. En. C

*Lapsana pusilla W, A	Lathyrus latifolius L. C
*Lapsana pusilla W, A	monanthos W. A
Hyoseris minima Poll,	Ervum monanthos L.
- pubescens H. Erf. C	/— Nossolia L. A
- virgata W. C	
Laserpitium angustifolium	— odorátus L. A
L. C	— β. siculus — γ. zeylanicus
- Archangelica Jacq, C	*— palustris L. C
gallicum L. C	- paidstris L
- hispidum M. B. C	- pisiformis L. C.
— hirsutum Lam. C	— platyphvllos Rets, G
Halleri All.	*— pratensis L
Panax Gouan.	sativus L. A
*_ latifolium L. C	- setifolius L. A
— libanotis Lam. C	— sphaericus Retz, 4 A
Cervaria Gmel. fl. Bad.	axillaris Lam.
pubescens Lagasc.	coccineus All.
- pilosum W. C	inconspicuus Jacq.
*_ prutenicum L, C	- spurius W. A. C. Sylvestris L. C.
— Siler L C	nlatumbullos A Rota -
trifoliatum Sieber.	platyphyllos & Betz. — tingitanus L. A
Lasiopetalum ferrugineum	
Smith. D	*— tuberosus L. A.— tumidus Lam. A.
— solanaceum Ait. D	Laury Benzoin L.
*Lathraea squamaria L. C	pscudo Benzoe Mich.
Lathyrus amphicarpos L.	aestivalis Wangenh,
A A	— Borbonia L. D
- angulatus L. A	Camphora L.
annus L. A	- caroliniensis Mich.
*- Aphaca L. A	n
- articulatus L. A	- Cassie b
hispanicus Mill diet.	- foetens Ait. D
- Cicera L. A	maderiensis Son.
- Clymenum L. A	- indica L. Ď
- cornutus Horn C	- martinicensis W. D
- heterophyllus L. C	- nobilis L. D
≠_ hirsutus L. A	- ». salicifolia
- inconspicuus L. A	— — β. undulata
parviflorus Roth.	2. fol. yariega.
_ incurvuus W. C	us.
Vicia incurra Roth. Beit.	- Sassafra L. D
	N
	40 M

Lavandula abrotanoides	Leontodon obovatus W.
Lam. D	- serotinus Kit.
formosa Hortul.	*_ Taraxacum L.
- dentata L. D	Taraxacum officinale
- multifida L. D	Dec.
- pinnata L. D	*Leonurus Cardiaca L. C
- Stoechas L. D	Cardiaca oulgaris Bernh.
_ spica L. D	- condensatus Kit.
Lavatera arborea L. D	- Crispus Ait.
Malva arborescens Dod.	- Marrubiastrum L. C
- acerifolia Pers. D	- neglectus Schulth. C
_ cretica L. A	- sibiricus L. A
- hispida Desf. D	- tataricus L. B
- maritima Cav. D	Lepechinia spicata W. C
- micans Cav. D	Horminum caubescens
- Olbia L. D	Ortega.
- punctata L. A	Lepidium alpinum L. C
_ thuringiaca, L C	- Hutchinsia · alpina - Ait.
- triloba Jacq. D	- apetalum W. C
_ trimestris L. A	- bonariense L. A
fl. albo.	*- campestre Ait. A
_ unguiculata Pers. D	Thlaspi campostre L.
Leca crispa? L. D	- crassifolium Kit.
*Leersia oryzoides Swartz.	- divaricatum Ait A
C	*— Draba Ait. B
Phalaris oryzoides L.	Coshlearia Draba L.
Homalocenchrus oryzoi-	*- graminifolium L. C
des All.	Jberis Poll.
- virginica W. En. • C	- Jberis L. C
Leontodon crispum Vill, C	Pollichi W.
Apargia crispa WT	*- latifolium L. C
- glaucescens H. Gor. C	- lyratum L. A
≠— lividus W. C	orientale Tourmf.
erectum Hoffm:	- obovatum Horn. A
palustre Smith	- pertoliatum L A
salinum Pollich.	*_ petraeum L. B
Taraxacum palustre	Hutchinsia petraea Ait.
Dec.	— procumbens W. A
* \(\mathcal{\mathcar{\mathcal{\mathcar{\mathcar{\mathcar{\mathcar{\mathcar{\mathcar{\mathcar{\mathcar{\mathcar{\math	*_ ruderale L. A
Roth.	- sativum L A
- nigricans Kit. C	- spinosum, L. A

Lepidium suffruticosum L.	Ligusticum austriacum
- virginicum L. A	Gmolini Vill.
Lepid. Jberis Schkuhr.	*— Cervaria Spr. C
Leptospermum acumina-	Athamuntha Cervaria
tum Wendl. D	· L.
- ambiguum Smith. D	Cervaria nigra Bernh.
Metrosideros corifolia	Selinum Cervaria Jacq.
Vent.	- condensatum Spr. C
- arachnoideum Smith. D	Athamantha condensata
- attenuatum W. D	L
- baccatum Smith. D	- ferulaccum All. 📑 C
- canescens Wendl. D	Laserpitium davurioum
- flavescens Smith. D	Jacq.
The W.	- Levisticum Let Spr. C
Mulaleuca Thea Schrad.	- nodiflorum Vill et Spr.
- mucronatum Wendl D	
pubescens W. D	- peloponense L. et Spr.
Phtladelphus Laniger Ait. I. Edit.	- cotions San
- scoparium Smith. D	- scoticum Spr. C
- a. linifolium Ait.	Angelica scotica Lam. — sibiricum Spr. G
— B. myrtifolium	Athamantha sibirica L.
Ait.	- sinplex Vill. et Spr. C
Leucojum aestivum L. C	Laserpitium simplex L.
*- vernum L. C	- vaginatum Spr. C
Liatris spicata W. C	*Ligustrum vulgare L. D
Macrostachys Mich.	— a. italicum
Serratula Spicuta L.	- a. italicum - B. fol. variega-
Suprago spicata Gaertn.	tis,
Lidbeckia pectinata Thunh.	Lilium bulbiferum L. C
Cotula stricta L. Mant.	-, camtchatense L. C
Lightfootia oxycoccoides	- candidum L. C - chalcedoniqum L. C
L'Herit. D	pomnovium Redouté.
Lobelia tenella L. Mant.	*— Martagen L. C
Ligusticum alatum Spr. C	- pomponium L. G. C.
-Athamantha aluta M. B.	- pyrenaicum Gouan. C
athamanthoides Spr. C	pubescens Bernhardi. C.
Athamantha pyrenaica	- superbum L. C
L .	- tigringer AitC

*Limodorum recurvum L.	Lindria littoralis W. A
C.	Antirrhinum littorale
Tanckervilliae W. C	Bernhardi.
Bletia Tanckervilliae	Bernhardi. — lusitanica H. Erf. C
Brown.	- micrantha H. Monach.
Timonia trifoliata Jaca.	A
Limonia trifoliate Jacq.	Antirrh. micranthum
*Limosella aquatica L. A	Cav.
Linaria alpina Ail C	*_ minor W. A
Antirrhinum alpinum L.	Antirrh. minus Lu
*— arvensis W. D	origanifolia W. C
bipartita W. En. A	
Antirrh. bipartitum L.	Antirrh.origanifoliumLa pilosa W. En. C. Antirrh. pilostim W. Sp.
Antirra. Bipartitum 11.	Antimber milacilm W. Sp.
Antirch bipunctulumW.	- purpurea Aiti
Antirra bipunctatumvi	Antirrh, purpureum Le
	- reticulata Ait C
- chalepensis W. A	
Antirrh. chalepense L.	Antirrh. retivulatum W
at cirrhosa Ait. A	- simplex W. En. A
Antirrh. cirrhosum L.	Antirrh! simplex w. Sp.
*Cymbalaria W. C	- arvense B. L.
'Antirrh. cymbalaria L:	= spartea W. En. A
- dalmatica W. C	Antirrh. sparteum W
Antirch: dalmaticum -	Sp.
Pall.	* spuria Ait. A
*_ Elatine W. A	Antirrh. spurium W.
Antirrh. Elatine L.	- supina W. En. C
Linaria flavaH.Monach:	Antirrh. supinum L.
.	— triphylla 🛪 . A
Antirch. flavum W.	Antirch. triphyllum L.
- galioides Schulth. C	- tristis W. En. B
Antirrh. repens Smith.	Antirrh. triste L.
- monspessulanum L:	- versicolor W. En. A
= genistifolia W. G.	Antirrh. versicolor W
Antirrh. genistifolium	Sp.
L. •	★─ vulgaris W. En. C
glauca Ait. A	Antirrh. Linaria L.
Antherh. elaucum W	— — β. Peloria C
hinta W.	Linnaea borealis L. I
Anthreh. glaycum W hirta W. Antirch, hirtum Jacq.	Linum alpinum L.
viscosum Gurtis.	— africanum ₩. I
The procession during	- MY TONTON AA . T

Linum angustifolium	w.	*Liitorella lacustris L.	C
En.	C	Lobelia assurgens Andrew	rs.
* austriacum Jacq	C		D.
- campanulatum L.	C	- bellidifolia Thunb.	C
*ــ catharticum .L	A	— bicolor Curt	$\boldsymbol{\mathcal{C}}$
- decumbens Desf-		- cardinalis L.	C
- diffusum Schrad.	\mathbf{c}	- campanuloidesThunb	.A
- flavum Jacq.	C	— coronopifolia L.	$\boldsymbol{\mathcal{C}}$
monopetalum W.		— clistortiana L.	A
- gallicum W.	, A	— erinoides L.	A
- humile Pers.	A	- Erinus L.	\boldsymbol{C}
- maritimum L.	. C	— fulgens Humb.	C
- narbonense L.	. C	— inflata L.	A
- nervosum Kit.	-	- lengislora L.	C
- perenne L.	C	- pallida Roth.	\boldsymbol{c}
- pyrenaicum Gmel	. С		C
- squamulosum W. I	En. C	— siphilitica L.	C
- strictum L.	A	- stricta W.	C
- suffruticosum L.	\mathbf{D}	cirsiifolia Lam.	
- tauricum W. En.	\mathbf{C}		\boldsymbol{c}
- trigyhum Smith.	D	- triquetra L.	\boldsymbol{c}
*_ tenuifolium L.	C	Locflingia hispanica L.	
- usitatissimum L.	A	*Lolium arvense With.	A
Liparia sphaerica L.	D P	tenue M. B.	
Liquidambar imberbe		annuum Bernh.	
	\mathbf{D}	temulentum Huds.	
orientale Bosc.			A
- Styraciflua L.	D		A
Lirio dendron tulipifén	a L.	giganteum Hortul.	_
رمعنونيون غرف د مرهم	D		Ç
- 2: integrif	olia	8	A
*Lithospermum arven	se Ļ.	asperum Roth.	
	A	complematum Schrad.	
- decumbens Vent.	A		A
tenuiflorum W.	_		D
- distichum W	C	Jsica alpigena Borck	
- latifolium Mich.	_	Xylosteum alpigenui	111
*— officinale L.	\boldsymbol{c}	Pers.	
- dispermum L.	, А		Ð
*— purpurco - coeru	ieum	Caprifolium vulgarePer	86
L.	\boldsymbol{c}	fol, variegatis	
•			

Zonicera coerulea L. D Jsica coerulea Borelh.	,	Ā.
— — B. canadensi	- anthylloides Pers.	D
- dioica L. D		A
media Murray:	aristatus H. Erf.	\mathcal{C}
parviflora Pers.		0
glauca Burgsd.	- coimbrensis W.	A
- etrusca Schleich. D	. — conjugatus W.	A
- grata Ait. D	*— corniculatus L.	C
- japonica Thunb. D	* & tenuifoliu	L S .
Caprifolium japonicum	Pollich.	
Pers.		D
- implexa W. En. suppl. D	_3	$\boldsymbol{\mathcal{C}}$
— nigra L. D	— decumbens Dec.	C_{-}
Xylosteum nigrum Pers.		C_{-}
*— Periclymenum L. D	- dilfusus Smith.	A
Caprifolium Pcryclime-	- 0000000	A.
num Pers.	Krockera oligoceratus	ţ
— β. quercifolium	Moench.	_
- pyrenaica L. D	- Gebelia Vent.	Ç
- sempervirens L. D	- glancus W.	C
Caprifolium coccineum	- glaberrimus Dec.	A
Pers.	- gracilis Kit.	\mathcal{C}
- tatarica L. D		C
Xylosteum tataricum	- hirsutus L.	C
Pers.	— — β . inermis Dec	_
— fl. reseo) 1
- fl. albo - sibirica fl. ru-	— intermedius Lois. A — maritimus L. (_
bro Pers.		, D
*— Xylosteum L. D	corniculatus of ct 5.	J
Lopezia coronata Andr. A	Smith.	
- fruticosa Schranck. pl.		1
rar. D	- peregrinus L.	
miniata W. En. suppl.	oligoceratus Lam.)AL
- hirsuta Jacq. A	- 1 1 TO C	C
mexicana R. W.	- rectus L.	CZ .
- racemosa Curtis. A		Ĉ
mexicana β . W.	- suaveolens Pers.	ź
Pisaura antomorpha	_	ź
Bonato.	- tetragonolehus L.] A	
		-

Loureira cuneifolia W. D	Luzula:
Monzinna spathulata	Iuncus marimus W. Sp.
Orteg.	- latifolius Wulf.
Ludolfia glaucescens W.	- nivea Dec. C
D	Iuncus niveus L.
Panicum arborescens,	- pediformis Dec. C
Hortul-	*_ pilosa W. Eu. C
- macrosperma W. D	vernalis Dec.
Arundinaria macrosper-	Iuncus pilosus Hoffm.
ma Mich.	- spadicea Dec. C
Miegia macrosperma	Iuncus spadiceus All.
Pers.	_ spicata Dec. C
Ludwigia ramosissima	Iuncus spicatus L.
Walth. A	Lychnis alpina L. C
Lunaria annua L. B	- brachypetala H. Gor. C
biennis Moench.	- Chalcedonica L. C
- canescens W. C	_ fl. albo.
Alyssum clypeatum L.	- fl. incarnato.
*_ rediviva L. C	- fl. pleno.
Lupinus albus L. A	— coronata W. C
- angustifolius L. A	coccinca Hortul.
- arboreus Curt. D	grandiflora Jacq.
- hirsutus L. A	Hedona sinensis Lou-
- linifolius L. A	reiro.
- luteus L. A	*- diurna Sibth. C
- mexicanus Cervant. C	dioica &. Poll.
- nutkaensis Pursh. A	*_ Bloseuculi L.
- perennis L. C	flore pleno.
- pilosus L. A	- lacta Ait. A
- varius L. A	- quadridentata W. A
*Luzula albida Dec. C	Silene quadrifian Jacq.
Iuncus albidus Hoffm.	*- vespertina Sibth. C
*_ campestris W. C	dioica a. Poll.
Iuncus campestris L.	sylvestris W.
— Forsteri Dec. C	- fl. pleno rubro.
Tuncus Forsteri Smith.	albo.
lutea Dec. C	- carneo.
Iuncus luteus All,	*_ viscaria L. C
≠— maxima Dec. C	- fl. pleno.
Iuncus nemorosus y.	Lycium afrum L. D
Pell:	spinosum Marr.
, TM .	Chairmannin eigens

	· · · · ·
Lycium barbarum L. D	Lygodium:
- boerhaviacfolium L. D	Ugena mieropkylla Cs
- europaeum L. ' D	vanill.
Lycopodium helteticum L.	Lysimachia ciliata L.
, C	quadrifolia & ciliata W .
- alpinum L. C	- decurrens Pers. C
*Lycopsis arvensis L. A	- dubia Aiton. B
Anchusa arrensis Lehm.	atropurpurea Murray.
— nigricans Desf. A	Ephemerum Ait. C
vesicaria \(\beta \). nigricans	- Linum-stellatum L. A
Pers.	*— Nummularia L. C
	*— nemorum L. C
(,	
— vesicaria W. A	
- virginica Pers. C	*— thyrsidora L. C
Lycopus europaeus L. C	*— vulgaris L. C
vulgaris Pers.	*Lythrum Hyssopifolia L.
- exaltatus L. C	
- virginicus L. C	*Lythrum salicaria L. C
Lygeum Spartum L. C	— B. tomentosum
LygodiumscandensSwartz.	- verticillatum L. C
, C	- virgatum L. C
Hydroglossum scandens	— Vulneraria Dumont. de
. W.	Cours. D
· · · · · · · · · · · · · · · · · · ·	M.
	Y1.
Madia mellosa W.	Mahernia diffusa Jacq. D
- viscosa Cav. A	Hermannia diffusa L.
Magnolia acuminata L. D	— glabrata Jacq. — D
discolor Jard. de la	
	Hermannia glabrata L.
Malm. D	- odorata Andr. D
obovata W.	— — β . incisa Pers. D
purpurea Curt.	Hermannia ve-
- fuscata Curt. D	sicaria Cav
- glanca L. D	pinnata Cav
- grandiflora L. D	- verticillata Thunb. D
— B. obovata Ait.	M. verticilluta et pin-
— y. lanceolata	nata L.
Ait.	Malachra alceaefolia Jacq
- tripetala L. D	· Ā
~	•

Malachra capitata L. A	Mulya manritiana L. A
Sida hirta Brown.	— microcarpa Pers. A
*Malaxis Loeselii Sw. C	— miniata W. D
Ophrys Loeschi L.	*_ mechata L. C
- paludosa Fl. dan.	- nicaeensis All. A
Malope malacoides L: A	- parviflora Jacq. A
Malpighia equifolia Cav. D	peruviana L. A
- coccifera Cav. D	*— rotundifolia L. A
_ glabra Cav. D	- scabra W. D
- glandulosa L. D	- sherardiana L. D
- macrophyllaHerb. Juss.	- stipulacea W. A.
D	- stricta Jacq. A
- nitida Cav. D	*_ sylvestris L. A
- punicifolia W. D	- trifida W. A
- urens L. D	- umbellata Cav. D
— — B. angustifolia	- verticillata L. A
 — β. angustifolia — γ. latifolia 	- virgata W. D
Malva abutiloides L. D	Maranta arundinacea W.
- aegyptia L. A	- lutea W. En. C
*— Alcea L. C	Mariscus elatus Vahl. C
— americana L. A	Kyllinga incompleta
- angustifolia Ait. D	Jacq.
— asperrima Jacq. D	- umbellätus Vahl. C
- balsamica Jacq. D	Kyllinga umbellata W.
— borbonica W. D	Scirpus cyperoides Mant.
- brasiliensis H. Par. D	Marica Northiana Ait. C
- capensis Car. D	Moraca Northiana Andr.
- caroliniana L. A	- vaginata Redouté.
- coromandeliana L. A	Iris Northiana Pers.
- crispa L. A	Ferraria elegans Salisb.
- decumbers W. En. C	Marrubium acetabulosum
- divaricata Andr. D	L. C
— elegans Jacq. D	- africanum L
- fragrans Jacq. D	— ailine Horn. C
capelists v. L.	- Alyssum Vahl. C
- flexuosa Dec. Cat. A	- apulum Tenor. C
- gangetica L. A	- astracanicum Jacq. C
- grossulariaefolia W. D	- candidissimum W. C
capensis &. L.	- carthaginense W. C
- lactea Ait. D	- catariaefolium Lam. C
— Imensis L.	- cinercum W. En., C

Marrubium:	Medicago carstiensis Jacq.
crispum Pers.	A
- creticum W.	- catalonica Schranck.
paniculatum Enc. Bot.	plant. rarior. A
peregrinum B. L.	- caspica Fisch. A
- hirsutum W. C	- ciliaris L. A
- hispanicum L. C	- confinis Koch.
- leonuroides W. C	— circinata L. A
- peregrinum L. C	Hymenocarpus circinna-
- pseudo-Dictannus - L.	tus W. En.
D	— coronata W. · A
- supinum L C	— cretacea W. En. D
*— vnlgare L. C	fruticans Hnrnem.
germanicum Schranck.	— denticulata W. A
Cat.	- distans Poiret. A
*Marsiloa quadrifolia L. C	— echinus Dec. A
Martynia annua L. A	intertexta All.
proboscidea W.	- elegans Jacq A
alternifolia Lam.	rugosa Lam
Proboscidea Iussieui.	★ — falcata L. C
Smith.	<u> </u>
Martricaria apetala H. Erf.	— glomerata Dec. C
G	glutinosa M. R C
- capensis Thunb. C	- graeca W. En. A
Cotula capensis L.	- granadensis W. En. A
*_ chamomilla L. \ A	- helix W. A.
- pusilla W. En. C	— hirsuta Horn. A
Maurandia antirrhiniflora	aculeata Gaertn.
W. C	- intertexta W
- semperflorens Jacq. C	- intermedia Besser. C
Usteria scandens Cav.	- laciniata W A.
Medeola asparagoides L.	— littoralis w. En. A
D	*- lupulina W A
MyrsiphyMum asparago-	— maculata W. A
ides W.	- marginata W. A
Medicago aculeata W. A	— marina L. C
— apiculata W. A	*— minima Lam. A
coronata Gaerin.	— mollissima Roth. A
— applanata W. En. A	- murex W. · A
- arborca L. · D	- muricata W A
- arenaria Tenore A	- nigra W. 'A

•	
Medicago obscura W. A	Melaleuca stypholioides
_ orbicularie W. · A.	Smith. D
— ovata H. Erf. A	obliqua Hortul.
— paradoxa Spr. A	- themifolia Smith. D
- polycarpa w. Lu. A	calycina Cav.
- prostrata W. C	coronata Andr.
- pubescens W. En. A	gnidiaefolia Vent.
- radiata L. A	Metrosideros calycina
- rigidula W. A	Cav.
*_ sativa L. C	- trinervia Smith. D
- scutellata L. A	_ viridiflora Smith. D
- strumaria H. Erf. A	Metrosideros Leucaden-
- terebellum W. A	dron B. L.
— tornata W. A	quinqueners ia Cav.
- tortuosa Schw. A	Melampodium longifolium
— tribuloides Lam. A	Brouss. A
- tuberculata W. A	Melastoma cymosa W. D
ı — turbinata W. A	corymbosa Curt.
uncinata W. A	Melia Azedarach L. D
Mclaleuca armillaris Smith.	- sempervirens Swartz. D
D	Azedarach B. L.
alba, Hortul.	Melianthus comosus Vahl.
ericifolia Curt.	D
Metrosideros armillaris	— major L. D
Cav.	Melica altissima L. C
decussata Brown: D	sibirica Lam.
densa Wendi, Cat: 1)	- aspera Desf. C
- diosmaefolia Brown. D	saxatilis Smith.
— fulgens Brown. D	nutans Bertol.
- hispida Wendl. Cat. D	- Bauhini All. C
- hypericifolia Smith. D	setacea Pers.
myrtifolia Hortul.	*— ciliata L. C
- Janigera Wendl. Cat. D	*— coerulea I
— linarifolia Smith. D	Aira atrovi
hyssopifolia Cav.	- pyramidali. ch. et R.
- myrtifolia Vent. D	C
- nervosa H. Cels. D	*— nutans L. C
— nodosa Smith. D	montana Huds.
Metrosideros nodosa	*— uniflora Retz.
Cav.	Lobelii Vill.
- pulchella Brown. D	nutans Pell.

Melilotus altissima W. B	Melochia corchorifolia L
- coerulca W. En. A	•
Trifolium M. coerulea	- pyramidata L I
L.	Melothria pendula L. A
- connata Bernh. B	scandens Brown.
— cretica w. En. A	Menispernum canadense
Trif. M. cretica L.	L. D
*_ dentata W. En. A	- carolinianum L. D
Trif. dentatum W.Sp.	- virginicum L
indica W. En. A	Mentha agrestis Hoffm. C
Trif. indicum W. Sp.	*— aquatica L. C
- italica W. En. A	hirsuta Smith
Trif. italicum w. Sp.	*— arvensis L.
- Kochiana W. En. A	- austriaca Jacq. C
- macrorhiza W. En. C. Trif. macrorhizum Kit.	- cervina L.
Trif. macrorhizum Kit.	- citrata Ehrh.
- mauritanica W. En. A	odorata_Smith.
Trif. mauritanicum W.	— crispa Ł.
Sp.	- crispata W.
— messanense W. En. A	- dentata W.
Trif. messanense W. Sp.	* gentilis L.
*— officinalis W. En. A	— glabrata Vahl.
Trif. officinale W. Sp.	— incana W. En. C
- ornithopodioides W.	- laevigata W. En. C
Trif. ornithopodioides	- layandulacea W. En. C
W. Sp.	- niliaca W
— palustris Kit. B	— nemorosa W C
*- Petitpierreana W. En.	suaveolens Ehrh. C
- polonica W. En. A	sylvestris fl. Dan
Trif. polonicum W. Sp.	- piperita L.
- rugulosa W. En. A	- pubescens W. En.
Trif. in cum a Mr. Sn	- pubescens W. En. *— Pulegium L. — C *— rotundifolia L. C
Trif. iv cum β. W. Sp. — tauri E. Erf. B	*— rotundifolia L. C
*_ vulgares W. En. B	*— rubra Smith. C
Trif. officinale &. W. Sp.	*_ sylvestris L C
Melissa cordifolia Pers. C	— undulata W. En C
— fruticosa L. D	*— viridis L. C
— fruticosa L. D — officinalis L. C Melittis Melissophyllum L.	Menzelia aspera W. D
Melittis Melissophyllum L.	*Menyanthes nymphoides
C	L. C

Menyanthes !	Mesembryanthenaum com-
Waldschmidia nymphoi-	pactum Ait. D
des Weigg.	compressum Hortul.
Schweykerta aquatica	- conspicuum H. Salm.
Gmel. fl. Bad.	D .
- ovata L. Suppl. C	- cordifolium Ait. 7 B
Villaria ovata Vent.	- corniculatum Haw. D
*_ trifoliata L. C	diversiphytlum B. W.
Mercuriclis ambigua W. A	En.
*_ annua L. A	- crasifolium Haw. D
*— perennis L. C	- cristallinum L. A
- tomentosa L. D	cruciatum Haw. D
Mesembryanthemum acina-	- deflexum Haw. D
ciforme L. D	— deltoides L. 7 D
- aduncum L. D	— deltoides L. D — domissum Haw. D
- aequilaterum Haw. D	- densum Haw. D
— albidum L. D	- difforme Haw. D
— anomalum Salm. D	- diminutum W. En.
- aurantiacum W. En. D	suppl. D
- aureum Haw. D	- diversifolium W. En.
- australe Pers.' D	D
- barbatum Haw. D	diversiphyllum Haw.
β. hirsutum Haw.	corniculatum B. W.
stellatum Doo	dolabriforme L. D
- 2. majus.	- echinatum Haw. D
- bellidistorum Haw. D	- fl. lutco Haw.
- bicolorum W. D	— fl. albo Haw.
coccineum Haw.	- edule L. D
- bracteatum Ait. D	- emarginatum Haw. D
- brevifolium Haw. D	- erigeriflorum Jacq. D
- calamiforme Haw. D	- expansion Haw. D)
acaule Haw.	_ falcatum Haw. D
— caninum Haw. D	— felinum Haw. D
ringens β. caninum L.	· ringens L.
- carneum Haw. D	felinum & ringens L.
- canaliculatum Haw. D	— fissum H. Salm. • D
- caulescens Haw. D	— filamentosum L. D
deltoides y. caulescensL.	— floribundum Haw. D.
— ceratophyllum W. En.	- foliosum L. D.
— ceratophynum w. Em.	— forficatum L. D
- clavatum Pers. D	— geniculiflorum Haw. D
- Clayacum I Clo. D	Seniculinorum maw. D

	Mesembryanthemum gla	u-	Mesembryanthemum pa	1 —
		D		D
		D	β. flore rubr	о.
	- grossum Pers.	D	- patens W. En. supp	ol.
	- grossum Pers. - Haworthii W.En.supp	ıl.	•	D
		D	— perfoliatum Haw.	D
	- heteropetalum Haw.	ر _D	uncinatum Bperfolia	;- -
1		D	tum W.	
•		D	- pinnatisidum Ait.	A
	— _ β. pallidum Hav	v.		D
		D		D
	- includens Andr.	D		D
	- insititium W. En.	\mathbf{D}		D
	croccum Jacq.	•	- relaxatum W. En.	
	- junceum Haw.	L a	· _)
	aphyllum H. Vindob.			D
		D		D
		D		D
		D		D
		\mathbf{D}	\(\rho \) minus.	
	linguaeforme B. L.			\mathbf{q}
		D		D
		C	0 1 111 1	D
	· · · · · · · · · · · · · · · · · · ·		aduncum Jacq. fragm.	_
	_ longum Haw.	5	- semidentatum H. Saln	1.
	linguacforme S. L.	_		D
		D		Ď
		Ĉ	serratifolium Hortul.	
	-	Ď	- serrulatum Haw. I)
		$\bar{\mathbf{D}}$)
1		$\bar{\mathbf{D}}$		D
•		_		D
		\vec{a}		D
	- mustellimum H. Sala	n.		D
		Ď		D
	- mutabile Haw.	D		D
	- nitidum W. En. supp			D
		$\tilde{\mathbf{D}}$	- subulatum Wendl. Ca	t.
1		D		Đ
•		C	- subrostratum W.	D
•	linguaeforme y L.	-	rostratoides Haw.	
	J J		• • • • • • • • • • • • • • • • • • • •	

Mesembragathemum tenel-	Mespylus elliptica W. En.
lum Haw. D	suppl. D
- tenuifolium Haw. D	Crataegus ellintica Ait
- testiculatum Haw. D	Crataegus elliptica Ait. — flava W. En. D
— tortuosum Hawing D	Cratacgus flava L.
- Tripolium L. B	*— germanica L. · D
- tuberosum Haw. D	— a. erecta
- umbellatum Haw. D	— — B. diffusa
— uncinatum L. D	— glandulosa W.En.suppl.
- veruculatum Haw. D	D
- villosum Haw. D	M. rotundifolia Ait.
- violaceum Pers. D	Crataegus glandulosa
parviflorum Lam.	Ehrh.
- virgatum Haw. D	- Janguinea Pall.
- viridiflorum Haw. D	— japónica W. D
Mespylus Azarolus W. En.	*- monogyna W. En. D
Crataegus Azarolus L.	Crataegus monogyna
- Aronia W. En. suppl.	Jacq.
Coloiena III E	— — a. fl. rubro.
- Celsiana W. En. suppl.	$ \beta$. fl. pleno albo.
D Chamaamaanulus I D	- γ. fl. pleno car-
- Chamaemespylus L. D	neo.
Crataegus Chamaemes-	 – δ. fol. variegatis
pylus Jacq. — coccinea W. En. D	- e. fructu flavo.
Cratacgus coccinea L.	- nigra W. En. D
- corallina H. Cels, D.	Crataegus nigra Kit.
- cordata W. En. D	- odorata Bosc. D
acerifolia Burgsd.	— Oliveriana Bosc. D
· Crataegus cordata W.	*- Oxyacantha D
Sp.	Crataegus Oxyacantha
*— cotoneaster L. D	— parvifolia W. En. D
- Crusgalli W. En. D	Xanthocarpos L. Suppl.
Crataegus Crusgalli L.	Crataegus parvifolia W.
- lucida Wangenh.	Sp.
— α. splendens	- uniflora Da Bus
— — B. pyracanthifo-	- tomentosa L.
lia	- pectinata W. En. suppl.
— γ. salicifolia	D
linearis, H .	- pentagyna W. En.
Par.	suppl.

Manne lue .	Metrosideros punesceus H.
Mespylus; Crataegus pentagyna	Ceis. D
Kit.	- saligna Smith. D
- prunifolia H. Paris. D	fl. albo.
punctata W. En. D	- scariosa Wendl. D
cuneifolià Ehrh.	- rigida H. Schoenb. D
Cuneifolia Linin	scahra H. Cels?
Crataegus punctata L.	Meum athamanticum Jacq.
- crusgalli Du Roi a. fructu rubro.	A
\beta. fructu flavo.	Athamanta Meum L.
- B. Iructa have,	- Foeniculum Spr. C
DVIIIONA W. Z	Anethum Foeniculum L.
Calpodendron Ehrh.	- heterophyllum Spr. A
Crataegus pyrifolia L.	Acthusa Bunius L.
_ edulis Loddiges Cat.	*_ inundatum Spr. Spec.
tomentosa Du Roi.	umb. C
- pyracancha 2.	Sison inundatum L.
fanacethona w. Lii. D	Sium inundatum Lam.
Crataegus tanacetifolia H. Paris.	Hydrocotyle inundata
H. Paris.	Smith.
- tomentosa W. En. D	- Mutellina Gaertn. et
orientalis Mill. dict.	Spr. C
Messerschmidia fruticosa	Phellandrium Mutellina
L. D	L.
β. angustifolia	
Metrosideros angustifolia	and State College
Smith. D	Anethum segetum L.
Myrtus angustifolius L.	— sibiricum Spr. C. Peucedanum arenarium
Mant.	Hortul.
- corifolia Vent. I)	
glauca W. En. suppl.	Interopus (1 cetas
1)	supinus L. A. Mikania scandens W. D.
_ lanceolata Smith. D	, Mikulita scandias vv
lophanta Vent.	Eupatorium scandens
citrina Curt.	Jacq. <i>★Milium</i> effusum L. C
- linearis Smith. D	Millum Chasan =:
laurifolia Desf. D	
marginata Cav.	
Melaleuca marginata	Gustitutum autor are
L'OBSC:	d. Beauv.
myrtifolia H. Par. I	
_ pinifolia Wendl. I	Mant.

Milium:	Minuartia montana I A
Agrostis ventricosa	Mirabilis dichotoma L. C
Gouan.	- hybrida W. En. C
- lendigera Poiret.	- Jalapa L. A
- panicea Lam.	- Il. luteo.
— rubra Huds. ed. I.	- longistore L. A
Alopecurus ventricosus	Mitchella repens. LD
Huds. Ed. II.,	Mitella diphylla L. C
- multiflorum Schrad. C	Modecca lobata W. En.
arundinaceum Smith.	Suppl. D
Prod.	Mochringia muccosa L. C
Piptatherum_multiflo-	Mollia diffusa W A
rum P. d. Beauv.	Polycarpea teneriffae
Agrostis miliacea	Lam.
Gouan. L.	- latifolia W. En. D
Milium gadiatum H.Gor.	Molina vi scosa Pers C
- paradoxum Schrad. C	Mollugo verticillata L. A
nigrum Lam. teste P. d.	Moluccella laevis L. A
B	- spinosa L. B
Piptatherum parado-	Momordica Balsamina L. A
xum P. d. Beauv.	— Charantia L. A
Agrostis paradoxa L.	- Elaterium L. A
— melanosperma Lam. — vernale M. R C	Monarda altissima W. C
	— ciliata L. C
Agrostis vernalis Poiret. Mimosa pudica L. B D	clinopodia L.didyma L.
- rubicaulis W. D	- didyma L. C
octandra Roxb.	
— sensitiva L. D	— media W. En. C
Mimulus alatus Ait C	fistulosa & mollis W. Sp.
— glutinosus W. D	— oblongata Ait. C
aurantiacus Curt.	— rugosa Ait. C
- guttatus W. En. C	Monetia barlerioides
splendens Hortul.	L'Herit. D
— luteus W. C	Azima tetracantha Lam.
repens fol. ovatis L. Sp.	Monsonia lobata Ait. C
pl.	filia L.
- ringens'W. C.	Geranium anemoi oides
Minuartia campestris W.	Thunb.
A	- speciosa L. C
- dichotoma L. A	Geran. speciosum Cav.
	P

Digitized by Google

*Montia fontana L. AB	Myoporum parvifolium
β. major.	Brown. D
Moraea Thinensis Thunb.C	Myosotis alpestris W. En.
Jxia chinensis L.	C
Pardanthus chinensis	suaveolens Kit.
Ait.	lithospermifolia Horn.
iridioides W. C	odorata Poiret.
Jris moraeoides Pers.	pyrenaica Pourret.
- iriopetala L. Suppl. C	rupicola Engl. Bot.
Jris plumaria Fersi	*_ arvensis Hoffm. A
Morinda Royoc L. D	annua La Peyr.
Morina persica L. C	scorpioides Desf.
Morus alba L. D	— deflexa Wahleub. B
	Echinospermum defle-
- constantinopolitana Pers D	xum Lehm.
— nigra L. 3	*- lappula L. A.
— ♀ M. laciniata	Echinospermum Lappu-
Hortul.	la Lehm.
	- marginata M. B. A
- rubra L. & et P D - scabra W. En. D	Echinospermum margi-
- scabra W. En. D	natum Lehm.
canadensis Exercises	- nana Suter. C
- tatarica Pall. D	tergloviensis Hacquet.
Mühlenbergia diffusa L. C	- Redowsky Horn. B
Dilepyrum minutiflorum	Echinospermum Redows-
Mich.	ky Lehm.
Murraya exotica Pers. D	*- palustris Roth. C
Musa coccinea W. C	perennis La Peyr.
— paradisiaca L. C	scorpioides Hornem.
- rosacea Jacq. C	- pauciflora Lehm. C
Myagrum aegyptiacumL.A	- sparsiflora Mikan. A
- hispanicum L. A	sepium Cat. Cracov.
- orientale L. A	- squarrosa M. B. A
— perfoliatum A	Echinospermum patu-
- perenne L. C	lum Lehm.
Cakile perennis Ait.	*- sylvatica Pers. C
*_ rugosum L. A	montana Besser.
Cakile rugosa Ait	scorpioides var y. Smith.
Rapistrum rugosum All.	*Myosurus minimus L. A.
- saxatile L. C	Myrica caroliniensis Wan-
Camelina saxat ilio Pere .	genh. D

Myrica:	Myrrhis:
ccrifera &. Mich.	Chacroph. coloratum L.
pensylvanica Duh.	- hirsuta Spr. C
— cerifera L. D	Chaeroph. hirsutum L.
- cordifolia L. D	— maculata Spr. C
- Faya Ait. D	Chaeroph. maculatumW.
— Gale L. D	- monogyna Kit, C
- laciniata Warne D	- odorata Pers. C
quercifolia Jacq. fragm.	Scandix odorata L.
- serrata W. D	* - sylvestris Spr. C
bancksiaefolia Wendl.	Chaeroph. sylvestre L.
- quercifolia L. D	*— temula Spr. B
*Myriophyllum alternislo- rum Dec. C	Chaeroph. temulum L.
rum Dec. C	Myrsine africana Ait. D
*- pectinatum Dec. C	— retusa Ait. D
*— spicatum L. C *— verticillatum L. C	Myrtus communis a. ma-
*— verticillatum L. C	crophylla L. D
Myrrhis aromatica Spr. C	— — «. Iusitanica
Chaerophyllum aromati-	— β. angustifolia
cum L.	- 2 flore pleno
*_ aurea Spr. C	- 5. fol. variegatis
Chaeroph. aureum L.	— communis b. minor
*— bulbosa Spr. C	— α. acuminata
Chaeroph. bulbosum L. — canadensis Sor. C	$ \beta$ microphylla $ \gamma$ fol. variegatis
— canadensis Spr. C Sison canadense L.	— — 2. fol. variegatis — disticha Swarts D
— cicutaria Spr. C	horizontalis Vent.
Chaeroph.cicutariumVill.	— Pimenta L. D
— colorata Spr. C	- tomentosa Ait. D
Colorada Spi	- 10410111034, 1211.
$oldsymbol{\Gamma}$	V.
War A	27 - 1 1 X
*Najas marina L. A	Narcissus odorus L. C — poeticus L. C
monosperma W.	r
* β . minor	- pseudo-narcissus L.
Napaca laevis L. C	- Tazetta L. C
Sida Napaca W. — Scabra L. C	Transco billiota 11.
	Nemesia chamaedrifolia Vent. C
Sida dioica Wild. Narcissus biflorus L. C	Antirrhinum macrocar-
— Jonquilla L. C	pum W.
— moschatus L. C	- Scabrum Thunb.

Nemesia foetens Pers.	A	Nepcta:
Neottia repens W.	C	longiflora Sims.
Satyrium repens L.		- melissaefolia W. C
Goodyera repens Ait.	• `	- multifida L. G
*— spiralis α. W.	C	lavandulacea L. Suppl.
Ophrys spiralis L.		lobata Rudolphi.
Spiranthes autumnal	is	- multibracteata W. C
Rich.		- Nepetella L. C
*- spiralis β. W.	C	— nuda L. C
Spiranthes aestivalis	3	
Rich.		— reticulata Desf. C
Nepeta antethystea H. P.	ar.	- tuberosa L. C
2100000	C	— ucranica L C
- angustifolia Vahl.	C	- pannonica L. C reticulata Desf. C tuberosa L. C ucranica L. C violacea L. C.
arragonensis Lam.		Nerium Oleander L. D
- botryoides Ait.	A	— — fl. albo
annua All.		— — fl. carneo
bipinnata Cav.		— fl. pleno
multisida L. Suppl.		- fol. variegatis
*— cataria L.	C	- coronarium Ait. D
- coerulea Ait.	, C	Tabernaemontana coro-
- citri-odora Balb.	\mathbf{C}	naria W. En.
- colorata W. En.	\mathbf{C}	- grandiflorum n. Sp. D - splendens H. Breffer. D
melissa folia Pers.		- splendens H. Breiter. D
— crispa W.	C	- Zeylanicum W. D
racemosa Lam		Nicotiana crispa Pers. C
_ graveolens Vill.	C	plumbaginifolia-Wivian
Nepetella All.		<u>fragrans H. Erf.</u> A
_ grandiflora M. B.	C	— fruticosa L. D
incana Ait.	C	- glutinosa L. A
teucrioides Lam.		- gigantea H. Gor. A
— italica L.	C	_ latissima Mill. A
lanata Jacq.	C	- macrophylla W. A
- lanceolata Lam.	. C	- paniculata L. A
_ latifolia Dec.	C	- pusilla L. A
- longillora Vent.	C	- quadrivalvis Pursh. A
salviaefolia Pers.		- rustica L. A
argentea Hort. Par.	_	\(\beta \). pumila
- macroura Bernh.	Č	
- marrubioides W. En.		— Tabacum L. A
- Mussini M. B.	C	— — B. hungaricum

Nicotiana undulata Vent. A *Nigella arvensis L. A — damascena L. A — \(\theta \) coarctata Nigella coarctata Nigella coarctata Orientalis L. A — sativa L. A — semine nigro — semine albo Nissolia fruticosa W. D Nocaea mollis Jacq. A Nolana prostrata L. A	Nolana: gallinacea Pers. Neudorffia peruviana Adams: Teganium procumbens Schnidt. Nymphaea alba L. C. — coerulea W. En. C. stellata W. Sp. — Lotus Kit. C. *— lutea L. C. Nuphar lutea Smith. Nyssa biflora W. aquatica Pers. integrifolia Ait.
	\
C	<i>)</i> .
Ochroma Lagopus W. D Bombax pyramidale Cav. Ocymum album W. A — Basilicum L. A — a. anisatum — a. nigrum — b. nigrum — bullatum Lam. A — a. laciniatum — bullatum Lam. A — a. laciniatum — cranthum W. A — micranthum W. A — a. nigrum — a. nigrum — a. nigrum	Odontites: Bupleurum odontites L. semicomposita Spr. A Bupleurum semicompositum L. tenuissima Spr. A Bupleurum tenuissimum L. Oedera prolifera L. D Buphthalmum capense Berg. Oenanthe apiifolia Brot. C crocata W. C fistulosa L. C globulosa L. C
— monachorum W. A. — pilosum W. En. A. — polystachyon L. A. — sanctum W. A. — tenuiflorum Pers. A. — thyrsiflorum W. A. — viride W. En. A. Odontites luteola Spr. A.	*— peucedanifolia Poll· et Spr. C Pollichii Gmel. fl. Bad. patcns Moench. filipendulaidas Thuill. peucedanoides Roth. *— pimpinelloides L. C Lachenalii Gmel. fl. Bad.

- 1 110 - 0	
Oenanthe prolifera L. C	Ononis antiquorum L. C
*Oenothera biennis L. B	spinosa B. antiquorum
— capensis Sp. nova A B	Pers.
- fruticosa W. C	— Columnae All. , C
- gauroides W. B	minutissima Jacq.
- grandiflora Ait. B	parviflora Lam.
_ linearis W. En. D	subocculta Vill.
— longiflora Jacq A B	- crispa L. D
— mollissima L. A	- fruticosa L. D
muricata L. A B	- hircina Ait. C
- nocturna L. A	altissima Lam.
- odorata Jacq. C	foetens All.
undulata Donn.	minutissima L. A
_ parviflora L. B	barbata Cay.
_ pumila L. C	saxatilis Lam.
- purpurea Curt. A	trifolia Sauv.
_ rosea W. C	— mitissima L. A
purpurea Enc. Bot.	*_ mitis Gmel. C
rubra Cav.	arvensis Roth.
- sinuata L. A	- Natrix L. C
repanda Medicus.	— pallida W. En. A
— suaveolens Pers B	- pinguis L. C
_ spectabilis Bernh. C	— pinguis L. C — ramosissima Hornem. C
_ tetraptera Cav. B	
mutabilis Pers.	
	— repens L. &
	- rotundifolia L. D
Olea capensis Ait. D	*_ spinosa L. C
— β. undulata W.D	
Olea Unaulata	*Onopordon Acanthium
Ait.	\mathcal{L}_{B}
- emarginata Lam. D	- acaule L. B
- europaea L. D	- arabicum L. B
— B. latifolia Ait.	- graecum L. B
- 2, buxifolia Ait.	- gratum Besser. Cat. B
— excelsa Art. D	- illyricum L. B
- fragrans L. D.	- macrocanthum W. B
- maderiensis H. Cels. D	- tauricum W. B
- microcarpa Vahl. D	- virens Dec. B
rigida H. Cels.	- viscosum Schrad. B
Onoclea sensibilis L. C	Onosma arenaria Kit. B C
Ononis alopecuroides L. A	* echioides L. C

Onosma stellulata Kit. C	*Orchis mascula L. C
- tauricum W.E n. suppl.	*— militaris L. C
Ç_D	*— morio L. C
*OphioglossumvulgatumL.	— nigra Swartz. C
Ophrys alpina L. C	Satyrium nigrum L.
Chamorchis alpina Rich.	Nigritella angustifolia
*- anthropophora' L. C	Rich.
Aceras anthropophora	- odoratissima L. C
Ait.	Gymnadenia odoratissi-
Loroglosum anthropo-	ma Rich.
phorum Rich.	- pallens L. C
*_ arachnites Jacq. C	*_ palustris Jacq. C
- corallorrhiza L. C	- provincialis Balbis. C
Cymbidium corallorrhi-	*— pyramidalis L. C
zum W.	Anacamptis pyramida-
Corallarrhiza innataAit.	lis Rich:
- Halleri Rich.	*— sambucina L. C
*_ monorchis L. C	*— ustulata L. C
Herminium monorchis	- variegata All. C
- Ait.	Simia Vill.
* myodes Jacq. C	* viridis W. C
Orchis albida W. C	Satyrium viride L.
Satyrium albidum L.	Habenaria viridis Rich.
Habenaria albida Ait.	Gymnadenia viridisRich.
Gymnadenia albidaRich.	Oreoselinum polymophum
*_ bifolia L. C	Spr. Cat. C
Habenaria bifolia Ait.	Origanum creticum L. C
Platanthera bifotiaRich.	— Dictamnus L.
*— conopsea L. — C	- var. latifolia
Gymnadenia conopsea	- heracleoticum L. C
Ait.	- lineare Gmel, Cat. D
*— coriophora L. C	- Majorana L. A.
*— fusca Jacq. C	- majoranoides W. C
militaris B. L.	— Onitis L. ● D
— globosa L. · · · C	_ pallidum Desf. C
*— hircina W. · C	- syriacum L. D
Satyrium hircinum L.	*_ vulgare L. C
Loroglosum hircinum	Ornithogalum bohemicum
Rich	w. C
L. C	- caudatum Ait. C
- maculata L C	- comosum Pers. G

*Ornithogalum luteum	L.	Orobus pauciflorus I	I.
· ·	C	Pesth.	C
pratense Pers.		— setiformis Lam.	C
_ narbonense L.	\mathbf{C}	- sylvaticus L.	\boldsymbol{c}
★ — nutans L.	\mathbf{C}	Vicia cassubica Fl. D	au.
_ pyramidale L.	\mathbf{C}	*_ tuberosus L.	C
_ pyrenaicum L.	\mathbf{C}	— varius W. En.	C
- rupestre L.	\mathbf{C}	versicolor Gmel. Syst	i.
— scilloides Jacq.	\mathbf{C}	*- vernus L.	С
- stachvoides Ait.	C	Orontium japonicum W.	\boldsymbol{C}
*_ sylvaticum W. En.	. C	Oryza sativa L.	Ą
luteum Fl. dan.		β. mutica	
luteum B. sylvaticum	w.	Oryzopsis asperifolia Mic	ch.
Sp.		Osmunda Lunaria L.	C
_ thyrsoides Pers.	Č	Botrychium Lunaria	
*_ umbellatum L.	\boldsymbol{c}	Swartz.	
_ uniflorum W.	\boldsymbol{c}	— regalis L.	\boldsymbol{c}
*_ villosum W. En.	C	*- rutacea	\boldsymbol{c}
minimum L.		Botrychium rutaceur	m
arvense Roth.		w	
Ornithopus compressus	L.	*_ Struthiopteris L.	G
	A.	Struthiopteris germ	ıa-
- durus Cav.	\boldsymbol{c}	nica W. En	
_ chracteatus Pers.	A	Osteospermum coerule	um
durus Dec.			
nudiflorus Lagasc.	<u>.</u> ~,	pinnatifidum L'Herit	
- heterophyllus Brot.	A	- moniliferum W.	D
repandus Pers.		- pisiterum L.	D
*— perpusillus L.	A	Othonna Athanasiae Jac	
_ sativus Brot.	A		\boldsymbol{D}
_ scorpioides L.	A	- coronopifolia L.	D
Orobus albus L.	C	- crassifolia L.	D
pannonicus Jacq.		- denticulata Ait.	D
tenuifolius Roth.	_	- frutescens L.	D
	. C	- lateriflora L.	D
_ canescens L.	C	- pectinata W.	D
filiformis Lam.		- Tagetes L.	A
- lathyroides L.	C	- tenuissima Jacq.	D
- laevigatus Kit.	\boldsymbol{c}	*Oxalis Acetosella L.	C
_ luteus L.	PC	- amoena Jacq.	C
≠— niger L.	C	- asinina Jacq.	C
		-	

Oxalis caprina Jacq.	C	Oxalis quinata Jacq. C
pes-caprae L.	- 1	- reptatrix Jacq. C
- fl. pleno.		- rosca Jacq. C
— cernua Jacq.	c	chilensis Pers
- corniculata L.	<u>A</u> /	- rubella Jacq. C
- elongata Jacq.	Ç(*_ stricta W A
- filicaulis Jacq.	ςĮ	- tubiflora Jacq. C
— Habelitolia Jacq.	C	- versicolor Jacq. C
- hirta Jacq.	C	- B. longifolia
- β. hirtella Jaco	ı. I	- violacea L C
sessiliflora L. Ma	nt.	Oxybaphus glabrifolius W.
- incarnata Jacq.	C	C
- lanata Jacq.	$\tilde{\mathbf{C}}$	Mirabilis corymbosaCav.
- leporina Jacq.	č	
multiflore Learn	č	Calymenia corymbosa
- multiflora Jacq.		Pers.
- macrostylis Jacq.	C	- viscosus W. C
- polyphylla Jacq.	C	· Calymenia viscosa Pers.
versicolor Jacq. Colle		Mirabilis piscosa Cay.
— purpurea Jacq.	C	•
T		•
•	T)
•	1) <u>.</u>
Dachwarden programhe	_	· ·
Pachysandra procumbe	ens	Paeonia hybrida Pall. C
Mich.	ens C	Paeonia hybrida Pall. C — laciniata W. C
Mich. Paederia factida L.	ens C D	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C
Mich. Paederia factida L. Paconia albifora Pall.	ens C D C	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L.	ens C D	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo.
Mich. Paederia factida L. Paconia albifora Pall.	ens C D C	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carueo. — tenuifolia L. C
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L.	ens C D C	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L. C Palavia malvifolia Cav. A
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall.	ens C D C	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L. C Palavia malvifolia Cav. A
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait.	ens C D C	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L. C Palavia malvifolia Cav. A Malope parviflora L'Her.
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr.	ens C D C C	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L. C Palavia malvifolia Cav. A Malope parviflora L'Her. Panax aculeatum Ait. D
Mich. Paederia faetida L. Paconia albitlora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. sup	ens C D C C	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L. C Palavia malvifolia Cav. A Malope parviflora L'Her. Panax aculeatum Ait. D Zanthoxylum trifolia=
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborca Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. suppapayeracea Andr.	ens C D C C	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L, C Palavia malvifolia Cav. A Malope parviflora L'Her. Panax aculeatum Ait. D Zanthoxylum trifolia= tum L.
Mich. Paederia faetida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. sup papaveracea Andr. — corallina Retz.	ens C D C C	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L, C Palavia malvifolia Cav. A Malope parviflora L'Her. Panax aculeatum Ait. D Zanthoxylum trifolia= tum L. Pancratium amognum W.
Mich. Paederia faetida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. sup papaveracea Andr. — corallina Retz. integra Murr.	ens C D C C D	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L, C Palavia malvifolia Cav. A Malope parviflora L'Her. Panax aculeatum Ait. D Zanthoxylum trifolia= tum L. Pancratium amognum W.
Mich. Paederia faetida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. sup papaveracea Andr. — corallina Retz. integra Murr. — daurica Ait,	ens C D C C	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L. C Palavia malvifolia Cav. A Malope parviflora L'Her. Panax aculeatum Ait. D Zanthoxylum trifolia= tum L. C Pancratium amoenum W. declinatum Pers.
Mich. Paederia faetida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. sup papaveracea Andr. — corallina Retz. integra Murr. — daurica Ait, rotundifolia Hortul.	ens C D C C D	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L. C Palavia malvifolia Cav. A Malope parviflora L'Her. Panax aculeatum Ait. D Zanthoxylum trifolia= tum L. Pancratium amoenum W. declinatum Pers. — fragrans W. C
Mich. Paederia faetida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. sup papaveracea Andr. — corallina Retz. integra Murr. — daurica Ait, rotundifolia Hortul, triternata Pall.	ens C D C C C D	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L. C Palavia malvifolia Cav. A Malope parviflora L'Her. Panax aculeatum Ait. D Zanthoxylum trifolia= tum L. Pancratium amoenum W. declinatum Pers. — fragrans W. C
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. sup papaveracea Andr. — corallina Retz. integra Murr. — daurica Ait, rotundifolia Hortul, triternata Pall. — humilis Retz.	ens C D C C D	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L. C Palavia malvifolia Cav. A Malope parviflora L'Her. Panax aculeatum Ait. D Zanthoxylum trifolia= tum L. Pancratium amoenum W. declinatum Pers. — fragrans W. C — illyricum W. C littorale W. C
Mich. Paederia faetida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. sup papaveracea Andr. — corallina Retz. integra Murr. — daurica Ait, rotundifolia Hortul, triternata Pall.	ens C D C C C D	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L. C Palavia malvifolia Cav. A Malope parviflora L'Her. Panax aculeatum Ait. D Zanthoxylum trifolia= tum L. C declinatum amoenum W. declinatum Pers. — fragrans W. C — illyricum W. C
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. sup papaveracea Andr. — corallina Retz. integra Murr. — daurica Ait, rotundifolia Hortul, triternata Pall. — humilis Retz.	ens C D C C C D	Paeonia hybrida Pall. C — laciniata W. C — officinalis L. C — fl. pleno purpureo — fl. pleno carneo. — tenuifolia L. C Palavia malvifolia Cav. A Malope parviflora L'Her. Panax aculeatum Ait. D Zanthoxylum trifolia= tum L. Pancratium amoenum W. declinatum Pers. — fragrans W. C — illyricum W. C littorale W. C

Pancratium quadelupense	Panicum:
H. Würtzb. C	Pennisetüm glaucum R
- speciosum W. C	Brown.
caribaeum Bot. Mag.	Setaria glauca Sch. et R.
formosum Hortul.	- holcoides Roxb.
- zevlanicum L. C	hirtellum Schrad. A
tiaracflorum Salisb.	undulatifolium Gaud.
Panicum attenuatum W.	Burmanni Schleich.
En. A.	Oplismenus undulatifo-
- alitssimum Decand. A	lius Sch. et R.
capillare L. A	- intermedium Horn. A
— clandestinum L. C	Echinochloa intermedia
— colonum L. A	Vahl.
Oplismenus colonus	italicum L.
Humb, et Bonp.	Pennisetum italicum R.
— coloratum L. A	Brown.
- Crus-Corvi L. A.	Setaria italica Sch. et R.
Echinochloa crus-corvi	- latifolium L. C
Sch. et R.	
*— Crus-galli L A	altissimum H. Pavis.
Echinochloa Crus-galli Sch. et R.	coloratum 6. Lan. polygamum Swartz.
	- miliaceum L. A
 divaricatum W. echinatum W. En. 	_ semine nigro
muricatum Horn.	- plicatum W. En.
Echinochloa echinata	- scaberrimum Lagasca.
Sch. et. R.	- stagninum W. A
- erythrospermum Horn.	oryzinum 6mel. Syst.
A	Echinochloa stagnina
Echinochloa erythrosper-	Sch. et R.
ma Sch. et R.	*- verticillatum L. A
- fluitans Retz. A	asperum Lam.
fuscum Swartz. A	Setaria verticillata Sch,
— geniculatum W. C	et R.
. Penvisetum genieulatum	*— viride W. A
Jacq.	crus-galli Fl. Dan.
Setaria geniculata Sch.	cynosuroides Scop.
et R.	germanicum Host.
*_ glaucum A	laevigatum Lam.
lutescens Weigel.	Setaria viridis Sch. et
flungerane Moonch	Roem

Papaver alpinum L.	¢	Paspalus:	
*_ argemone L.	A	Milium latifolium C	a♥.
- cambricum L.	\underline{c}	- tenellus H. Par.	4
— caucasicum M. B.	В	elegans Flügge.	
*— dubium L.	A	pubescens Hortul.	_
- hybridum L.	A	Passerina filiformis L.	D
- membranaceum Flügg	ge	- hirsuta Vahl.	D
	C	- spicata W.	\mathbf{a}
<i>chinense</i> Hortul.		lateriflora Wendl.	
_ nudicaule L.	В	Passiflora Adianthum	w.
- orientale L.	\boldsymbol{C}	En.	D
*_ Rhoeas L.	A	glabra Wendl.	
fl. pleno		- alata Ait.	D
setigerum H. Erf.	\mathbf{B}	- angustifolia W.	D
- sommirerum L.	A	heterophylla Jacq.	
fl. pleno		longifolia Lam.	
Parietaria cretica L.	A	- caracasana lacq.	D
- judaica L	\boldsymbol{c}	— ciliala Ait.	\mathbf{D}
→ _ officinalis L.	\boldsymbol{c}	- coerulea L.	D
- pensylvanica W.	Ά	- cuprea Jacq.	D
* Paris quadrifolia L.	$\boldsymbol{\mathcal{C}}$	- foetida L.	A
*Parnassia palustris L.	$\boldsymbol{\mathcal{C}}$	- glauca Ait.	D
europaea Pers.		stipulata Aubl.	
Parthenium Hysteropho		- heterophylla Lam.	. C
	A	- hirsuta Ait.	\mathbf{D}
- integrifolium W.	\boldsymbol{c}	- holoséricea Cav.	\mathbf{D}
Pascalia glauca W. En.	\boldsymbol{c}	- incarnata Jacq.	C
Paspalus membranace	us	- laurifolia L.	D
Flügge.	$\boldsymbol{\mathcal{C}}$	_ lunata Smith.	D
elegans Hortul.		biflora Cav.	
Ceresia elegans Pers.		- lutea L.	\boldsymbol{c}
	A	- maliformis Jacq.	\mathbf{D}
scrobiculatus Flügge.		— mexicana Pers.	\mathbf{p}
orbiculare Forst.		- minima L.	D
- patulus Hornem.	\boldsymbol{c}	- Murucuja Cav.	D
- setaceus Flügge.	\boldsymbol{c}	Murucuja ocellata Pe	rs.
pubescens W. En.	•	- normalis W.	D
dissectum Walth.		— patula_Wendl.	D
stolonifer Bosc.	V.	- pedata W.	D
racemosus Jacq.		- perfoliata W.	D
purpureus Fl. peruv.		Marnouja Mill. dict.	

Passiflora punctata W. D	Pedicularis tuberosa W. C
- quadrangularis W. D	- verticillata L. C
quadrangularis W. D. rotundifolia W. D	Peganum crithmifolium
- rubra Jacq. D	Retz. D
- serratifolia W. D	- Harmala L. C
- suberosu W. D	Pelargonum ahrotanifoli-
- tuberosa W D	um Jacq. D
	Geraniuni abrotunifol.
picta Hortul. — vespertilio Cav. D Pastinaca lucida L. B	L. Supple
Pastinaca lucida L. B	L. Supple — acerifolium Ait. D
- opaca Bernh. B	Geranium citriodorum
- opoponax L. et Spr.	Cav.
Prodr. C	- acerosum H. Belved. D
Ferula Opoponax Spr.	- acetosum Ait. D
Sp. umb.	— fol. vartegatis
Laserpitium Chironium	— adulterinum Ait. D
Gouan. Pers.	- alchimilloides Ait. D
*— sativa L. B	- alternans W. D
Paulinia carucasana Jacq.	- althaeoides W. 1)
Ď	— amplissimum W. Ei.
Seriana caracasana Pers	suppl. A
— laciniata Wendl. D	distantifolium Hortul.
- mexicana L. D	— — flore rub ro .
Scriana mexicana Pers.	- anceps Ait.
— pinnata Jacq. — D	- angulosum Ait.
Paronia praemorsa W. D	Geranium acerifolium
cuneifolia Cav.	Cay.
Hibiscus praemorsus L.	- asperum W. D
- spinifex W. D	- australe W. D
Hibiscus spinifex L.	- balsameum Jacq. D
— β. aristata Cav.	- B. latifolium.
_ υ	- Barringtonii W. En. D
Pedicularis adscendens	- Beaufortianum Pers. D
Schl. C	- betonieum H. Belved. D
- atrorubens Schl. C	— betulinum Ait. D
- foliosa L. C	- β. latifolium.
- incarnata L. C	- bicolor Ait. D
- palustris L. A - recutita L. C	- blandum H. Belved. D
	- blattarium Jacq. D
and the second s	tomentorim Bot. Rep.
- sylvatica L. A	- brachiatum Hortul. D

A	***
Pelargonium Burmanni W.	Pelargonium:
D	hamatum Jacq.
- canariense W. C	— fl. albo.
- canum Pers. D	— elegans W. D
Geramam tomentosum	— Dulatum Ait. D
Andr.	davum Ait. C
- capitatum Ait. D	daucifolium Murr.
- carnosum Ait. D	- formosissimumH.Paris.
- citriodorum Hortul. D	D
citrosum Voigt.	formosum H. Cant.
- cochleatum W. En. D	- fragile W. D
concavifolium Hortul.	- fragrans W. H. Berol. D
- conduplicatum w. En.	- fraternum Schranck. pl.
\mathbf{D}	rar. D
- cordatum Ait. D	- fulgidum Ait. D
— β. crispum.	- fuscatum Jacq. D
- coriandrifolium Ait. D	- gibbosum Ait. D
- coronopifolium Jacq. D	- glaucum Ait. D
tricolor & coronopifol.	lanceolatum Hortul.
Hortul.	- glutinosum Ait. D
— cortusaefolium L'Herit.	G. viscosum Cav.
D	— β. laciniatum.
- cotyledonis L'Herit. D	— grandiflorum W. D
- crassifolium Vent. D	gratum W. En. D
- crataegifolium Hortul.	— graveolens Ait. D
- crispum Ait. D	Ger.terebinthinaceumCav.
Geranium hermannifo-	— grossularioides Ait. C
lium L.	- bepaticifolium Spreng.
— . — B. majus.	- hermannifolium Jacq. D
— 2. minus.	— — B. latifolium
— cucullatum Ait. D	- Heritieri H. Vindob. D
$ \beta$. crispum.	- heterogamum Ait. D
- Curtisii Jacq. D	- hirtum W. D
- cynosbatifolium W. En.	pilosum Pers.
D	- hispidem W. D
oxaloides Ait.	- humifusum W. En.
- delphinifolium W. En.D	suppl. D
— denuematum Jacq. D	- hybridnm Ait. D
- diversifolium W. Sp. D	- incanumW.En.suppl. D
paniculatum Dietr. Lex.	- incisum-W. D
- echinatum Curt. D	inquinant Ait. D

Pelargonium inquinans fl.	Pelargonium:
carneo.	retusum Wendl.
- fl. coccineo.	- reniforme W. En. B
— — β. bentinkianum	- revolutum Pers. D
Angle	recurrum Hortul.
- laciniatum Pers. D	_ ribifolium Jacq. D
- lateripes Ait. D	_ rubens W. En. suppl.
- lateripes Ait. D	D
- lateritium W. En. suppl.	- sanguineum W. En.
1 , D	Suppl. D
- lobatum W. C	- saniculaefolium W. D
acaule Ait.	cortusaefolium Jacq.
Ger. tuberosum Cay.	_ scabrum L'Herit_ D
- malvaefolium Jacq. D	- Scariosum Voigt. D
— melananthon Jacq. C	- selinum Andr. C
- monstrosum Ait. D	rapaceum W.
- multicaule Jacq C	- semitrilobum Jacq. D
- multiradiatum W . D	- sīdaefolium W. En. D
apilforium Jacq. Eclog.	- sororium W. En. suppl.
- nobile H. Paris. D	α,,
- nothum W. En. D	- speciosum W. En. D
- obtusifolium H. Belv.	- spectabile H. Belved. D
D	- spurium W. En D
- odaratissimum Ait. D	- stenopetalum W. D
— — \$. frutescens	- superbum Vent. D
- papilionaceum Ait. D	- tabulare L'Herit. C
- Moldeton Ait D	- tenuisolium Ait. D
- penicillatumw.H.Berol.	- ternatum Jacq. D
D	- tetragonum Ait. D
- plicatum H. Belv. D	_ fol. variegatis
- pumilum W. En. D	- tomentosum Jacq. D
- quercifolium Ait. D	- Tormanni Hortul. D
- quinquevulnerum Andr.	- tricolor Curt. D
D	· riolaceum Jacq.
- Radula Ait. D	- tricuspidatum Ait. D
revolutum Jacq.	- tripartitum Willd. D
B. roseum Pers.	trifidum Jacq.
Pelarg. roseum	- triste Ait. D
Hortul.	_ majus.
- ramosissimum W. D	- uniflorum Sessé. D
- reflexum Pers.	- vitifokilla Ait. D

Pelargonium zonale Ait.	Peucedanum:
D	refactum Vill.
s. fl. albo.	officinale Thuill.
β. fl. carneo.	minus Poir.
2. fl. coccineo.	parisiense Dec.
5. fol. variegatis.	- fongifolium Kit. et Spr.
e. marginatum.	C
Peltaria alliacea L. C	tenuifolium Poir.
Clypeola alliacea Lam.	serotinum Pers.
Pennisetum macrochaeton	*_ officinale L. C
Jacq. fil. A	Selinum Peucedanum
- setosum Pers. B	Roth.
Cenchrus setosus Swartz.	Phaca alpina L. C
Panicum alopecuros Lam	— australis L. C
- polystachion L.	australis L.frigida Jacq.C
Phalaris setacea Forsk.	- triangularis Zea. B
Dentanctes Over 1 W Fr	Phalaris aquatica Schrad.
Pentapetes ovata W. En.	Prataris aquatica Schrau.
Brotera ovata Cav.	minor Retz.
	canariensis 3 . Dec.
	— arundinacea L. C
Dombeya phoenica Cav.	Arundo colorata W.
Penstemon campanulatum Cav. C	
, _	Calamagrostis varie-
Chelone campanulata	gata With.
W. — pubescens Ait. C	— — β . picta Leers.
F	Lamogrostis
Chelone Penstemon L.	colorata
*Peplis Portula L. A	Sibthorp.
Glaucoides palustre	- aspera Retz. A.
Mich. gen.	paniculata Ait.
Perilla ocymoides L. A	Chilochloa aspera Sch. et R.
Mentha perilloides Lam.	
Periploca africana L. D	Phleum asperum Jacq.
— graeca L. D	- paniculatum Huds.
Petiveria alliacea L. D	— ventricosum Moench.
Peucedanum alpestre L. et	- viride All.
Spr. C	— bulbosa W.
- arenarium Kit. et Spr.	tuberosa Pers.
	— canariensis L. A.
— gallicum Tourn. et Spr.	ovata Moench.
, G	- capensis Thunb, A

Oenanthe prolifera L. C	Ononis antiquorum L. C
*Oenothera biennis L. B	spinosa B. antiquorum
— capensis Sp. nova A B	Pers.
- fruticosa w. G	_ Columnae All. , C
- gauroides W. B	minutissima Jacq.
— grandiflora Ait. B	parviflora Lam.
_ linearis W. En. D	subocculta Vill.
	- 02 10 pa 220
— mollissima L. A	— 11 a 01000 a 21.
— muricata L. A B	
— nocturna L. A	altissima Lam.
_ odorata Jacq. C	foetens All.
undulata Donn.	minutissima LA
_ parviflora L. B	barbata Cay
_ pumila L. C	saxatilis Lam.
- purpurea Curt. A	trifolia Sauv.
- rosea W. C	- mitissima L. A
purpurea Enc. Bot.	*_ mitis Gmel. C
rubra Cav.	arvensis Roth.
- sinuata L. A.	- Natrix L. C
repanda Medicus.	— nallida W. En. A
- suaveolens Pers B	- pinguis L. C
— spectabilis Bernh. C	
	— ramosissima Hornem. C
— tetraptera Cav. B	— reclinata L. A
mutabilis Pers.	- repens L. &
— villosa W. B	— rotundifolia L. D
Olea capensis Ait. D	*_ spinosa L. C
\(\beta\). undulata W.D	- viscosa L. C
Olea undulata	*Onepordon Acanthium
Ait.	\bar{B}
- emarginata Lam. D	— acaule L. B
- europaea L. D	- arabicum L. B
_ B. latifolia Ait.	- graecum L. B
- 2 buxifolia Ait.	- gratum Besser. Cat. B
— excelsa Ait. D	- illyricum L. B
- fragrans L. D.	- macrocanthum W. B
- maderiensis H. Cels. D	- tauricum W. B
- microcarra Vahl. D	- virens Dec. B
rigida H. Cels.	- viscosum Schrad. B
Onoclea sensibilis L. C	
Ononis alopecuroides L. A.	*_ echioides L. C

Onosma stellulata Kit. C	*Orchis mascula L. C.
- tauricum W.E n. suppl.	*- militaris L. C
C D	*— morio L. C
*OphioglossumvulgatumL.	— nigra Swartz. C
Ophrys alpina L. C	Satyrium nigrum L.
Chamorchis alpina Rich.	Nigritella angustifolia
* anthropophora L. C	Rich.
Aceras anthropophora	- odoratissima L. C
Ait.	Gymnadenia odoratissi-
Loroglosum anthropo-	ma Rich.
phorum Rich.	- pallens L.
*_ arachnites Jacq. C	*— palustris Jacq. C
— corallorrhiza L. C	- provincialis Balbis. C
Cymbidium corallorrhi-	*_ pyramidalis L. C
zum W.	Anacamptis pyramida-
Corallarrhiza innataAit.	lis Rich.
- Halleri Rich.	*- sambucina L. C
*_ monorchis L. C	*— ustulata L. C
Herminium monorchis	- variegata All. C
- Ait.	Simia Vill.
* myodes Jacq. C	*_ viridis W. C
Orchis albida W.	Satyrium viride L.
Satyrium albidum L.	Habenaria viridis Rich.
Habenaria albida Ait.	Gymnadenia viridisRich.
Gymnadenia albidaRich.	Oreoselinum polymophum
*_ bifolia L. C	Spr. Cat. C
Habenaria bifolia Ait.	Origanum creticum L. C
Platanthera bifotiaRich.	— Dictamnus L. D
*_ conopsea L C	— var. latifolia
Gymnadenia conopsea	- heracleoticum L. C
Ait.	- lineare Gmel, Cat. D
*— coriophora L. C	- Majorana L. A.
*— fusca Jacq. C	- majoranoides W. C
mifitaris \(\beta \).	- Onitis L. D
— globosa L. · · · C	- pallidum Desf. C
*— hircina W. C	- syriacum L. D
Satyrium hircinum L.	*_ vulgare L. C
Loroglosum hircinum	Ornithogalum bohemicum
Rich	W. C
*_ ·latifolia L. C	- caudatum Ait. C
* maculata L. · C	- comosum Pers. G

*Ornithogalum luteum L.	Orobus pauciflorus H.
C	Pesth.
pratense Pers.	- setiformis Lam.
— narbonense L. C	- sylvaticus L.
★ — nutans L. C	Vicia cassubica Fl. Dan
- pyramidale L. C	*— tuberosus L.
- pyrenaicum L. C	— varius W. En. C
- rupestre L. C	versicolor Gmel. Syst.
- scilloides Jacq. C	*— vernus L. C
<u>stachyoides Ait.</u> C	Orontium japonicum W. C
*_ sylvaticum W. En. C	Oryza sativa L. A
luteum Fl. dan.	— β. mutica
luteum B. sylvaticum W.	Oryzopsis asperifolia Mich.
Sp.	Osmunda Lunaria L. C
_ thyrsoides Pers. C	Botrychium Lunaria
\star _ umbellatum L. \hat{C}	Swartz.
uniflorum W. C	- regalis L. C
≠_ villosum W. En. C	*_ rutacea C
minimum L.	Botrychium rutaceum
arvense Roth.	W
Ornithopus compressus L.	*_ Struthiopteris L. C
A	Struthiopteris germa-
— durus Cav. C	nica W. En.
- chracteatus Pers. A	Osteospermum coeruleum
durus Dec.	Ait. D
nudiflorus Lagasc.	pinnatifidum L'Herit.
- heterophyllus Brot. A	- moniliferum W. D
repandus Pers.	- pisiferum L. D
*— perpusillus L. A	Othonna Athanasiae Jacq.
_ sativus Brot. A	D
_ scorpioides L. A	- coronopifolia L. D
Orobus albus L. C	- crassifolia L. D
pannonicus Jacq.	- denticulata Ait. D
tenuifolius Roth.	- frutescens L. D
- angustifolius L C	- lateriflora L. D
— canescens L. C	- pectinata W. D
filiformis Lam.	- Tagetes L. A
_ lathyroides L. C	tenuissima Jacq.
- laevigatus Kit. C	
_ luteus L.	_
	- amoena Jacq.
≠— niger L.	- asinina Jacq.

Oxalis caprina Jacq.	C	Oxalis quinata Jacq.	3
pes-caprae L.	1	- reptatrix Jacq.	3.
fl. pleno.	- 1	- rosea Jacq.	C
- cernua Jacq.	C	chilensis Pers	
- corniculata L.	Αl		C
- elongata Jacq.	C		Ā
- filicaulis Jacq.	cl	- tubiflora Jacq.	C
- Ilabelitolia Jacq.	C	- versicolor Jacq.	Č
- hirta Jacq.	cl	- B. longifolia	_
- β. hirtella Jacq		- violacea L.	2
sessiliflora L. Man		Oxybaphus glabrifolius W	-
— incarnata Jacq.	C \		Ċ
- lanata Jacq.	Č,		_
- leporina Jacq.	č	Mirabilis corymbosaCa	•
- multiflora Jacq.	č	Calymenia corymbosa Pers.	'
- macrostylis Jacq.	Č.		_
- polyphylla Jacq.	Č		C
versicolor Jacq. Collec		· Calymenia viscosa Pers	5.
	C	Mirabilis piscosa Cay.	
- purpurea Jacq.	•	•	
L		,	
•	Т)	
•	F	· ·	
Backward a programha	_	·	c
Pachysandra procumbe	ns	Paeonia hybrida Pall.	c
Mich.	ns C	Paeonia hybrida Pall. — laciniata W.	C
Mich. Paederia factida L.	ns C D	Paeonia hybrida Pall. — laciniata W. — officinalis L.	C C
Mich. Paederia factida L. Paconia albiflora Pall.	ns C D C	Paeonia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure	C C
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L.	ns C D	Paeonia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure — fl. pleno carueo.	C C o
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall.	ns C D C	Paeonia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure — fl. pleno carneo. — tenuifolia L.	<i>c</i> <i>c</i> <i>c</i>
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn.	ns C D C	Paeonia hybrida Pall. — laciniata W. — officinalis L. — — fl. pleno purpure — — ff. pleno carneo. — tenuifolia L. Palavia malvifolia Cav.	C C C A
Mich. Pacderia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait.	ns C D C	Paconia hybrida Pall. — laciniata W. — officinalis L. — — fl. pleno purpure — — ff. pleno carneo. — tenuifolia L. Palavia malvifolia Cav. Malope parviffora L'Her	C C A
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr.	ns C D C C	Paconia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure — fl. pleno carneo. — tenuifolia L. Palavia malvifolia Cav. Malope parviflora L'Her Panax aculeatum Ait.	C C A T.
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. supp	ns C D C C	Paeonia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure — fl. pleno carneo. — tenuifolia L. Palavia malvifolia Cav. Malope parviflora L'Her Panax aculeatum Ait. Zanthoxylum trifolia	C C A T.
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. supp papaveracea Andr.	ns C D C C	Paeonia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure — fl. pleno carueo. — tenuifolia L. Palavia malvifolia Cav. Malope parviflora L'Hei Panax aculeatum Ait. Zanthorylum trifolia tum L.	C C A r. D
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. supp papaveracea Andr. — corallina Retz.	ns C D C C	Paeonia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure — fl. pleno carneo. — tenuifolia L. Palavia malvifolia Cav. Malope parviflora L'Her Panax aculeatum Ait. Zanthoxylum trifolia	C C A r. D
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. supp papaveracea Andr. — corallina Retz. integra Murr.	ns C D C C D	Paeonia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure — fl. pleno carneo. — tenuifolia L. Palavia malvifolia Cav. Malope parviflora L'Hei Panax aculeatum Ait. Zanthoxylum trifolia tum L. Pancratium amoenum W	C C A r. D
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. supp papaveracea Andr. — corallina Retz. integra Murr. — daurica Ait.	ns C D C C	Paeonia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure — fl. pleno carneo. — tenuifolia L. Palavia malvifolia Cav. Malope parviflora L'Hei Panax aculeatum Ait. Zanthoxylum trifolia tum L. Pancratium amoenum W. declinatum Pers.	C C A r. D
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. supp papaveracea Andr. — corallina Retz. integra Murr. — daurica Ait. rotundifolia Hortul.	ns C D C C D	Paeonia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure — fl. pleno carueo. — tenuifolia L. Palavia malvifolia Cav. Malope parviflora L'Her Panax aculeatum Ait. Zanthoxylum trifolia tum L. Pancratium amoenum W. declinatum Pers. — fragraus W.	C C A r. D
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. supp papaveracea Andr. — corallina Retz. integra Murr. — daurica Ait. rotundifolia Hortul. triternata Pall.	ns C D C C C	Paeonia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure — fl. pleno carneo. — tenuifolia L. Palavia malvifolia Cav. Malope parviflora L'Her Panax aculeatum Ait. Zanthoxylum trifolia tum L. Pancratium amoenum W. declinatum Pers. — fragrans W. — illyricum W.	CC C CA
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. supp papaveracea Andr. — corallina Retz. integra Murr. — daurica Ait. rotundifolia Hortul. triternata Pall. — humilis Retz.	ns C D C C D	Paeonia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure — fl. pleno carneo. — tenuifolia L. Palavia malvifolia Cav. Malope parviflora L'Her Panax aculeatum Ait. Zanthoxylum trifolia tum L. Pancratium amoenum W. declinatum Pers. — fragrans W. — illyricum W. littorale W.	CC C CA
Mich. Paederia faetida L. Paeonia albitlora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. suppapayeracea Andr. — corallina Retz. integra Murr. — daurica Ait. rotundifolia Hortul. triternata Pall. — humilis Retz. villosa Desf.	ns C D C C C	Paeonia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure — fl. pleno carneo. — tenuifolia L. Palavia malvifolia Cav. Malope parviflora L'Her Panax aculeatum Ait. Zanthoxylum trifolia tum L. Pancratium amoenum W. declinatum Pers. — fragrans W. — illyricum W. — littorale W. — maritimum W.	C C A r. D
Mich. Paederia factida L. Paconia albiflora Pall. — anomala L. laciniata Pall. — arborea Donn. Montan Ait. suffruticosa Andr. fruticosa W. En. supp papaveracea Andr. — corallina Retz. integra Murr. — daurica Ait. rotundifolia Hortul. triternata Pall. — humilis Retz.	ns C D C C C	Paeonia hybrida Pall. — laciniata W. — officinalis L. — fl. pleno purpure — fl. pleno carneo. — tenuifolia L. Palavia malvifolia Cav. Malope parviflora L'Her Panax aculeatum Ait. Zanthoxylum trifolia tum L. Pancratium amoenum W. declinatum Pers. — fragrans W. — illyricum W. littorale W.	CC C CA

T	·
Pancratium quadelupense	Panicum;
H. Würtzb. C.	Pennisetûm glaucum R
- speciosum W. C	Brown.
caribaeum Bot. Mag.	Setaria glauca Sch. et R.
formosum Hortul.	— holcoides Roxb. A
- zevlanicum L. C	hirtellum Schrad. A
tiaraeflorum Salisb.	undulatifolium Gaud.
Panicum attenuatum W.	Burmanni Schleich.
En. A	Oplismenus undulatifo-
- alitssimum Decand. A	lius Sch. et R.
- capillare L. A	- intermedium Horn. A
- clandestinum L. C	Echinochloa intermedia
- colonum L. A	Vahl.
Oplismenus colonus	
Humb, et Bonp.	Pennisetum italicum R.
— coloratum L. A	Brown.
- Crus-Corvi L. A.	Setaria italica Sch. et R.
Echinochloa crus-corvi	- latifolium L. C
Sch. et R.	- maximum Jacq. 6
*— Crus-galli L A	altissimum H. Pavis.
Echinochloa Crus-galli	coloratum &. Lam.
Sch. et R.	polygamum Swartz.
— divaricatum W. C	- miliaceum L. A
- echinatum W. En. A	semine nigro
muricatum Horn.	- plicatum W. En. C
Echinochloa echinata	- scaberrimum Lagasca.
Sch. et. R.	- stagninum W. A
- erythrospermum Horn.	oryginum 6mel. Syst.
A	Echinochloa stagnina
Echinochloa erythrosper-	Sch. et R.
ma Sch. et R.	*- verticillatum L. A
- fluitans Retz: A	asperum Lam.
_ fuscum Swartz. A	Setaria verticillata Sch.
— geniculatum W. C	et R.
Pensisetum geniculatum	*- viride W. A
Jacq.	crus-galli Fl. Dan.
Setaria geniculata Sch.	cynosuroides Scop.
et R.	germanicum Host.
*_ glaucum W. A	lacvigatum Lam.
lutescens Weigel.	Setaria viridis Sch. et
flavescens Moench.	Roem.
mayescens mounds.	Y(ACITI'

Papaver alpinum L.	C	Paspalus	
*_ argemone L.	A	Milium latifolium C	a♥.
- cambricum L.	\underline{c}	- tenellus H. Par.	4
— caucasicum M. B.	В	elegans Flügge.	
* dubium L.	A	pubescens Hortul.	
- hybridum L.	A	Passerina filiformis L.	D
- membranaceum Flüg	ge	- hirsuta Vahl.	D
	\boldsymbol{C}	- spicata W.	D
'chinense Hortul.		lateriflora Wendl.	
- nudicaule L.	В	Passiflora Adianthum	w.
_ orientale L.	\boldsymbol{C}	En.	D
*_ Rhoeas L.	A	glabra Wendl.	_
_ fl. pleno		— alata Ait.	D
setigerum H. Erf.	\mathbf{B}	- angustifolia W.	D
- sommierum L.	A	heterophylla Jacq.	
fl. pleno		longifolia Lam.	
Parietaria cretica L.	A	- caracasana Iacq.	D
- judaica L.	\boldsymbol{c}	- ciliata Ait.	\mathbf{D}
* _ officinalis L.	\boldsymbol{c}	- coerulea L.	D
pensylvanica W.	`A	- cupreá Jacq	D
* Paris quadrifolia E.	$\boldsymbol{\mathcal{C}}$	- foetida L.	A
*Parnassia palustris L.	\boldsymbol{C}	- glauca Ait.	D
europaea Pers.		stipulata Aubl.	
Parthenium Hysterophe	0	- heterophylla Lam.	C
Parthenium Hysterophorus. L.	A	- hirsuta Ait.	\mathbf{D}
- integrifolium W.	\boldsymbol{c}	- holosericea Cav.	\mathbf{D}
Pascalia glauca W. En.	\boldsymbol{c}	- incarnata Jacq.	C
Paspalus membranace	us	- laurifolia L.	D
Flügge.	\boldsymbol{C}	_ lunata Smith.	D
elegans Hortul.		biflora Cav.	
Ceresia elegans Pers.		Lutea L.	\boldsymbol{c}
- Kora W.	A	- maliformis Jacq.	\mathbf{D}
scrobiculatus Flügge.		- mexicana Pers.	\mathbf{q}
orbiculare Forst.		- minima L.	\mathbf{D}
- patulus Hornem.	\boldsymbol{c}	- Murucuja Cav.	D
- setaceus Flügge.	C	Murucuja ocellata Pe	rs.
pubescens W. En.		- normalis W.	D
dissectum Walth.		- patula_Wendl.	D
_ stolonifer Bosc.	A	- pedata W.	D
racemosus Jacq.		- perfoliata w.	D
purpurcus Fl. peruv.	.,	Marnouse Mill. dict.	

Passiflora punctata W. D	Pedicularis tuberosa W. (
- quadrangularis W. D	- verticillata I. (
— rotundifolia W. D	Peganum crithmifolium
- rubra Jacq. D - serratifolia W. D	Retz. D
- serratifolia W. D	— Harmala L.
← suberosa W. D	Pelargonium ahrotanifoli-
- tuberosa W D	um Jacq. D
picta Hortul.	Geranium abrotunifol
- vespertilio Cav. D	L. Supple
Pastinaca lucida L. B	- acerifolium Ait. D
- opaca Bernh. B	Geranium citriodorum
- opoponax L. et Spr.	Cav.
Prodr. C	- acerosum H. Belved. D
Ferula Opoponax Spr.	- acetosum Ait. D
Sp. umb.	- for vartegatis
Laserpitium Chironium	— adulterinum Ait. D
Gouan. Pers.	- alchimilloides Ait. I
*_ sativa L B	- alternans W. I
Paulinia carucasana Jacq.	- althaeoides W. 1
Ď	— amplissimum W. Er
Seriana caracasana Pers	suppl.
- laciniata Wendl. D	distantifolium Hortul.
— mexicana L. D	- flore rubro.
Scriana mexicana Pers.	- anceps Ait.
— pinnata Jacq. D	- angulosum Ait.
Paronia praemorsa W. D	Geranium acerifolium
cuneifolia Cav.	Cav.
Hibiscus praemorsus L.	- asperum W. D
- spinifex W. D	- australe W. D
Hibiscus spinifex L.	- balsameum Jacq. I
— β. aristata Cav.	- B. latifolium.
D magnitude of the control	- Barringtonii W. En. I
Pedicularis adscendens	- Beaufortianum Pers. I
Schl. c	- betonicum H. Belved. I
- atrorubens Schl. C	- betulinum Ait. I
- foliosa L. C	— β. latifolium.
— incarnata L. C	- bicolor Ait. I
*— palustris L A	- blandum H. Belved. I
- recutita L. C.	- blattarium, Jacq. I
- rostrata L. C	tomentosum Bot. Rep.
*- sylvatica L. A	- brachiatum Hortul. D

Pelargonium Burmanni W.	Delurganium .
D. D	Pelargonium: hamatum Jacq.
— canariense W. C	fl. albo.
- canum Pers. D	elegans W. D
Gerumum tomentosum	— Propulatum Ait. D
Andr.	navum Ait. C
- capitatum Ait. D	daucifolium Murr.
- carnosum Ait. D	_ formosissimumH.Paris.
- citriodorum Hortul, D	D
citrosum Voigt.	formosum H. Cant.
- cochleatum W. En. D	— fragile W. D
concavifolium Hortul.	- fragrans W. H. Berol. D
- conduplicatum w. En.	- fraternum Schranck. pl.
D	rar. D
- cordatum Ait. D	- fulgidum Ait. D
 — β. crispum. 	- fuscatum Isaa D
— coriandrifolium Ait. D	- gibbosum Ait. D
- coronopifolium Jacq. D	- glaucum Ait. D
tricolor &. coronopifol.	lanceolatum Hortul.
Hortul.	_ glutinosum Ait. D
- cortusaefolium L'Herit.	G. viscosum Cav.
D	— β. laciniatum.
- cotyledonis L'Herit. D	- grandiflorum W. D
- crassitolium Vent. D	— gratum W. En. D
- crataegifolium Hortul.	graveolens Ait.
- crispum Ait. D	Ger.terebinthinaceumCav.
Geranium hermannifo-	— grossularioides Ait. C
lium L.	- benaticifolium Spreng.
— . — B . majus.	- hermannitolium Jacq. D
— 2. minus.	— — ß. latifolium
— cucullatum Ait. D	— Heritieri H. Vindob. D — heterogamum Ait. D
 — β. crispum. — Curtisii Jacq. D 	- heterogamum Ait. D - hirtum W. D
	• * * * * * * * * * * * * * * * * * * *
- cynosbatifolium W. En.	pilosum Pers. — hispidem W. D
oxaloides Ait.	humifusum W. En.
- delphinifolium W. En.D	suppl. D
- denuematam Jacq. D	- hybridnm Ait. D
- diversifolium W. Sp. D	incanum W.En.suppl. D
panieulatum Dietr. Lex.	- incisum- W. D
- echinatum Curt. D	- inquinant Ait. D
	and the second s

Passiflora punctata W. D	Pedicularis tuberosa W. C
- quadrangularis W. D	- verticillata L. C
- rotunditolia W. D	Peganum crithmifolium
- rubra Jacq. D	Retz. D
- serratifolia W. D	— Harmala L. C
- suberosa W. D	Pelargonium ahrotanifoli-
- tuberosa W D	um Jacq. D
picta Hortul.	Cananinii akniimii i
	Geraniuni abrotunifol.
— vespertilio Cav. D	L. Suppl- acerifolium Ait. D
Pastinaca lucida L. B	- aceritolium Alt.
- opaca Bernh. B	Geranium citriodorum
- opoponax L. et Spr.	Cav.
Prodr. C	- acerosum H. Belved. D
Ferula Opoponax Spr.	- acetosum Ait. D
Sp. umb.	— — fot vartegatis
Laserpitium Chironium	— adulterinum Ait. D
Gouan. Pers.	- alchimilloides Ait. D
*_ sativa L. B	- alternans W. D
Paulinia carucasana Jacq.	- althaeoides W. 1)
Ď	- amplissimum W. En.
Seriana caracasana Pers	suppl. A
- laciniata Wendl. D	distantifolium Hortul.
- mexicana L. D	- flore rubro.
Scriana mexicana Pers.	- anceps Ait.
- pinnata Jacq. D	- angulosum Ait.
Paronia praemorsa W. D	Geranium acerifolium
cuneifolia Cav.	~ ~
Hibiscus praemoneus I.	- asperum W. D
Hibiscus praemorsus L. spinifex W. D	- australe W. D
Hibiscus spinifex L.	- balsameum Jacq. D
2 anistate Con	
— β. aristata Cav.	- B. latifolium.
Dodioulania of anti	- Barringtonii W. En. D
Pedicularis adscendens Schl C	- Beaufortianum Pers. D
Schl. C	- betonicum H. Belved. D
- atrorubens Schl. C	- betulinum Ait. D
- foliosa L. C	- β. latifolium.
— incarnata L. C	- bicolor Ait. D
*— palustris L A	- blandum H. Belved. D
- recutita L. C	- blattarium Jacq. D
- rostrata L. C	tomestorim Bot. Rep.
*- sylvatica L. A	- brachiatum Hortul. D
•	

n la company and	. m. /
Pelargonium Burmanni W.	Pelargonium:
D	hamatum Jacq.
— canariense W. C	— — fl. albo.
- canum Pers. D	— elegans W. D
Geramam tomentosum	Ait. D
Andr.	navum Ait. C
- capitatum Ait. D	daucifolium Murr.
- carnosum Ait. D	_ formosissimumH.Paris.
- citriodorum Hortul. D	D D
citrosum Voigt.	formosum H. Cant.
- cochleatum W. En. D	— fragile W. D
concavifolium Hortul.	- fragrans W. H. Berol. D
- conduplicatum W. En.	- fraternum Schranck. pl.
\mathbf{p}	rar. D
- cordatum Ait. D	— fulgidum Ait. D
$ \beta$. crispum.	- fuscatum Jacq. D - gibbosum Ait. D
- coriandrifolium Ait. D	- gibbosum Ait. D
- coronopifolium Jacq. D	_ glaucum Ait. D
tricolor & coronopifol.	lanceolatum Hortul.
Hortul.	_ glutinosum Ait. D
- cortusaefolium L'Herit.	G. viscosum Cav.
D	— β. laciniatum.
- cotyledonis L'Herit. D	— grandiflorum W. D
- crassifolium Vent. D	— gratum W. En. D
- crataegifolium Hortul.	— graveolens Ait. D
- crispum Ait. D	Ger.terebinthinaceumCav.
Geranium hermannifo-	— grossularioides Ait. C
lium L.	- benaticifolium Spreng.
— . — B. majus.	- hermannifolium Jacq. D
— – γ. minus.	— — B. latifolium
- cucullatum Ait. D	- Heritieri H. Vindob. D
— β. crispum.	- heterogamum Ait. D
- Curtisii Jacq. D	- hirtum W. D
- cynosbatifolium w. En.	pilosum Pers ·
D	- hispidem W. D
oxaloides Ait.	- humifusum W. En.
- delphinifolium W. En.D	suppi.
- denueuratum Jacq. D	- hybridnm Ait. D
- diversifolium W. Sp. D	_ incanumW.En.suppl. D
paniculatum Dietr. Lex.	- incisum-W. D
- echinatum Curt. D	inquinant Ait. D

Pelargonium inquinans	A.	Pelargonium:
carneo.		retusum Wendl.
- fl. coccineo.		- reniforme W. En. B
- β. bentinkianu	ın	- revolutum Pers. D
Angle		recurrum Hortul.
- laciniatum Pers.	D	_ ribifolium Jacq. D
- lateripes Ait.	D	- rubens W. En. suppl.
- lateripes Ait.	3.	D
- lateritium W. En.sup	pl.	- sanguineum W. En.
_	D	Suppl. D
- lobatum W.	\boldsymbol{C}	- saniculaefolium W. D
acaule Ait.		cortusaefolium Jacq.
Ger. tuberosum Cay.	_	- scabrum L'Herit. D
- malvaefolium Jacq.	D	- Scariosum Voigt. D
- melananthon Jacq.	\boldsymbol{c}	- selinum Andr. C
- monstrosum Ait.	\mathbf{D}	rapaceum W.
- multicaule Jacq	\underline{c}	- semitrilohum Jacq. D
- multiradiatum .W.	D	- sidaefolium W. En. D
apiijoiam Jacq. Eclo		- sororium W. En. suppl.
- nobile H. Paris.	D	. <u> </u>
- nothum W. En.	D	- speciosum W. En. D
- obtusifolium H. Bel		- spectabile H. Belved. D
	D	- spurium W. En D
	D	- stenopetalum W. D
— — β. frutescens	-	- superbum Vent. D
	D	- tabulare L'Herit. C
- peltatum Ait.	Ď.	- tenuifolium Ait. D
- penicillatum W.H.Bero		- ternatum Jacq. D
	D	- tetragonum Ait. D
	D	fol. variegatis
	D	- tomentosum Jacq. D
- quercifolium Ait.	D	— Tormanni Hortul. D
- quinquevulnerum And		
Dodula Ata	D	riolaceum Jacq.
- Radula Ait.	Ð	- tricuspidatum Ait. D
revolutum Jacq.		
- \(\beta \). roseum Pers		trifidum Jacq.
<i>Pelarg. roseu</i> Hortul.	m	- triste Ait. D
	n	— majus. — uniflorum Sessé. D
- ramosissimum W reflexum Pers.	D C	·
- TOTTOTALL Y CLS.		- vitifolith Ait.

Pelargonium zonale Ait.	Peucedanum:
D	refactum Vill.
	officinale Thuill.
β. fl. carneo.	minus Poir.
— - 7. fl. coccineo.	parisiense Dec.
5. fol. variegatis.	- fongifolium Kit. et Spr.
t. marginatum.	Ğ Ç
Peltaria alliacea L. C	tenuifolium Poir.
Clypeola alliacea Lam.	serotinum Pers.
Pennisetum macrochaeton	*_ officinale L. C
Jacq. fil. A	Selinum Peucedanum
- setosum Pers. B	Roth.
Cenchrus setosus Swartz.	Phaca alpina L. C
Panicum alopecurosLam	— australis L. C
- polystachion L.	- frigida Jacq. C
Phalaris setacea Forsk.	- triangularis Zea. B
Pentapetes ovata W. En.	Phalaris aquatica Schrad.
A C	A
Brotera ovata Cav.	minor Retz.
- phoenicea L. A	canariensis &. Dec.
Dombeya phoenica Cav.	- arundinacea L. C
Penstemon campanulatum	Arundo colorata W.
Cav. C	Calamagrostis varie-
Chelone campanulata	mada Will
w.	β. picta Leers.
- pubescens Ait. C	Lamogrostis
Chelone Penstemon L.	colorata
*Peplis Portula L. A	Sibthorp.
Glaucoides palustre	- aspera Retz. A
Mich. gen.	paniculata Ait.
Perilla ocymoides L. A	Chilochloa aspera Sch.
Mentha perilloides Lam.	et R.
Periploca africana L. D	Phleum asperum Jacq.
- graeca L. D	- paniculatum Huds.
Petiveria alliacea L. D	- ventricosum Moench.
Peucedanum alpestre L. et	- viride All.
Spr. C	- bulbosa W.
- arenarium Kit. et Spr.	tuberosa Pers.
\mathbf{c}	- canariensis L. A
- gallicum Tourn. et Spr.	ovata Moench.
G	- cancusis Thunh A

Phalaris paradoxa L. A	Phleum:
praemorsa Lam.	Chilochloa cuspidata
Pharnaceum Cerviana L.	Sch. et R.
A	- echinatum Host. A
Phaseolus angulosus Dec.	- Michelii All. C
" A	hirsutum Suter.
- bicolor H. Vindob. A	phalaroideum Vill.
- Caracalla L. C	Phalaris alpina Jacq
- coccineus Lam. A.	collect.
multiflorus W.	*_ pratense L. C
- fuscus Cav. A	*- \$. nodosum L.
- fuscus Cav. A - inamoenus L. A	Phl. bulbo-
varietas	sum Gouan.
- lunatus L. A	~
inanus E. A	Bellardi W. En.
_ semierectus Jacq. A	mesopotamiae H. Paris.
- trilobus Ait. A	Phalaris tenuis Host.
_ tuberosus Lour, C	- subulata Savi.
vexillatus L. A	Achnodonton tenue Sch.
	et R.
vulgaris L. A Philadelphus coronarius L.	Phyllirea angustifolia L. D
D	\(\beta \). rosmarinifolia
_ a. fl. pleno.	— latifolia L. D
\(\beta \). nanus	— laevis Ait. D
grandiflorus W. En. D	latifolia a. laevis L.
laxus Hortul.	— media L. D
Phleum alpinum W. A	- obliqua W. En. D
*— arenarium L. A	latifolia B. obliqua Ait.
Chilochloa arenaria Sch.	_ virgata W. En. D
et R.	ligustrifolia Ait.
Crypsis arenaria Desf.	Phlomis aspera W. A
Phalaris arenaria W.	Leacas aspera H. Vin-
 phleoides β. Ait. 	dob.
Boehmerii Schrad.	- caribaea Jacq. A
phalaroides Koel.	martinicensis W.
laere M. B.	Leucas martinicensis Ait.
	- fruticosa L. D
glabrum Moench.	
Phalaris phleoides L.	
- cuspidatum W. En. C	- italica Smith. D
Hostii H. Vindob.	_ purpurea L.
Phalaris trigyna Host	. — laciniata L. BC

Phlomis lanata W. En.	Phylica ericoides W. D
suppl. D	— eriophora Ait. D
fruticosa minor Hortul.	- longirostra H. Cels.
Leonurus L. D	D
Leonitis Leonurus Ait.	- orientalis W. En. suppl.
- nepetifolia L. A	$\mathbf{a}^{\mathbf{n}}$
Leonitis neptifolia Ait.	— paniculata L. D
- pungens w. C	_ B. latifolia.
- purpurea Smith. D	- rosmarinifolia W. En.
- salviaefolia Pers. D	D
- tuberosa L. C	- squarrosa H. Cels. D
_ zeylanica L. A	- stipularis L. D
Leucas zeylanica Ait.	Phyllanthus Arbuscula W.
Phlox carolina L. C	En. D
- divaricata L. C	speciosa Jacq.
— glaherrima L. C	Xylophylla arbusculaW.
- maculata L. G	Sp.
— ovata L. G	- cantonensis W. En. A.
- paniculata L. C	- chinensis Hort. Paris. D
fl. albo.	- cuneatus W. En. suppl,
- pílosa L. C	Moreous and an area of the second
- reptans Mich. C	- Epiphyllanthus W. En.
oboqata Mühlenb.	D
stolonifera Curt.	· Xylophylla angustifolia
- setacea L. C	w. Sp.
- subulata L. C	- falcata W. En. D
- suaveolens Ait. C	epiphyllanthus L.
- fol. variegatis.	Xylophylla falcata W.
— suffruticosa W. En. D	Sp.
- undulata L. G	- grandifolius W. D
Phaenix dactylifera L. D	- juglandifolius W. En.
Phormium tenax Forst. C	suppl. D
Chlamydia tenacissima	- latifolius Pers. D
Gaertu.	Xylophylla latifolia W.
Phyllolobium chinense	- montana Pers. D
Fiscb. A	Tylophylla montana W:
Phylica acerosa W. En.	- Niruri L. A
D	- nutans W. Sp. D
- buxifolia W. D	fruticosa Swartz.
- β. latifolia.	- speciosa Pers. D
- cylindrica W. En. D	Xylophylla speciosa W.
,	${f R}$

, Digitized by Google

Phyllis nobla L. D Physalis aequata Jacq. fil. *— Alkekengi L. C — angulata L. A — arborescens L. D — barbadensis Jacq. A — flexuosa L. D — fortens H. Par. A — ixocarpos Brot. A — parvittora W. A — peruviana L. D — prostrata Jacq. A — pruinosa L. A — pubescens L. A — pubescens L. A — somnifera L. D — tuberosa W. C — viscosa Jacq. D Physospermum commutatum Spr. C Ligusticum cornubiense L. Danaa aquilegifolia All.	*Phyleuma spicata fl. albo virgata Pers. C Phytolacca decandra L. C dioica L. D icosandra L. C ricosandra L. C Picris davurica H. Erf. B *— hieracloides L. C hispida Ait. C lappacea Spr. A pauciflora Dec. A *Pilutaria globulifera L. C *Pimpinella dioica L. B Seseli pumilum Sp. plant. Pimpinella glauca Thuill. dichot a L. B *— magna L. C orientalis Gouan. — 7. dissecta Spr. Pimpin. dis- secta Retz.
Smyrnium nudicaule M. B.	- laciniata Thore.
Sison sylvaticum Brot.	— pratensis
Ligusticum Lobelii W.	Thuill.
herb.	2.5.
Phyteuma canescens Kit.	*— Saxifraga L. — Segetum Spr. AB
- betonicaefolia Vill. C	Sison segetum L.
— Charmelii Vill. C	Pinguicula alpina L. C
_ hemisphærica L. C	- grandiflora Lam. C
_ humilis Schleich. C	*vulgaris L. C
*_ orbicularis L. C	*Pinus abies L. D
 ovata W. pauciflora L. Scheuchzerii All. scorzonerifolia Vill. 	Picea Dn Roi. — alba Ait. canadensis Du Roi. laxa Ehrh.
— stylosa Besser Cat. C *— spicata L. C	Abies alba Pers — balsamea L. D

	•
Pinns canadensis L. D	Piper decumanum Pers. D
americaua Du Roi.	marginatum Jacq.
Abies canadensis Pers.	- magnoliaefolium Jacq.
	Ď
- Ceurus L.	- medium Jacq. D
- Cempra D.	plantagincum Lam.
natepensis Aic.	nigrum L. D
- inops Ait.	_ obtusifolium W. En. D
- Larax L.	clustaefoltum Jacq.
- laricina Du Roi.	ciusinejoitum vacq
pendula Ait.	- pellucidum L. A
Larix americana Mich.	per contractor
_ lanceolata Lambert. D	Peperomia pereskiae-
- nigra W. arb.	fol. H. et Bonpl.
mariana Du Roi.	- pilosum Pers. D
mariana nigra Hortul.	Peperomia pilosa Ruiz.
*- Picea L. D	- polystachyon Ait. C
ahies Du Roi.	obtusifolium Jacq. Col-
Abies Picea Pers.	lect.
Pineaster Ait. D	_ reticulatum L. D
maritima Duh.	- rugosum Pers. D
Dings I • D	_ tuberculatum Jacq. D
- Finea D.	_ umbellatum L. D
- pummo isit.	- unguiculatum Vahl. D
Mughus Scop.	glaucescens Jacq. Eclog.
- rigida L.	verticillatum W. D
- Strongs D.	- Spec. nova pulcherrima
~ Sylvesuls 11.	D D
_ B. rubra Ait	Piqueria trinervia Cav. C
2. tatarica Ait.	Piscidia Erythrina Jacq.
_ Taeda L. D	Pisciala Liyemina dasap
_ variabilis Lamb. D	
echinata Wangenh.	Fisolitic acainate
Piper acuminatum W. D	assurgens Brown,
_ aduncum W. D	- II de i date in.
scabrum Lam.	- mexicana W. En. suppl.
- aromaticum W. En. D	D
_ blandum Jacq. D	- nitida W. En. suppl. D
Peperomia blanda B.	Pistacia Lentiscus W. D.
et Humb.	- Terebinthus L. D
- brachyphyllum W. En.	$_$ vera W. D
D Brachyphynum VV 2	pisum arvense L. A.
	_ maritimum W. C
- cuneifolium Jacq. D	

Pisum Ochrus L. A	Plantago:
Ochrus pallida Pers.	crassifolia Roth.
- sativum L. 'A	crassa W.
— — ß. umbellatum	bullata Jacq. Coll.Suppl
Pitcairnia angustifolia Ait.	- cucullata Pers.
D	maxima W.
- bromelinefolia L'Herit.	- Cynops L.
${f D}$	suffruticosa Lam.
- furfuracea H. et Bonpl.	genevensis Poir.
D	- depressa W. En. suppl,
— latifolia Ait. D	- depressa vv. 1211. suppr.
Bromelia nudicaulis L.	
Pittosporum sinense H.	- divaricata Zuccag. A cynopidea Schult. Ob-
Cels. D	- ·
Tobira Curt.	serv.
- tuberculatum Sp. nova	rigida Hortul,
D	hirsuta Kit. Cat.
- undulatum Vent. D	— exaltata Horn. C
Plantago afra L. A	— graminea Lam, C
- aliena Schrad, C	— indica L. A
- alpina L. C	Psyllium indicum Dum.
orina Vill.	- Lagopus L. A
7	*— lanceolata L. C
	- Loeflingii L. A
	- lusitanica L. A
	lagopodioides B. Schranck.
	*— major L. C
Cynops Pall.	- ?. rosea
Psyllium annuum Thuill.	*— media L. C
Bellardi All.	*_ maritima L. C
villosa Lam.	Wulfeni Spr.
Holostea Lam.	dentata A. Roth.
lanata Poiret	graminiformis B. Lam.
pilosa & Dec.	- microcephala Poiret. A
- Coronopus L. B	monspeliensis W. En.
- Cornuti Gouan. C	argentea Spr. Pug.
Gouani Gmel. Syst.	albicans Hortul.
coronopus y. Lam.	- montana Lam.
- cordata Lam. C	quinquenervia Schl.
canadensis H. Paris.	alpina Vill.
kentukensis Mich.	lanceolata var. Suter
- crispa Jacq. C	- Psyllinm L.

Plantago pumila W. En. A	Plumbego lapathifolia V	W,
exigua Murr.	0 1	C
Psyllium pumilum Pers.	- rosea L.	D
_ saxatilis M. B. C	- scandens L.	D
- sericea Kit. C	Plumeria alba Jacq.	\boldsymbol{D}
argentea Desf.	- rubra Jacq.	D
monosperma Pourret.	Poa abyssinica Jacq.	A
- Serraria W. C	- aegyptiaca W. En.	A
- sibirica Fisch.et Poiret.	<i>pallida</i> Horn,	
C	— alpina L.	C
🚅 squarrosa Murr. A	- β. brevifolia Gau	ıd.
argyptiaca Jacq.	- amabilis L.	A
Psyllium aegyptiacum	rubens Lam.	
Pers.	Megastachya amabilis	Ρ,
- stricta Schoush, A	de B.	
parviflora Hortul.	- angustifolia L.	C
Psyllium strictum Pers.	pratonsis b. angustifo	lia .
- subulata L. C	Gaud.	
- tenuiflora Kit, A	*- annua L.	A,
— vaginata Vent. D	*- aquatica L.	C
- villosa Roth. C	altissima Moench.	
- virginica L. A.	* — bulbosa L.	C
- Wulfenii W. En. C	prolifera Smith.	
Platanus acerifolia W. D	- capillaris W.	A.
orientalis B. acerifolia	- caroliniana Spr.	A.
Ait.	- cenisia Host.	Ç
- occidentalis L. D	- ciliaris W. En.	A
— orientalis L. D	Megastachya ciliaris	Р,
Platylobium formosum W.	de B.	_
D	- coarctata Dec.	C
Plectranthus fruticosus	montana All.	
L'Herit. D	nemorosa · ζ. coarcte	rta
, Germanea urticifolia	Hall. fil.	
Lam.	dubia Suter.	
Forskolaei Vahl.	cespitosa Poiret.	
Ocymum badienseForsk.	Aira miliacea Vill.	~ `
- parviflorus W. H. Be-	*— compressa L.	C
\mathbf{rol} . D	muralis Wib.	_
— punctatus Ait. AB	*— collina Host.	C
Plumbago europaea L. C	brevifolia Dec.	
lapathifolia M. B.	badensis W.	

Poa debilis Thuill. C	P_0a :
nemoralis y. montana	Eragrostis Cav.
Gaud.	Briza Eragrostis L.
glauca B. Dec.	- oblonga Moench.
_ depauperata Rit. C	Eragrostis major Host.
*_ distans L. C	Mcgastachya Eragrostis
salina Poll.	Megastachya Eragrostis P. de Bauv.
arenaria Retz.	- mexicana Lagasc. A
retroflexa Curt.	- Molineri Balb. C
- distichophylla Gaud.	*_ nemoralis w. C
C	nemoralis a. vulgaris
flexuosa Host.	Sch. et R.
- elongata W. C	- nervata W. C
dependens Horn.	linoata Pers.
Eragrostis elongata	striata Mich.
Jacq. Ecl.	- palustris L. C
Megastachya clongata	trivialis Leers.
P. de B.	- peruviana Jacq. A
- Eragrostis L. A	- pilosa L. A
	*_ pratensis L. C
Erugrostis poaeoides P. de B.	angustifolia Poll.
- festucaeformis Host. C	_ procumbens Smith. A
— fertilis Host. C	rupestris Wither.
palustris Vill. Cat.	Sclerochloa procumbens
— glauca Poir. C	P. de B.
gracilis H. Paris.	- pulchella Steven. C
glaucescens Roth.	Megastachya pulchella
	Sch. et R.
gladeanthos alpina.	- rigida L. A
caesia Smith.	Triticum maritimum
nemoralis 5. glauca	Wulf.
Gaud.	Megastachya rigida P.
- laxa W. C. elegans Dec.	de B.
- hybrida Gaud. C	*_ serotina Schrad. C
manginata W En aunni	riparia Wulff.
— marginata W.En. suppl.	clegans Hall. fil.
- maritima Huds. C	fertilis Host.
arenaria Retz.	palustris Roth.
arenaria necz. arundinacea Moench.	*_ sudetica Haencke. C
cristata Gunn.	rubens W.
- megastachya Schrad. A	sylvatica Vill.
- Hickasiachya demau. A	010000000 1

Poa:	Polemonium gracile W.En.
trinervata Dec.	suppl.
_ sterilis M.B. C	- mexicanum Cervant. A
- supina Host. C	- muricatum H. Erf. G
alpina y. W.	- reptails L. G
variegata Hall. fil.	Polianthes tuberosa L. C
- tenella L. A	fl. pleno.
Eragrostis tenella P. de	Pollichia campestris Ait.
В.	D
- trivialis L. C	Neckera campestris
dubia Leers.	Gmel. syst.
pratensis Roth.	Polycarpon tetraphyllum
scabra Ehrh.	L. Suppl. A
setacea Huds.	Mollugo tetraphylla L.
- violacea W. En. suppl.	*Polycnemum arvense L.
\mathbf{C}	A
- vivipara w. En. C	*Polygala amara L. C
alpina. B vivipara W. Sp.	- Chamachuxus L. D
Podalyria aurea W. En. D	— myrtifolia Jacq. D
Sophora aurea Ait.	- oppositifolia Thunb. D
Robinia subdecandra	
L'Herit.	*Polygonum Amphibium
_ australis W. C	L. C
Sophora australis L.	u.p
Podal. cocrulea Pers.	and Caraci Caraci
— lupinoides W. C	
Sophora lupinoides L.	District
Thermopsis lanceolata	
Brown.	divaricatum * dumetorum L. A
— myrtillifolia W. D	
Sophora biflora L.	
et Cap. h. Sp. D	
et Cap. b. Sp. D	= II dicoccas =-
Podocarpus elongatus	Brazz anna
L'Herit. D	*_ Hydropiper L. A _ incanum W. A
Taxus clongata Ait.	tomentosum Schranck.
Podophyllum peltatum L.	Laxmanni Lepech. C
Poinciana elata W. D	*_ minus Curt.
2 0 110 1411 0 1414 111	angustifolium Roth.
Polemonium coeruleumL.C	intermedium Ehrh.
- flore albo.	AUSTO LIER COLORIS

Polygonum:	*Populus alba L: D
strictum All.	nivea W. arb.
*- lapathifolium L. A	\beta. canescens Pers.
- orientale L. A	- augulata Ait. D
— — fl. albo.	heterophylla Wang.
- patulum M. B. A	- balsamifera W. arb. D
*— Persicaria L. A.	Tacamahaca Mill. dict.
- salignum W. En. C	— candicans W. arb. D
- scandens L. D.	balsamifera Pers.
- talaricum L. A - undulatum L.	— dilatata Ait. ♂ et ♀ D
	fastigiata Pers.
sibiricum L. Suppl.	italica Moench.
- virginianum L. C	— graeca Ait. 含 et Q D
— viviparum L. C	atheniensis H. Paris.
Polymnia Uvedalia L. C.	- grandidentata Mich. D
Polypodium aureum L. C	- heterophylla Ait. D
— calcareum Smith. C	cordifolia Burgsd.
- cambricum L. C	— laevigata Ait. 3 et Q D
- crassifolium W. En. C	— monilifera Ait. D
*— Dryopteris L. C	caroliniensis Moench
- parassiticum L. C	*_ nigra L. D
*— Phegopteris L. C	*— tremula L. D
*— vulgare L. C	pendula Du Roi.
Polypogon monspeliensis	- tremuloides Duh. arb.
W. En A	nouv. Ed.
crinitum Pers.	Porltandia grandiflora W.
Alopecurus monspelien-	D To the state of
sis L.	— — 6. hirsuta.
- aristatus Huds.	Portulaca lanceolata Haw.
- paniceus Lam.	D
Agrostis panicea W.	meridiana L. A
Phleum crinitum Schreb.	*— oleracea L. A
subspicatus W. A	— β. sativa
fasiculatum Pers.	— pilosa L. A
Chaeturus fasciculatus Linck.	Portulacaria afra Jacq.
	The second of th
Agrostis articulata Bro-	Cleytonia Portulacaria
tero.	L. Mant.
Pomaderris apetala Labill.	:
Dontedenia condete W C	Potamogeton crispum L
Pontederia cordata W. C	
\	

*Potamogeton densum L.	Potentilla:	
C	fragariastrum Ehrh.	
*_ lucens L: C	prostrata Moench.	
natans L. C	parviflora H. Paris.	
*_ a. majus.	Fragaria sterilis L.	
k \(\beta \). vulgare.	— β. (micrantha)	
* 2. medium.	Dec.	
* \(\sigma \). minus.	- frigida Vill.	
*- pectinatum L. E	helvetica Schleich:	
marinum Poll.	norvegica Suter.	
- perfoliatum L. C	- fruticosa L. D	
*_ pusillum L. C	— geranioides W. C	
- semipellucidum Koch.	- grandiflora L. C	
C	- heterophylla La Peyr.	
*_ spathulatum Schrad. C	Ĝ	
*Potentilla alba L. C	— hirta L.	
- agrimonoides M. B. C	pilosa Vill.	
*_ anserina L. C	sibirica Patrin:	
— astracanica Jacq. C	- hungarica W. C	
alterniflora Richard.	- incisa Desf. C	
- arguta Hort. Berol. C	- intermedia L., C	
- aurea L. C	villosa Hall. fil.	
in bifurca L. C	- laciniosa Kit. C	
- canescens Besser. C	— minima Hall. fil: C	
inclinata Vill.	Brauniana Hoppe.	
udscendens Wald. et Kit.	- Morisoni Dec. C	
Güntheri Spr.	monspeliensis Li.	
parviflora Gaud.	hirsuta Mich.	
recta Jacq.	— multifida L: C	
intermedia Wahlenb.	- nivea L. C	
vininea Schrad.	- norvegica L. C	,
- caulescens L. C	dichotoma Moench:	
*_ cinerea Chaix et Dec.	- obscura W. C	
1 C	recta Vill.	
helvetica Schl.	*— opaca L.	
" opaca Poll. et Vill.	— patula Kit. C	
arenaria Borckh.	- pedata ivi	ä
verna B. All. et Gmel. fl.	rubens All.	
Bad.	pilosa Dec	_
collina Besser.	— pensylvanica L. C	Ï
★= Fragaria Poiret.	hispida W. En.	
·	S	

	with the second
Potentilla:	Pothos crassinervia Jacq
viscosa Don.	lenecelete I
β. missurica. _ nilosa W. C	— lanceolata L. C. — macrophylla W. C.
p.200m 111	1 2
hirta All.	grandifolia Jacq.
Teeta B.	- scolopendrium Hort.
pallens Moench.	
	*Prenanthes hieracifolia
*_ rupestris L. C rubens Moench.	W. A
fragarioides Poiret.	pulchra Lec.
_ ruthenica W. C	Crepis pulchra L.
\beta \(\mathcal{\text{diffusa}} \) \(\text{W.En.} \)	Lapsana pulchra Vill.
_ sericea L. C	— hispida Palt. B
_ simplex Mich. C	*— muralis L. A
caroliniana Poiret.	— pinnata W. D
*_ supina L. A	fruticosa L. Suppl.
_ taurica Don. C	*_ purpurea L. C
_ thuringiaca Bernh. C	- tenuifolia Jacq. C
*_ verna L. C	- viminea L. B
_ a. salisburgen-	Primula Auricula L. G
sis Jacp.	- fl. pleno
pyrenaica	- acaulis Pers. C
Dec.	grandiflora Lam.
crocea Hall.	elatior $oldsymbol{eta}$. acaulis $oldsymbol{\mathbf{L}}$.
fil.	vulgaris Ait.
filiformis	β. fl. pleno carnes
Vill.	Curt.
\(\beta \). rubens Vill.	— cortusoides L. C
sabaudaDéc.	*— elatior Jacq. C
aurea Fl.	veris 8. elatior L.
Dan.	inodora a. Hoffm.
verna M. B.	- farinosa L. C
Poterium agrimonifolium	- glutinosa Jacq. C
Cav. C	involucra L. Suppl.
— caudatum Ait. D	— integrifolia L.
- hybridum L. C	— integrifolia L. — longiflora All. — minima L. C
— polygamum Kit. C *— Sanguisorba L. C	— minima L. C
- spinosum L. D	— marginata W. C *— officinalis Jacq. C
- spinosum L. D Pothos cordata W. C	
A CONTROL OF THE CONT	veris L.

Primula officinalis &. hor-	Protea speciosa \(\beta \). rubra
tensis.	- strobilina Thumb. D
- villosa Jacq. Misc. C	— tomentosa L. D
pubescens B. Jacq.	- torta Thunb. D
Prinos glaber Ait. D	Prunella alba M. B. BC
- verticillatus L. D	*_ grandiflora L. C
Protea acaulis Brown. D	<u>hirta</u> Bernh. C
nana Lam.	- hyssopifolia L. C
glaucophylla Salisb.	- laciniata L. C
- argentea Thunb. D	- longifolia Thuill. C
<u>carnosa</u> Wendl. Cat. D	- ovata Pers. C
- caudata Thunb. D	- pensylvanica w. B
Spatalla caudata Brown.	latifolia Donn.
— cincrea Ait. D	*_ pinnatifida Pers. C
fusciflora Jacq.	intermedia Roth.
glauca Hort. angl.	*— vulgaris L. C
prostrata Thunb.	Prunus armeniaca L. C
prostrata Thunb. — conifera L. D	Armeniaça vulgaris Lam.
cynaroides Brown. D	- fol. variegatis.
Leucadendron cynaroi-	*_ avium L. D
des a. L.	Cerasus avium Pers.
divaricata Thunb. D	- fl. pleno.
Mimetes divaricata	- brigantina H. Cels. D
Brown.	Armeniaca brigantina
glabra Thunb. D	Pers.
- hirsuta W. En. D	- candicans W. En. suppl.
imbricata Thunb. D	<u>D</u>
Sorocephalus imbricatus	— caroliniana Ait. D
Brown.	sempervirens W. En.
marginata W. En. D	_ cerasifera W. D
— mellifera Brown. D	maritima Marsch.
— pallens L. D	myrobolana Pers.
- pinifolia Andrews. D	— Cerasus L. D
— plumosa Pers. D	- fl. pleno.
- saligna Thunb.	*— Chamaecerasus W. D
sericea Thunb.	fruticosa B. Pall.
- spathulata Thunb. D	— dasycarpa W. D
Nivenia spathulata	Armeniaca nigra Pers.
Brown.	— domestica L. D
— speciosa Brown. D	— fl. pleno.
_ a. nigra	— juliana.
	-

	•
Prunus italica Borckh. D	Psorates hirta L. D
*- insititia L D	- odoratissima Jacq. D
- Lauro-Cerasus L. D	- palaestina L. D
— fol. vaniegatis.	hirsuta Gouan.
- lusitanica L. D	pinnata W.
*— Mahaleb. L. D	- pubescens W. D
— — fructu flavo.	— tenuifolia Jacq. D
- nigra Ait. D	_ verrucosa W. D
*— Padus L. D	angustifolia Ait.
	triflora Thunb. •
— — &. rubra Ait. — oeconomica Borckh. D	Psychotria pedunculata
- pensylvanica Ait. D	Swartz. D
lanccolata W. arb.	- undata Jacq. D
- pendula Wendl. D	Ptelea trifoliata L. D
- persicifolia H. Cels. D	*Pteris aquilina L. C
- prostrata Ait. D	- arguta Vahl. C
- pumila L. D	serrulata Forsk.
- semperflorens W. En. D	incompleta Cav.
- serotina W. arb. D	- atropurpurea L. C
virginiana Mill. dict.	- cretica L. C
_ sibirica w. D	- crispa Swartz. C
* spinosa L. D	Osmunda crispa L.
- syriaca Borckh. D	Onoclea crispa Sturm.
- virginiana L. D	- elegans H. Monach. C
Psiadia glutinosa W. D	
Conyza glutinosa Lam.	- oligophylla Viv. 6
Erigeron viscosum H.	- serrulata L. 6
Par.	*Pulmonaria angustifolia
Solidago viscosa Schrad.	L. C
Psidium aromaticum W. D	_ mollis Schrad. C
montanum Swartz. D	*- officinalis L. C
pomiferum W. D	_ virginica L. C
pyriterum W. D	Mertensia virginica Pers.
Psoralea aculeata Ait. D	- pulmonarioidesRoth
- aphylla L. D	Pultenaea retusa Brown.D
— axillaris L. 1	Punica Granatum L. D
- bituminosa L. D	
- bracteata Jacq. D	— — flore luteo — — fl. pleno
_ capitata L. D	Pyrethrum alpinum W. C
- corylifolia L. A	Chrysanthemum alpinum
- glandulosa L. D	L.

Pyrethrum	bipinnatum	*Pyrethrum	Parthenium
V	V. C	w.	C
Chrysanti	h. bipinnatum	Matricaria	Parthenium
L		L.	
- ceratoph	ylloidesW. En.	Chrysanth.	Parthenium
•	\boldsymbol{c}	Pe	rs.
Chrysanth	h ceratophyl-		pleno.
10	oides. L.	- parthenifo	lium W. <i>6</i>
- coronopi	folium W. D		praealtu m
*- corymb	osum W. C	Ve	
	h. corymbosum	- parther	ifoliumPers.
I	ı.		m W. D
- frutescen	is W. D		pinnati fidu m
Chrysanti	h. frutescens L.	Pe	rs.
_ grandiflo	orum W. D	- pulverulen	tum W. En.
Chrysanti	h.grandiflo rum	, -	
F	Brouss	parthenifol	ium & M. B.
— Halleri	W. • • • • • • • • • • • • • • • • • • •	fruticulosui	m Spreng.
Chrysanti	h Halleri Pers.	niveum Lag	asc.
— indicum	Bot. Magaz. A		pulverulen –
≠— inodori	ım W. A		n Pers.
	h. inodorum L.	- roscum M	
- latifoliur			coccineum
Chrysant	h.grandiflorum	Pe	
	ga Peyr.	<u> </u>	
- maxi	mum Dec.		serotinum L.
- macropl	yllum W. C macrophylla	— tenuifoliui	n W. En. C
Achillea	macrophylla	- unginosun	
	Host.	Chrytanth.	uliginosum
Chrysant	h. macrophyl-	Pe	rs.
	lum Pers.	*Pyrola chlor	
_ maritim	um W. C	<u> </u>	C
	ia maritima	*_ minor L	
	Pers.	*— rotundife	
Chrysant	h. maritinum	* secunda	
	Pers.	* umbellat	
— millefoli	atum W. C	*— uniflora	
	ia absinthoides	Pyrus alpina	W. En. D
	Lam.	Crataegus	alpinaHortul.
	h <i>millefoliatu</i> m	*_ Amelanc	hier W. D
	POTE	weeniue A	III PIANCOIAN L.

Pyrus arhutifolia L. Suppl.	Pyrus:
n _D	Malus sylvestris Pers.
Mespilus arbutifolia L.	- B. flore pleno.
Aronia arbutifolia Pers.	- melanocarpa W. En.
*_ Aria W. D	, D
Aria vulgaris Pers.	Mespilus arbutifolia a.
Crataegus Aria L.	nigra L.
- baccata W. D	- Michauxia H. Paris. D
- Botryapium W. D	- nivalis L. Suppl. D
Mespilus canadensis L.	Mespilus nivea L.
Aronia Botry apium Pers.	- ovalis W. D
*_ communis L. D	Aronia ovalis Pers.
- fl. pleno.	Crataegus spicata Lam.
— coronaria L. D	— pollveria L. D
Malus coronaria Pers.	irregularis Onomath.
- dioica W. D	Bot.
Malus dioica Pers.	<u>salicifol</u> ia Ait. D
- edulis W. En. D	- sempervirens W. En. D
.Crataegus edulis Hortul.	- spectabilis Ait. D
- hybrida W. D	- fl. pleno
- intermedia W. D	*_ torminalis W. D
Crataegus Aria B. L.	Aria torminalis Pers.
Sorbus intermedia Pers.	Crataegus torminalis L.
*— Malus L. D	Sorbus torminalis Pers,
ر بدادها	₹ N
: ().
On the THE COMMAND	Out and a second Court are
Quercus alba W.	Quercus coccifera W. D
- aegilops L. D	— discolor Ait. D
- agrifolia Pers. D	tinctoria sinuosa Mich,
	— Esculus W. D — fastigiata Pers. D
ilicifolia W. — Castanea W. D	pedunculata b. pyrami- dalis W.
- Castanea W. D - Cateshaei Mich. D	
Cerris L, D	- Gramuntia W. D haliphlaeos Pers. D
- a. frondosa Ait.	
\beta. hullata Ait.	crinita Lam.
	burgundica Bauh. pinax. — Ilex L. D
- 2. sinuata Ait 3. crispa Ait.	— indricaria Mich. D
- coccinea Wangenh. D	— montana W. D
- coccinea Wangenh. D	— moniana is. D

Orter cus:	Quercus princides W.
Prinos monticola Mich.	Prinus pumila Mich.
— nigra W. D	*— Robur W. D
- obtusiloba Mich. D	sessiliflora Smith.
stellata W·	- rubra L. D
* — palustris W. □	- Suber L. D
*- pedunculata W. D	- tinctoria W. D
femina Mill. dict.	velutina Lam.
racemosa Lam.	— virens Ait. D
Robur L.	Phellos &. L.
— fol. variegatis	sempervirens Walth.
	virginiana Mill. dict.
— pendula	Our sign considers in C
- fructu maximo.	Queria canadensis L. C
- Phellos L. D	Anychia dichotoma Mik.
— Prinos W. D	- hispanica L. A
$ \beta$. palustris	
— γ. tomentosa	•
<u>t</u>	{.
Linocarpum serpillifo- lium Mich. Linum Radiola L. Radiola linoides Roth. Rafnia retusa Pers. D Ramonda pyrenaica W. En. C Verbascum myconi L. Ranunculus abortivus L. C - \$\text{\tex{\tex	*— — a. heterophyllus *— — B. peltatus *— arvensis L. A. — asiaticus L. C. *— auricomus L. C. polymorphus All. *— bulhosus L. C. — cassubicus L. C. reniformis Gilib. — cochleariaefolius Hornem. bonariensis Dec. heterophyllus Smith. — falcatus L. A.
lius L.	Ceratocephalus falcatus
*— acris L. C	Dec.
- fl nleno	*_ Ficaria L. 6
- alpestris L. C	praecox Salisb.
amplexicaulis L. C	Ficaria verna Pers.
	_ ranunculoides Dec.
plantaginifolius Salisb.	- Fallallousoface

*Ranunculus flammula L.	Ranunculus nemorosus Dec.
• · · · · ·	c
*- a. ovata Dec.	aureus Schleich.
*— fluviatilis Hoffm. C	polyanthemos Suter.
aquatilis S. L.	nivalis L. C
pantothes Dec.	- nodifloras Kit. A
- glacialis L. C	- parnassifolius L. C
- Gouani W. C	- parviflorus L. A
pvrenaeus Gouan.	muricatus Moench.
furcatus Berg. fl. pyr.	_ pedatus Kit. C
- gramineus L. C	_ pensylvanicus L. A
amplexicaulis Gouan.	canadensis Jacq.
- d. linearis Dec.	trifolius Moench.
*- heterophyllus Roth. C	*_ philonotis Retz. A
aquatilis y heterophyl-	agrarius All.
lus le	hirsutus Curtis.
- illyricus L. · C	intermedius Poir.
sericeus W. En.	pallidus Russel.
tomentosus Moench.	* \beta. parvulus
	Schrad.
gramineus Habl.	_
- lanuginosus L. C	— ,,or, and enter
Lingua L. C	multiflorus Gilib.
longifolius Lam.	Polypiny and
palustris Weinm.	- pyrchaeus -
- lacerus Bell. C	plantagineus
vallesiacus Suter.	· Dcc.
pyrenaeus B. Vill.	R, plantagine-
laciniatus Guid. herb.	us hu
— medius Bernhardi. C	*_ repens L.
- minimus W. En. suppl.	prostratus Poir.
A	infestus Salisb.
— montanus W. C	reptans L.
nivalis Scop.	flammula &. Smith.
- monspeliacus L. C	filiformis Mich.
apiifolius Desf.	rutaefolius L. C
saxatilis Balb.	*- sceleratus L. A
- muricatus L. A	umbellatus Roxb.
echinatus Vent.	
lobatus Moench.	- segetalis Kit. A
ventricosus Vent.H. Cels.	_ trifoliatus H. Madrit. A
— napellifolius Dec. &	- trilobus Desf. C

	Diamon Alataman A Cal
Ranunculus:	Rhamnus Alaternus & fol.
Rosani Tenore.	aureo variegat.
_ tuberculatus Kit. B	2. fol. argenteo
_ tuberosus La Peyr. C	variegat.
_ Villarsii Dec. C	— — δ. fol. aureo ma-
Gouani Smith.	culatis.
lapponicus Gouan.	e. latifolius.
Raphanus arcuatus W. A	Rhamnus hispanicus Pers.
- caudatus L. A	- aluifolius L'Herit. D
- Raphanistrum L. A	franguloides Mich.
- sativus L. A	- alpinus L. D
- tenellus L. A	- balearica Duh. arb. D
Chorispermum tenellum	- buxifolius Dah. arb. D
Ait.	* catharticus T. D
Rauwolfia glabra Cav. D	*_ Frangula L. D
_ spinosa Cav. D	- glandulosus Ait. D
Renealmia undulataWendl.	- hybridus L'Herit. D
Cat. C	burgundicus H. Par.
Alpiniae Spec?	_ infectorius L D
Reseda alba L. A	tinctorius W. En.
— canescens L. C	- lycioides H. Par. D
- fruticulosa L. C	Princides L'Herit. D
— glauca L. C	- saxatilis Jacq. D
★ — lutea L. G	- pumilus Jacq. D
★ — luteola L. A B	Rhipidodendron distichum
— odorata L. A	w. D
- Phyteuma L. A	Aloc plicatilis Pers.
— sesamoides L. C	Rheum compactum L. C
- Tournefortii H. Erf. B	— digynum Wählenb. C — hybridum L. C
— undata L. AB	- hybridum E. C
- virescens Hornem. B	— palmatum L. C
Rhagadiolus edulis W. A.	— Rhaponticum L. C
Lapsana Rhagadiolus L.	- tatarienm L. C
- Koelpinia W. A	— undulatum Ait, ' C
Koclpinia linearis Pall.	Rhodiola rosea L. C
- stellatus W: A	Sedum Rhodiola W. En.
Lapsana stellata L.	Rhododendron azaloides
Rhagodia hastata Brown.	Hort. angl. D
D	- dauricum L. D
Rhamnus Alaternus L. D	- ferrugineum L. D
_ a. dentatus.	- hirsutum L. D
Separate, variable	T

Rhododendron hybridum	Rhus Vernix L. D
H. Cels. D	<u>villosu</u> m Ait. D
_ maximum L. D	*Rhynchospora alba W.
flore albo.	En• C
- ponticum L. D	Schoenus albus L.
_ a. cassinefolium	*— fusca Vahl. C
'_ β. rosmarinitoli-	Schoenus fu cus L.
um	*Ribes alpinum.L. D
 γ. fol. variegatis δ flore pleno. 	- Cynosbati L. D
S llore pleno.	- diacantha Pall. D
_ punctatum W. D	— Grossularia L. D
Rhodora canadensis L. D	- plures variegates
Rhus augustifolium L. D	*— nigrum L. D
- atomarium Jacq. D	- oxyacanthoides W. D
_ copallinum L. D	- pensylvanicum LD
- Coriaria L. D	nigrum & pěnsylvanicum
- Cotinus L. D	Dill.
_ cuneifolium L. D	floridum L'Herit.
elegans Ait. D	— petraeum L. D
carolinianum Mill. dict.	- prostratum L'Herit.
_ glabrum LD	glandulosum Ait
- javanicum L.	*- rubrum L. D
_ laevigatum L. D	- fructu albo fructu carneo.
elongata Jacq.	- fructu carneo.
- lanceum L. D	— trinorum W. Hort. D
viminale Ait.	*— Uva-Crispa L. D
- lucidum Cav. D	Recinus africanus W. D
- Metopium W D	communis Desf.* .
- oxyacanthoides Juss, D	— communis L. D
- pumilum Mich. D	— inermis W. D
- radicans L. D	- lividus W. D
- A. toxicodendron	— undulatus Besser. D
Pers.	- viridis W. H. Berol A
Rhus toxico-	Ricotia aegyptiaca L. A
dendron L.	Rivina brasiliensis W. D
_ suaveolens Ait. D	- humilis L. D
bacchiemalem Swartz.	— laevis W. D
Myrica trifoliata L.	- octandra Jacq
- tomentosum L. D	dodecandra Jacq.
- typhinum L. D	sarmentosa Brown.
— nndulatum Pers. D	- purpurascens Schrad. D

Robinia Altagana L'Herit.	Rondelctia:
D	Petisia fruticosa Brown.
Caragana Altagana	Rosa alba L. D
Pers.	_ a. semiplena
_ candida Sp. nova. D	Roessig.
Caragana L. D.	&. plena Roess.
- Carabana 21	2. incarnata
altagana Pall.	Roess.
Caragana arborescens La Marck	— alpina L. B
- Chamlagu W. D	fl. pleno
chinensis Pers.	Rosa inermis
Caragana Chamlagu	Hortul.
Pers. syn.	- altaica W. En. D
- frutescens L. D	pimptnellifolia Pall.
Caragana frutescens	- amabilis Roess. D
Pers.	- apiifolia W. En. suppl.
- Halodendron W. D	D
Caragana argentea Lam.	*_ arvensis Huds. D
- Halodendron Pers.	repens Scop.
- hispida L. D	stylosa Pers.
rosca Duham. arb	sylvestris Roth.
_ inermis H. Paris. D	- balsamica W. En. suppl.
_ jubata WD	D
Caragana jubata Pers.	_ Bancksiae Ait D
_ Pseudacacia L D	— belgica Roess. D
_ a. inermis.	- hurgundica Roess. D
_ β. spectabilis—H.	a. major.
Cels.	β. humilis:
_ pygmaea L. D'	γ. kermesina.
Caragana pygmaea Pers.	<u>bifera Pers.</u> D
- sophoraefolia H. Vind.	Omnium Calendarium
D	Sennholz.
_ spinosa W. arb. D	ــ ه. alba.
ferox Pall.	β. rubra.
Caragana spinosa Pers.	γ. corymbosa.
_ viscosa Vent. D	S portlandica.
glutinosa Curt.	e. variegata.
Rondeletia americana L.	- blanda W. En. suppl. D
D	 bracteata W. D
dichotoma Pere	_ camtschatica W. En.
— racemosa Swartz. D	suppl. D

Rosa carolina W. arb. Delongata Roess.	*Rosa gallica L. D austrica Poll.
virginiana Du Roi.	a. marmorea _ a. rubra
- fl. pleno.	— \(\beta \) rubra
— centifolia L. D	- 2. spectabilis - 5. versicolor
— a. aculcata.	- Z. versicolor
— —, β. anglica.	— gemella W. D
> badensis.	- glaucóphylla Ehrh. D
- 7. badensis 8. hollandica 2. maxima.	fl. pleno.
- e. maxima.	— holoscricea simplex Du
ζ. minor.	Roi D
— — n. pallida.	— α. maxima
- 9. rubicans	— — В. regalis
	- 2. multiplex
- cinnamomea L D	— — S. atrocinereus
collincola Ehrh.	e atropurpurea
a. fl. pleno. _ β. majalis.	ζ. fulgens
— β. majalis.	n. nigricans 9. rubra
*— canina L. D — a. semiplena	9. rubra
— α. semiplena	*_ hybrida Schleicher. D
— β. carnea plena	— indica W. D
— collina Jacq. D — coronaria W. D	— indica W. — D — lagenaria W. — D
— coronaria W. D	- lucida Enri D
*- corymbosa-EhrhD	— marmorea Roess. D
_ damascena Du RoiD	— microcarpa Besser. D
/8. all)a:	- monstrosa H. Bellvel.
- dijonensis Roessig. D	D
- diacantha Pallas. D	— montana Vill. D
- '\(\beta\). alba:	— moschata W. D
Egianteria L	— plena
lutea W.	— multiflora W. p
lutea W. foctida All. g. fl. pleno.	muscosa W. D. fl. albo.
presser	— II. Albo.
β. puniceaPers.	- nitida W. D
Rosa bicolor	— pendulina L. D
Jacq.	— pimpinellifolia L. D
- Francofurtensis Mühlen.	— — alba — major — provincialis Ait. D
forming W Fr D	mayinoidis Ait
- fraxinca W. En. D	- provincians Ait.
turgida Pers.	- a. rubicans
frutetorum Besser. D	— — β . regalis.

_ , , , , ,	
Rosa provincialie, rubra.	Rothia runcinata W. B
- δ. hollandrica	Andryala corymbosa
- pumila Jacq. D	Lam.
— pyrenaica Gounn D	- integrifolia L.
- repens H. Vindeb. D	- runcinata Pers.
reversa Kit. D	Rottboellia biflora Pers. A
*_ rubiginose L D	pannonica Host.
- duplex	punnonica 110st.
- rubrifolia W D	saligna Spreng. Cat.
	salsa Fisch.
Glauca H. Paris.	Ophurus pannonicus P.
- scandens Moench. D	de B.
umbellata Pers.	- filiformis Roth. C
- sempervirens Ait. D	erecta Savi.
- semperflorens W. En.	incurvata &. Fl. franc.
D	Ophiurus filiformis Sch.
chinensis W. Sp.	ét Ř.
diversifolia Vent.	- incurvata L. Suppl. A
sinica L.	Acgilops incurvata L.
benghalensis Pers.	Sp.
- a. anemoneflora	Agrostis incurvataScop.
6. atropurpurea	Ophiurus incurvatus P.
2. alba	de B.
- 5. centifelia	- monandra Roth. A
i laurentina	Asprella nardiformis
ζ. longifolia	Host.
- n. pallida'	Monerma monandra P.
\$. pumila	de B.
	Nardus aristata W.
— 1. odoralissima — 2. simplex	- incurva Gouan.
*_ spinosissima L. D	Royena glahra L. D
- tomentosa Smith - D	- glabra Pers. D
- turbinata Ait D	-hirsuta L D
*_ umbellata Leers. 'D	- lucida L. D
- unica Hortul.	- myrtifolia Wendl. D
Centifolia alba Hortul.	— polyandra Pers. D
mutabilis Pers.	
*— villosa L. • D	Rubia Bocconi W. En.
Vilmorina H. Paris.	fruticosa Jacq.
Rosmarinus officinalis L.	_ cordifolia Pall. C
	- lucida Pers. D
L. D	
β. angustifolia.	- peregrina W. C

Rubia tinctorum L. C	Ruellia flava Pers.
sylvestris Moench.	Eranthemum flavum
Rubus arcticus W. C	Hortul.
*_ caesius L. D	— lactea W. — D C
*_ fruticosus L. D	- ovata Cav. C
*- a. corylifolius	_ patula Jacq A
Smith.	- nilosa Pers. C
*— β. glandulosus	- strepens L. C
Bell.	tuberosa Pers.varians W. En.
R. hybridus	varians W. En. D
Pers.	Eranthemum nervosum
* 2. canescensDec	Brown.
tomentosus	Eranthemum pulchellum
` W .	Andr.
— — 5. fl. pleno	Justicia nervosa. Curt.
*_ Jdaeus L. D	*Rumex acetosa L. C
— — fructu albo.	\beta \beta . latifolia *_ acetosella L. G
- fructu maximo.	*_ acetosella L. C
— inermis W. D	*— acutus L. C
- laciniatus W. D	- aegyptiacus L. A
- moluccanus L. D	alpinus L. C
— occidentalis L. D	- aquaticus L. C
- odoratus L. Di	- arifolius L. D
— rosaefolius Smith. D	abysinicus Jacq.
*_ saxatilis L. C	Lapathum arifoliumPers.
Rudbeckia amplexicaulis	- britannica L. C
Vahl. A	biennis Moench.
perfoliata Cav.	Xanthorhiza Pers.
— digitata W. ,C	- bucephalophorus L. A
pinnata Mich.	- confertus W. En. C
— fulgida Ait. C	- condylodes Schult. C
chrysomela Mich.	- cordifolius Horn.
— hirta L. C	*— crispus L. C
- laciniata L. C	- dentatus L A
- pinnata Vent C	- digynus L C
- purpurea Lo C	- divaricatus L. A
- triloba L C	- hastaefolins M. B. C.
hirsuta Mich.	hispanicus Gmel. C
Ruellia ciliaris Pers. D	*_ hydrolopathum WC
cordata Thunb	aquaticus Smith. et Poll.
- clandestina W. C	britannica Roth.

Rumex Lunaria L. *— maritimus L. — multifidus Horn. *— Nemolopathum Hoff conglomeratus Retz. crispus B. Poll. *— nemorosus Schrad. *— obtusifolius L. — orientalis Bernh. *— palustris Smith. acutus Poll. maritimus Curtis. — Patientia L. — persicarioides W. — pulcher W. — purpureus Poir.		Rumex spinosus L. A — tuberosus L. C — ucranicus W. C — undulatus Kit. G — verticiliatus L. C — vesicarius L. A Ruscus aculeatus L. D — Hypoglossum L. D — Hypophyllum L. D — laurifolius Sp. nova. D — racemosus L. D Russelia sarmentosa Jacq. B Ruta chalepensis L. D — graveolens L. D — linifolia L. G — montana Ait.
- roseus L.	À	legitima Jacq.
- sangnineus L. *- scutatus L.	Ç	sylvestris Mill. dict. — pinnata Ait. D
	S	•
Saccharum cylindrican Lam.	C	Saccharum: officinarum B. violaceum
europaeum Pers.		Pers.
europaeum Pers. Sisca Cav.		*Sagina apetala L. A
Sisca Cav. Thunbergii W.		*Sagina apetala L. A. *— procumbens L. A.
Sisca Cav. Thunbergii W. Ravennae M.B.	т.	*Sagina apetala L. A *— procumbens L. A Sagittaria obtusifolia W.
Sisca Cav. Thunbergii W.		*Sagina apetala L. A *— procumbens L. A Sagittaria obtusifolia W. C *— sagittifolia W. C
Sisca Cav. Thunbergii W. Ravennae M.B. Lagurus cylindricus Jmperata arundinae Cyrill.	ceà	*Sagina apetala L. A *— procumbens L. A Sagittaria obtusifolia W. C *— sagittifolia W. C Salicornia arbuscula
Sisca Cav. Thunbergii W. Ravennae M.B. Lagurus cylindricus Jmperata arundinae Cyrill. Calamagrostis Lagu	ceà	*Sagina apetala L. A *— procumbens L. A Sagittaria obtusifolia W. C *— sagittifolia W. C Salicornia arbuscula Brown. C
Sisca Cav. Thunbergii W. Ravennae M.B. Lagurus cylindricus Jmperata arundinae Cyrill. Calamagrostis Lagu Koelle.	ceà	*Sagina apetala L. A *— procumbens L. A Sagittaria obtusifolia W. C *— sagittifolia W. C Salicornia arbuscula Brown. C — fruticosa L.
Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae Cyrill. Calamagrostis Lagu Koelle. — officinarum L. — Ravennae L.	rus D	*Sagina apetala L. A *— procumbens L. A Sagittaria obtusifolia W. C *— sagittifolia W. C Salicornia arbuscula Brown. C — fruticosa L. D Salisburia adiantifolia Smith. D
Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae Cyrill. Calamagrostis Lagu Koelle. — officinarum L. — Ravennae L. Erianthus Ravennae	rus D	*Sagina apetala L. A *— procumbens L. A Sagittaria obtusifolia W. C *— sagittifolia W. C Salicornia arbuscula Brown. C — fruticosa L. D Salisburia adiantifolia Smith. D Gingko biloba L.
Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae Cyrill. Calamagrostis Lagu Koelle. — officinarum L. — Ravennae L. Erianthus Ravennae de B.	rus D C P.	*Sagina apetala L. A *— procumbens L. A Sagittaria obtusifolia W. C *— sagittifolia W. C Salicornia arbuscula Brown. C — fruticosa L. D Salisburia adiantifolia Smith. D
Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae Cyrill. Calamagrostis Lagu Koelle. — officinarum L. — Ravennae L. Erianthus Ravennae	rus D	*Sagina apetala L. A *— procumbens L. A Sagittaria obtusifolia W. C *— sagittifolia W. C Salicornia arbuscula Brown. C — fruticosa L. D Salisburia adiantifolia Smith. D Gingko biloba L.

Digitized by Google

Salix acutifolia W. D	Salix:
caspica Hortul.	Jacquinina W.
*_ alba L. mas, et fæm. D	fusca Jacq.
* \$. vitellina L.	fissa Ehrh. mas, et fær
*_ amvgddina L. mas. et	
fæm. D	rubra Smith.
- arbuscula L. D	virescens Vill.
- arbutifolia L. D	olivacea Thuill.
- arenaria L. mas. et fæm.	- Forbyana Smith. I
D	*_ fragilis L. mas. et fæm
helvetica Dee.	
nivea Seringe.	decipiens Hoffm. et Schl.
spuria Schl.	pendula Ser.
*_ aurita L. mas. et fæm.	persicifolia Schl.
D	fragilis β. Russelinga
aurita et uliginosa W.	Smith.
aurita et aquatica Smith.	amygdalina Poll.
cinerca Schl.	*_ depressa Hoffm. mas
conformis Schl.	et fæm.
rugosa Ser.	polymorpha Ehrh.
- argentea Sm. D	*_ a. repens L. mas
- babylonica L. fæm. D	et fæm.
bicolor Ehrh. mas. et fæm. D	* \beta arenaria Poll mas. et fæm.
Dicksoniana Smith.Eng.	* p. incubacea L
Bot.	mas. et fæm.
myrtilloides Smith. fl.	angustifolia
Brit.	Wulf.
- candida Flügge. D	* 5. fusce L. mas
*_ caprea L. mas. et fæm.	et fæm.
D	- grisea W. D
tomentosa Ser.	sericea Mühlenb.
fol.variegatismas.	*_ hastata L. mas. et fæm.
- Croweana Smith. D	D
- daphnoides Vill. mas. D	Pontederae Vill.
cinerea W. et Smith. non	malifoliaSmith
Linmé.	&. tenuifoliaSmith
praecox Hoppe.	serrulata W.
- decipiensAit.nonHoffm.	Ludwigii
D	Schkul r.
- eleagnoides Schl. D	<i>arbuscula</i> Suter

Salix hastata 2. macro-	Salix nigricans Smith. mas.
phylla Ser. mas.	et fæm. D
at fæm.	atrovirens Schl.
viburnoides	ctethrifolia Schl.
Schl.	cydoniaefolia Schl.
- herbaceaL. mas. et fæm.	cordato ovata Schl.
D	crispato-serrata Schl.
- holosericea W. D	elliptica Schl.
vetutina Schrad.	fagifolia Schl.
	ilicifolia Schl.
- juralensis Hortul. D - Lambertiana Smith. D	incana Schl.
- lanceolata Smith. D	juratensis Schl.
- lapponumL.mas.et fæm.	murina Schl.
D	mollis Schl.
plauca Wahlenb.	nervosa Schl.
glauca Wahlenb. scricea Vill.	obtuse-serrata Schl.
albida Schl.	polygonifolia Schl.
- laurina W. mas. et fæm.	populifolia Schl.
D	pruinosa Schl.
bicolor Smith.	pallescens Schl.
laurifolia Hortul.	recurvata Schl.
- Meyeriana W. D	reflexa Schl.
* mollissima Ehrh. mas.	strepida Schl.
et fæm. D	trichocarpa Schl.
* \$. Smithiana W.	ulmifolia Schl.
mollissimaSmith	villosa Schl.
*_ monandra Hoffm. mas.	villosula Schl.
et fæm. D	*_ pentandra L. mas. et
purpurea L.	fæm. D
Helix L.	- phylicifolia Smith. D
* B. brevifolia	- Pondeterana W. D
— myrsinites L. mas. et	- praecox Hoppes D
fæm. D	- prunifolia Smith. fætida
arbutifolia W.	Dec. D
dubia Suter.	- reticulata L. mas. et
venulosa Smith.	fæm. D
	- retusa L. mas. D
pilosa Schl.	Kitaibeliana W.
- myrtilloides L. mas. et	- riparia W. mas. D
fæm. D caesia Vill.	incana Schr.
prostrata Ehrh.	layandulaefoliaLa Peyr.
prostruta Entas	TT
•	¥

Salix:

rosmarinifolia Gouan.

- rosmarinifolia L. mas. et fæm.

procumbens Wulf. - serpyllifolia W. mas. et

fæm. D
retusa 2. serpyllifolia
Wahleub.

- silesiaca W. D

- stylosa Dec. mas.et fæm.

stylaris Ser. albescens Schl. - B. major Schl. alaternoides Schl. **8.** latifolia Schl. alnifolia Šchl. B. tomentosa Schl. Ammaniana W. et Schl. Aubonensis Schl. arbuscula Schl. candidula Schl. concolor Schl. chrysophylla Schl. cotinifolia Schl. coriacea Schl. crassifolia Schl. diffussa Schl. denudata Schl dura Schl. firma Schl. frangula Schl. glaucocarpa Schl. Gryoneusis Schl.

hastata Hoppe.

lutescens Schl.

heterophylla Schl.

Halleri Schl,

laxa Schl.

Salix:

Lemanna Schl. ligustroides Schl. macrostipularis Schl. malifolia Schl. microdonta Schl. mespylifolia Schl. montana Schl.nigrescens Schl. pallida Schl. patula Schl. pectinato-serrata Schl. pumila Schl. phylicifolia Smith. polyphylla Schl. pyrifolia Schl. psylocarpa Schl. rugulosa Schl. rivularis Schl. rostrata Schl. Schleicheriana Schl. silesiaca Schl. et W. sordida Schl. tenuifolia Schl. torfacea Schl. tiliaefolia Schl. undulata Schl. vaccinoides Schl. vallesiaca Schl. varians Schl. spathulata W. D

versifolia Wahlenb.

— stipularis Smith. mas.

et fæm.

D

grandifolia Ser. acuminata Schl. cinerascens W. pubescens Schl. sphacelata Schl. uliginosa Schl.

0.4: 4 : 1 0.37:11	0.1.1.C.1.W. A
Salix triandraß. Villarsiana	Salsola Soda L.
W. 37:11	— spicata W.
amygdalina Vill. — tristis W. D	- trigyna Pers.
0215015	altissima Cav.
*- undulata Ehrh. mas.	210,000 200
et fæm. D	
*_ viminalisL.mas.et fæm. D	clandestina \beta. Vahl.
	- acetabulosa Vahl. C
	- aegyptiaca L. A
Salsola altissima W. A	Melissa perennis Forsk.
Chenopodium altissimum	- Aethiopis L. C
w. En.	- affinis Spr. Cat.
*_ arenaria Kit. A	- africana L. D
Kochia arenaria Roth.	- amarissima Ort. D
Camphorosma monspeli-	amara Jacq.
aca Poll.	circinata Cav.
Willemetia arenaria	— amplexicaulis Lam. C
Maercklin.	— angustifolia Cav. C
- caroliniana Mich. A	reptans Jacq.
- cinerea Kit. A	virgata Orlega.
sedoides L.	- applanata W.En. suppl.
— eriophora A	B
Kochia eriophora Schrad	- argentea L. C
— fruticosa L. D	orientalis H. Par.
Chenopodium frutico-	uurcu Di
sum M. B.	— austriaca L. C
- hyssopifolia M. B. A	
Kochia hyssopifolia	acuminata Pers.
Roth.	acuminatissima Vent.
— Kali L. A	angustifolia Mich.
- laniflora W. A.	mexicana Walth.
— platyphylla Mich. A	- Barrelieri Ettling. C
rediata Desf.	- betonicaefolia W. En.
Kochia platyphylla Roth. — dentata W. hort.	- bicolor Lam. G
— prostrata L. D	- Boosiana Jacq. fil. D
— rosacea Cav. A	hyemalis Bosc.
— salsa L. A	cyanea H. Vindob.
· — sericea Ait. D	thymistora Willd.
diffusa Pers.	azurea et eoerulea Hor-
Chenolea diffusa W.	tul.

Salvia campestris M. B. C. caesia Humb, et Bonpl.	Salvia lanceolata Brouss,
— canariensis L. D	reflexa Hornem. — lusitanica Poiret. C
- chamaedrifolia Andr. D Chamaedrys W. Hort. - ceratophylloides L. C	bullata Vahl. elongata Spreng. Pug lyrata Vahl. C
- ceratophylla L. C	Horminum virginicum L. — mexicana L. D
clandestina L, B coccinea L, C	- micrantha Vahl. G bullata Orteg.
- cretica L. D - disermas L. C	- napifolia Jacq, C - nemorosa L. C
— erqsa? Desf. C.— formosa L'Herit, D	sylvestris var. Ettling. — nilotica Jacq. C
Iconuroides Vahl. nodosa Ruiz. Forskölei W. C	abyssinica L. Suppl. — nutans Kit. C
- Forskölei W. C. bijida Forsk glutinosa L. C.	pendula Besser oblongata Vahl, C betonicaefolia Lam.
grandiflora Vahl. D tomentosa Mill. dict.	illyrica Schult, Obs. — odorata H. Paris, D
Habliziana W. C	atbida Hortul. — officinalis L. D
scabiosaefolia? Lam. haematodes Vahl. C	- α. fol. variegatis, - β. maculata,
hirsuta Jacq. Sideritidis Vahl. ciliata H. Paris, phlomoides Cav.	 — γ. latifolia, — paniculata L. — patula Desf. B Aethiopis Brotero,
bracteata Poiret. cryptanthos Schult. Obs.	Lusitanica Mill. dict, — pendula Vahl. C
Horminum L. A	- pinnata L. B pomifera W. D
- a. coma rubra b. — coerulea viridi.	*— pratensis L, C — prismatica Pers, A — pseudococcinea Jacq.D
indica Vanl. BC interrupta Schousb. D	- runcinata L. C. scabra Thunb.
laciniata W. En. suppl.	- Sclarea L. B - Spielmanni Vahl. C

Salvia spinosa L. B	Sanguisorba media L. C
aegyptiaca L. Mant.	*— officinalis L. C
- sylvestris Ait. C	*Sanicula europaea L. C
- syriaca L. D	- marylandica L. C
- tiliaefolia Vabl. A	Sanseviera carnea Andr.
- tingitana Ettling. D	Aletris chinensis H. angl.
foetida	- guineensis W. En. C
*_ triloba L, Suppl. D	Aletris guineensis Jacq.
auriculata Mill. dict.	- hyacinthoides B gui-
Sypilea Cav.	necnsis L.
Clusii Jacque	- zeylanica W. C
baccifera Etthing.	aethiopica Thunb.
- truncata W. En. A	Aletris hyacinthoides ?
- urticaefolia L.	zeylanica L.
- valentina Vahl. C	Salmia spicata Cav.
- variegata Kit. C	Santolina alpina W. D
tricolor Hortul.	— Chamaecyparissus L. D
- Verbenaca L, C	— eriosperma Pers. D
- verticillata L, C	maritima Smith. Dr
- virgata Ait. C	Athanasia maritima L.
- viridis L. A	Diotis candidissima Desf.
- viscosa Jacq. C	Gnaphalium legitımum
*Salvinia natans Schreb.	Gaertn.
C	pinnata Sw. D
Sambucus canadensis L. D	- squarrosa W. D
*— Ebulus L, Ç	rosmarinifolia S. L
*_ nigra L. D	tomentosa H. Par.
_ a. fol. aureo	villosa Mill. dict.
varieg.	wiridis W. D
_ β. fol, argenteo	rosmarinifolia y., L.
varieg.	virens Mill. dict.
- 2. fructu albo	Sanvitalia procumbens W.
— J. monstrosa	
— ζ. laciniata	villosa Cav.
S. laciniata	Laurentia atropurpurea
Du Roi.	Orteg.
*_ racemosa L. D	Sapindus marginatus W.
*Samolus Valerandi L. B	En. D
Sanguinaria canadensis L.	Saponaria Mich.
G	Saponaria lutea-In- A
Sanguisorba canadensis,	- ocymoides L. C

*Saponaria officinalis L. C	Saxifraga crassifolia L. C
_ flore pleno.	- crustata Vest. C
- orientalis L. A	longifolia La Peyr.
- porrigens L. A	lingulata Bellardi.
Silene porrigens Gouan.	- cuneifolia L. C
*_ vaccaria L. A	— dentata Sp. nova. C
Satureja capitata L. D	- diapensoides Bell. C
nervosa Hortul.	— erosa Sp. nova. C
- graeca L. D	- exarata Vill. C
- hortensis L. A	moschata Wulf.
_ juliana L. D	hypnoides All.
montana L. D	- <u>fragil</u> is Hermanni Sp.
_ rupestris Jacq. D	nova. C
thymifolia Scop.	- geranoides L C
- Thymbra L. D	- Geum L. C
Saururus cernuus L. C	*- granulata L. C
- lucidus W. En. C	— — plena
Saxifraga adscendens	- Hirculus L. C
Wulf. C	- hirsuta L. C
petrosa Vahl.	- hybrida Villars. C
hypnoides Scop.	
Scopolii Vill.	— hypnoides L. C — irrigua Fisch. C — intacta W. C — mutata L. C
*- Aizoon Jacq. C	- intacta W. C
- androsacea L. C	— mutata L. C
pyrenaica Jacq.	- oppositifolia L. C
— aspera L. C	- paniculata Bernh. C
- autumnalis Jacq. C	- palmata Smith.
aizoides L.	decipiens Ehrh.
_ Aretioides La Peyr. C	villosa W. En.
- bryoides L. C	— petraca Vahl. C
- biflora All. C	- pedemontana All.
- bulbifera L. C	— punctata L. C
- caesia Jacq. C	— pensylvanica E. C
recurvifolia La Peyr.	- pyramidalis La Peyr.C
- Cotyledon L. C.	multiflora Dodart.
— caespitosa L. C	- rotundifolia L. C
muscoides Wulf.	- sarmentosa L. C
pyrenaica Vill.	ligulata Murr.
_ cernua L. C	stolonifera Jacq.
*_ condensata Gmel. fl.	- sedoides L. C
Bad. C	muscoides All.

Saxifraga	Scabiosa:
trichodes Scop.	Sclerostemma argentea
planifolia La Peyr.	Schott;
- serrata Sp. nova. C	*— arvensis L. C
- stellaris L. C	Trichera arvensisSchrad
- Sternbergii W. C	- banatica Kit. B
palmata Panzer.	diversifolia Baumg.
*_ sponhemica Gmel. fl.	Asterocephalus banati-
Bad.	cus Schott, Cat.
S. condensata var.?	*— canescens Kit. C
- trifurcata Schrad, C	suareolens Desf.
*- tridactylides L. A	Columbaria var odorata
annua La Peyr,	Thuill.
- umbrosa L. C	Asterocephalus canes-
Scabiosa agrestis Kit. C	cens Lagasc.
Columnae Tenore,	— caucasica M. B. C
Columbaria M. B.	Sclerostemma caucasi-
longipedunculataHortul,	cum Schott, M.
Sclerostemma agreste	S. S.
Schott,	Asterocephalus caucasi-
- alba Scop. C	cus Schott, Cat.
Sclerostemma Scopolii	— centauroides Lam. C
Schott, M. S. S.	laevigata Kit.
Asterocephalus Scopolii	Cephalaria centauroides
Schott, Cat.	C.L.AD
- alpina L. C	Sch. et R.
Cephalaria alpina Sch.	Cerianthus laevigatus Schott
et R.	Delizote,
Lepicephalus alpinus La-	Lepicephalus centauroi-
	des Lagasc,
Conjunt has a vinings	
Cerianthus alpinus	Sclerostemma columba-
Schott.	ria Schott.
- altissima Jacq. D	- corniculata Kit. C
Sclerostemma altissi-	Cephalaria : corniculata
mum Schott.	Sch. et R.
— amoena Jacq, fil, C	Lepicephalus cornicula-
nitida Bernh	tus Lagasc.
Asterocephalus amoenus	Cerianthus corniculatus
Schott, Cat.	Schoo.
- amplexicaulis W. A	- ciliata Sereng. C
- argentea L. C	hispida Portenschl,

Scabiosa:	Scabiosa:
Kitaibelii Horn. Obs.	Trichera mutabilis
pubescens Wehlanb.	Schrad,
Trichera ciliata Sch. et	- hybrida Sch. et R
- cretacea M. B. C	- integrifolia L.
Cephalaria cretacea Sch.	belliaifolia Lam.
et R.	serrata Lam.
Cerianthus cretac eus	Asterocephalus lintegri
Schott.	folius Lagasc,
- cretica L. D	- isetensis L.
- dichotoma W. A	Sclerostemma isetemis
) parriflora Desf.	Schott,
Asterocephalus dichoto-	- laxiflora W. En, supply
mus Lagasc.	
- daucoides Desf. C	- leucantha L.
- dipsacifolia Schott. C	Cephalaria leucanthema
pubescens W.	Sch. et R.
Trichera pubescens Sch.	Lepicephalus leucanthe
et R.	— lucida Vill.
elegans Spreng. A	Sclerostenyma lucida
comnata Horn.	Schott,
caucasica H. Matr.	- maritima L.
Asterocephalus elegans	maritima B. mollis W. En.
LagascSclerostemma connatum	capillata Sch. et R.
Schott.	- montana M. B.
- glabrata Schott. C	tatarica Horn,
gramuntia L. C	Trichera montana Sch.
columbaria & Dec.	et B.
triandra L. Ed. I.	- ochroleuca L.
Asterocephalus gramun-	temuifolia Roth.
tius Schott, Cat,	polymorpha S. Weig.
- graminifolia L. C	nalaastina l
Asterocephalus grami-	A etanocanhalus nalaesti
nifolius Schott.	nus Schott Cat
Cat.	mannaca I.
- grandiflora Scop. C	Cephalaria papposa Sch
- bolosericea Bert, C	er n
- hybida All, C	Pterocephalus Vaillants
integrifolia Schult, fl.	Lagasc,
austy	- prolifera L.

	T .
Scabiosa pubescens Kit. C	Šcabiosa :
- pyrenaica All. C	Cephalaria transylvani-
mollissima Dec.	ca Sch. et R.
Sclerostemma pyrenaica	Lepicephalus transylva-
Schott.	nicus Lagasc.
= sicula L. A	ucranica W. C
divaricata Jacq.	Asterocephalus ucrani-
Asterocephalus divarica-	cus Schott Cat.
tus Lagasc.	- uralensis Murr. C
- siculus Schott Cat.	Cephalaria uralensis Sch.
Sclerosteinma sicula	et R.
Schott M. S. S.	
	Lepicephalus uralensis
	Lagasc.
Succisa stellata Moench.	Scandiz australis L. et Spr.
- stricta Kit. D	A
*_ Succisa L. C	- pinnatifida Vent. et Spr.
Succisa pratensis Moench	A
Asterocephalus succisus	*- Pecten L. et Spr. A
Lagasc.	*Scheuchzeria palustris L.
= syriaca L. A	C C
dichotoma Lam.	SchinusmolleL.mas. et fæm.
	Schinasmoner.mas. et lam.
Cephalaria syriaca Sch.	
et R.	Schisandra coccinea Mich.
Cerianthus syriacus Schott	D
Lepicephalus syriacus	*Schoenus compressus L.
Lagasc.	- C
*— sylvatica L. C	Carex uliginosa L. fl.
pannonica Jacq. hort.	Suec.
Trichera sylvatica Sch.	Scirpus varicis Retz.
et R.	Dempisers Deme
	- compressus Pers.
	- ferrugineus Schrad. C
elata Horn.	nigricans Hoppe.
gigantea Ledebour. Cat.	- Mariscus L. C
Cephalaria tatarica Sch.	* nigricans L. C
et R.	Cyperus nigricans With.
— elata Schrad.	Schottia speciosa Jacq. D
Cerianthus tataricus	Guajacum afrum L.
Schott.	Theodora speciosa Me-
- transylvanica L. A	dicus.
Succisa pentaphylla	Schwaegrichenia flavida
Moench.	Sprengel. C
	X
•	CI -
•	 Digitized by Google

Rubia tinctorum L. C	Ruellia flava Pers. D
sylvestris Moench.	Eranthemum flavum
Rubus arcticus W. C	Hortul.
★_ caesius L. D	lactea W. D
*— fruticosus L. D	- ovata Cav. C
*- a. corylifolius	patula Jacq A
Smith.	_ nilosa Pers. C
*- \(\beta \). glandulosus	_ strepens L. C
Bell.	— tuberosa Pers. C
R. hybridus	- varians W. En. D
Pers.	Eranthemum nervosum
* 2. canescensDec	Brown.
tomentosus	Eranthemum pulchellum
. W.	Andr.
— — δ. fl. pleno ★— Jdaeus L. D	Justicia nervosa. Curt.
	*Rumex acetosa L. C
— fructu albo.	β. latifolia
- fructu maximo.	*_ acetosella L. C
— inermis W. D	*— acutus L. C
- laciniatus W. D	- aegyptiácus L. A
- moluccanus L. D	utpindo ist
- occidentalis L. D	
- odoratus L. D rosaefolius Smith. D	taritoria
— rosacfolius Smith. D ★— saxatilis L. C	abysinicus Jacq.
Rudbeckia amplexicaulis	Lapathum arifolium Pers. — britannica L. C
Vahl. A	biennis Moench.
perfoliata Cav.	Xanthorhiza Pers.
- digitata W.	- bucephalophorus L. A
pinnata Mich.	— confertus W. En. C.
— fulgida Ait. C	— condylodes Schult. C
chrysomela Mich.	- cordifolius Horn.
— hirta L. C	*_ crispus L. C
- laciniata L. C	- dentatus L A
- pinnata Vene C	- digynus L C
- purpurea Lo C	- divaricatus L. A
- triloba L C	- hastaefolins M. B. C.
hirsuta Mich.	hispanicus Gmel. C
Ruellia ciliaris Pers. D	*_ hydrolopathum W C
cordata Thunber	aquaticus Smith. et Poll.
- clandestina W. C	britannica Roth.

		rumen spinosus =	
*_ marijimus L.	A	- tuberosus L.	C
- multifidus Horn.	\mathbf{C}	- ucranicus W.	C
*_ Nemolopathum Hoff	m.	- undulatus Kit.	\mathbf{C}
— itemotopathamazon	C	- verticillatus L.	Č
/ Dota	u		Ã
conglomeratus Retz.		- vesicarius L.	
crispus &. Poll.	_	Ruscus aculeatus L.	D
*_ nemorosus Schrad.	C	- Hypoglossum L.	D
*- obtusifolius L	C	Hypophyllum L. laurifolius Sp. nova.	D
— <u>oriental</u> is Bernh.	\mathbf{C}	- laurifolius Sp. nova.	\mathbf{D}
*_ palustris Smith.	\mathbf{C}	- racemosus L.	\mathbf{D}
acutus Poll.		Russelia sarmentosa Ja	ca.
maritimus Curtis.			Ď
- Patientia L.	C	Ruta chalepensis L.	$\tilde{\mathbf{D}}$
			Ď
- persicarioides W.	A	- graveolens L.	
- pulcher W.	C	— linifolia L.	C
- purpureus Poir.	C	- montana Ait.	
- roseus L.	A	legitima Jacq.	
- sanguineus L.	\mathbf{C}	sylvestris Mill. dict.	
*_ sculatus L.	·C	— pinnata Ait.	\mathbf{D}
	C		
	S.	· · · · · · · · · · · · · · · · · · ·	,
a 7			
Saccharum cylindricum		Saccharum:	
Lam.	C	Saccharum: officinarum B. violace	um
Lam. europaeum Pers.		Saccharum: officinarum & violace Pers.	um
Lam.		Saccharum: officinarum & violace Pers.	um A
Lam. europaeum Pers. Sisca Cav.		Saccharum: officinarum & violace Pers. *Sagina apetala L.	A
Lam. europaeum Pers. Sisca Cav. Thunbergii W.		Saccharum: officinarum & violace Pers. *Sagina apetala L. *— procumbens L.	A A
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B.	C	Saccharum: officinarum & violace Pers. *Sagina apetala L. *— procumbens L.	A A W.
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus	C L.	Saccharum: officinarum & violace Pers. *Sagina apetala L. *— procumbens L. Sagittaria obtusifolia	A A W. G
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae	C L.	Saccharum: officinarum B. violace Pers. *Sagina apetala L. *— procumbens L. Sagittaria obtusifolia *— sagittifolia W.	A A W.
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae Cyrill.	L.	Saccharum: officinarum B. violace Pers. *Sagina apetala L. *— procumbens L. Sagittaria obtusifolia *— sagittifolia W. Salicornia arbuscula	A W. C C
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae Cyrill. Calamagrostis Lagur	L.	Saccharum: officinarum B. violace Pers. *Sagina apetala L. *— procumbens L. Sagittaria obtusifolia *— sagittifolia W. Salicornia arbuscula Brown.	A A W. C C
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae Cyrill. Calamagrostis Lagur Koelle.	L.	Saccharum: officinarum B. violace Pers. *Sagina apetala L. *— procumbens L. Sagittaria obtusifolia *— sagittifolia W. Salicornia arbuscula Brown. — fruticosa L.	A W. C C
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae Cyrill. Calamagrostis Lagur Koelle. — officinarum L.	L. cea	Saccharum: officinarum \(\beta \). violace: Pers. *Sagina apetala L. *— procumbens L. Sagittaria obtusifolia *— sagittifolia W. Salicornia arbuscula Brown. — fruticosa L. Salisburia adiantifolia	A A W. C C
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae Cyrill. Calamagrostis Lagur Koelle. — officinarum L. — Ravennae L.	L. cea	Saccharum: officinarum \(\beta \). violace: Pers. *Sagina apetala L. *— procumbens L. Sagittaria obtusifolia *— sagittifolia W. Salicornia arbuscula Brown. — fruticosa L. Salisburia adiantifolia Smith.	A A W. C C
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae Cyrill. Calamagrostis Lagur Koelle. — officinarum L.	L. cea	Saccharum: officinarum \(\beta \). violace: Pers. *Sagina apetala L. *— procumbens L. Sagittaria obtusifolia *— sagittifolia W. Salicornia arbuscula Brown. — fruticosa L. Salisburia adiantifolia Smith.	A A W. C C
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cytindricus Jmperata arill. Calamagrostis Lagur Koelle. — officinarum L. — Ravennae L. Erianthus Ravennae de B.	L. cea	Saccharum: officinarum \(\beta \). violace: Pers. *Sagina apetala L. *— procumbens L. Sagittaria obtusifolia *— sagittifolia W. Salicornia arbuscula Brown. — fruticosa L. Salisburia adiantifolia	A A W. C C
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cytindricus Jmperata arill. Calamagrostis Lagur Koelle. — officinarum L. — Ravennae L. Erianthus Ravennae de B.	L. cea	Saccharum: officinarum \(\beta \). violace: Pers. *Sagina apetala L. *— procumbens L. Sagittaria obtusifolia *— sagittifolia W. Salicornia arbuscula Brown. — fruticosa L. Salisburia adiantifolia Smith. Gingko biloba L. *Salix acuminata Ehrh	A A W. C C
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae Cyrill, Calamagrostis Lagur Koelle. — officinarum L. — Ravennae L. Erianthus Ravennae de B. — Teneriffae L.	L. cea rus D C P.	Saccharum: officinarum \(\text{B}. \) violace: Pers. *Sagina apetala L. *— procumbens L. Sagittaria obtusifolia *— sagittifolia W. Salicornia arbuscula Brown. — fruticosa L. Salisburia adiantifolia Smith. Gingko biloba L. *Salix acuminata Ehrh \(\text{P} \)	A A W. C C C D
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae Cyrill, Calamagrostis Lagur Koelle. — officinarum L. — Ravennae L. Erianthus Ravennae de B. — Teneriffae L. — violaceum Humb.	L. cea rus D C P.	Saccharum: officinarum \(\beta \). violace: Pers. *Sagina apetala L. *— procumbens L. Sagittaria obtusifolia *— sagittifolia W. Salicornia arbuscula Brown. — fruticosa L. Salisburia adiantifolia Smith. Gingko biloba L. *Salix acuminata Ehrh \$\beta\$ cinerea L. secund. W	A A W. C C C D
Lam. europaeum Pers. Sisca Cav. Thunbergii W. Ravennae M. B. Lagurus cylindricus Jmperata arundinae Cyrill, Calamagrostis Lagur Koelle. — officinarum L. — Ravennae L. Erianthus Ravennae de B. — Teneriffae L.	L. cea rus D C P.	Saccharum: officinarum \(\text{B}. \) violace: Pers. *Sagina apetala L. *— procumbens L. Sagittaria obtusifolia *— sagittifolia W. Salicornia arbuscula Brown. — fruticosa L. Salisburia adiantifolia Smith. Gingko biloba L. *Salix acuminata Ehrh \(\text{P} \)	A A W. C C C D

Rumex Lunaria L. D Rumex spinosus L.

Salix acutitolia W. D	Salix:
caspica Hortul.	Jacquinina 📆 .
*_ alba L. mas. et fæm. D	fusca Jacq.
*— — β. vitellina L.	fissa Ehrh. mas, et fæn
*- amvgdalina L. mas. et	
fæm. D	rubra Smith.
- arbuscula L. D	virescens Vill.
- arbutifolia L. D	olivacea Thuill.
- arenaria L. mas, et fæm.	- Forbyana Smith. I
D	*_ fragilis L. mas. et fæm
helvetica Deer	
nivea Seringe.	decipiens Hoffm. et Schl
spuria Schl.	pendula Ser.
*_ aurita L. mas. et fæm.	persicifolia Schl.
D	fragilis B. Russelinga
aurita et uliginosa W.	Smith.
aurita et aquatica Smith.	
cinerca Schl.	amygdalina Poll.
	*— depressa Hoffm. mas et fæm. I
conformis Schl.	
rugosa Ser.	polymorpha Ehrh.
- argentea Sm. D	*_ a. repens L. mas
- babylonica L. fæm. D	et fæm.
- bicolor Ehrh. mas. et	* & arenaria Poll
fæm. D	mas. et fæm.
Dicksoniana Smith.Eng.	* p. incubacea L
Bot.	mas. et fæm.
myrtilloides Smith. fl.	angustifolia.
Brit.	Wulf.
- candida Flügge. D	* 5. fusce L. mas
*- caprea L. mas. et fæm.	et fæm.
D	- grisea W. D
tomentosa Ser.	sericca Mühlenb.
- fol variegatismas.	*_ hastata L. mas. et fæm.
- Croweana Smith. D	' D
- daphnoides Vill. mas. D	Pontederae Vill.
cinerea W. et Smith. non	, _ a. malifoliaSmith.
Linmé.	B. tenuifoliaSmith
praecox Hoppe.	serrulata W.
- decipiensAit.nonHoffm.	Ludwigii
D	Schkul r.
- eleagnoides Schl. D	<i>arbuccula</i> Suter
	and the second second

Salix hastata 2. macro-	Salix nigricans Smith. mas.
phylla Ser. mas.	et fæm. D
at fæm.	atrovirens Schl.
viburnoides	ctethrifolia Schl.
Schl.	cydoniaefolia Schl.
- herbaceaL. mas. et fæm.	cordato ovata Schl.
D	crispato-serrata Schli
- holosericea W. D	elliptica Schl.
vetutina Schrad.	fagifolia Schl.
- juralensis Hortul. D	ilicifolia Schl.
Lambertiana Smith. D	incana Schl.
- lanceolata Smith. D	juratensis Schl.
- lapponumL.mas.et fæm.	murina Schl.
D	mollis Schl.
glauca Wahlenb.	nervosa Schl.
sericea Vill.	obtuse-serrata Schl.
albida Schl.	polygonifolia Schl.
- laurina W. mas. et fæm.	populifolia Schl.
D	pruinosa Schl.
bicolor Smith.	pallescens Schl.
laurifolia Hortul.	recurvata Schl.
- Meyeriana W. D	reflexa Schl.
mollissima Ehrh. mas.	strepida Schl.
et fæm. D	trichocarpa Schl.
* B. Smithiana W.	ulmifolia Schl.
mollissimaSmith	villosa Schl.
*- monandra Hoffm. mas.	villosula Schl.
et fæm. D	*_ pentandra L. mas. et
purpurea L.	fæm. D
Helix L.	- phylicifolia Smith. D
*— — B. brevifolia	- Pondeterana W. D
- myrsinites L. mas. et	- praecox Hoppes D
fæm. D	- prunifolia Smith. fætida
arbutifolia W.	Dec. D
dubia Suter.	- reticulata L. mas. et
venulosa Smith.	fæm. D
pilosa Schl.	retusa L. mas. D
- myrtilloides L. mas. et	Kitaibeliana W.
fæm. D	- riparia W. mas. D
caesia Vill.	incana Schr.
prostrata Ehrh.	lavandulaefoliaLa Peyr.
-	TI T

 $\underline{\text{Digitized by } Google}$

Salix:

rosmarinifolia Gouan.

rosmarinifolia L. mas. et fæm.

procumbens Wulf.

- serpyllifolia W. mas. et fæm. D

retusa & serpyllifolia Wahlenb.

- silesiaca W. D

- stylosa Dec. mas.et fæm.

stylaris Ser. albescens Schl.

— \$. major Schl. alaternoides Schl.

- B. latifolia Schl.

alnifolia Schl.

Ammaniana W. et Schl.
Aubonensis Schl.

arbuscula Schl. candidula Schl.

concolor Schl. chrysophylla Schl.

cotinifolia Schl.

coriacea Schl. crassifolia Schl.

diffussa Schl.

dura Schl.

firma Schl.

frangula Schl. glaucocarpa Schl.

Gryonensis Schl.

hastata Hoppe. Halleri Schl.

heterophylla Schl.

laxa Schl.

lutescens Schl.

Salin:

Lemanna Schl. ligustroides Schl. macrostipularis Schl. malifolia Schl. microdonta Schl. mespylifolia Schl. montana Schl. nigrescens Schl. pallida Schl. patula Schl. pectinato-serrata Schl. pumila Schl. phylicifolia Smith. polyphylla Schl. pyrifolia Schl. psylocarpa Schl. rugulosa Schl. rivularis Schl. rostrata Schl. Schleicheriana Schl. silesiaca Schl. et W. sordida Schl. tenuifolia Schl. torfacea Schl. tiliaefolia Schl. undulata Schl. vaccinoides Schl.

varians Schl.
– spathulata W.
versifolia Wahlenh.

vallesiaca Schl.

stipularis Smith. mas. et fæm. D

D

grandifolia Ser. acuminata Schl. cinerasoens W. pubescens Schl. sphacelata Schl.

uliginosa Schl.

*_ triandra L. m. et f.

\	
Salix triandra &. Villarsiana	Salsola Soda L.
W.	- spicata W. A
amygdalina Vill.	- trigyna Pers.
_ tristis W. D	altissima Cav.
*- undulata Ehrh. mas.	*— Tragus L. A
et fæm. D	Salvia abyssinica Vahl. C
*_ viminalisL.mas.et fæm.	clandestina B. Vahl.
D	- acetabulosa Vahla. C
- violacea W. En. D	— aegyptiaca L. 🔹 🗛
Salsola altissima W. A	Melissa perennis Forsk.
Chenopodium altissimum	- Aethiopis L. C
W. En.	- affinis Spr. Cat.
*_ arenaria Kit. A	— africana L. D
Kochia arenaria Roth.	- amarissima Ort. D
Camphorosma monspeli-	amara Jacq.
aca Poll.	circinata Cav.
Willemetia arenaria	— amplexicaulis Lam. C
Maercklin.	— angustifolia Cav. C
- caroliniana Mich. A	reptans Jacq.
_ cinerea Kit. A	virgata Orlega.
sedoides L.	- applanata W.En. suppl.
— eriophora A	
Kochia eriophora Schrad	- argentea L. C
— fruticosa L. D	orientalis H. Par.
Chenopodium frutico-	- aurea L. D
sum M. B. - hyssopifolia M. B. A	- austriaca L. C.
- hyssopifolia M. B. A	azaurea Lam. C
Kochia hyssopifolia	acuminata Pers.
Roth.	acuminatissima Vent.
- Kali L. A	angustifolia Mich.
- laniflora W. A	mexicana Walth.
— platyphylla Mich. A	 Barrelieri Ettling. C betonicaefolia W. En.
rediata Desf.	- betonicaefolia W. En.
Kochia platyphylla Roth.	
- dentata W. hort.	
P	1
- rosacea Cav. A salsa L. A.	hyemalis Bosc.
- saisa L. A sericea Ait. D	cyanea H. Vindob. thymistora Willd.
	agung et coerulea Hori-
diffusa Pers.	azurea et eoerulea Hor-
Chenolea diffusa W.	LULI.

Salvia campestris M. B. C	Salvia lanceolata Brouss
- caesia Humb, et Bonpl.	A
D	reflexa Hornem,
— canariensis L. D	- lusitanica Poiret, (
- chamaedrifolia Andr. D	<i>bullata</i> Vahl.
Chamaedrys W. Hort.	elongata Spreng. Pug.
- ceratophylloides L. C	- lyrata Vahl.
- ceratophylla L. C	Horminum virginicum L.
exasperata Cav.	- mexicana L. D
- clandestina L. B	- micrantha Vahl. C
— coccinea L, C	bullata Orteg.
- cretica L. D	- napifolia Jacq, C
- disermas L. C	- nemorosa L. C
- erosa? Desf. C.	sylvestris var. Ettling.
formosa L'Herit, D	- nilotica Jacq. C
lconuroides Vahl.	abyssinica L. Suppl.
nodosa Ruiz.	- nutans Kit, C
- Forskölei W. C	· pendula Besser.
bijida Forsk.	- oblongata Vahl, C
_ glutinosa L. C	betonicaefolia Lam.
_ grandiflora Vahl. D	illyrica Schult. Obs.
tomentosa Mill. diet.	- odorata H. Paris. D
Habliziana W. C	atbida Hortul,
taurica Habliz.	- officinalis L. D
scabiosaefolia? Lam,	— — a. fol. variegatis.
haematodes Vahl. C	— β. maculata,
- hirsuta Jacq. A	γ. latifolia,
Sideritidis Vahl.	- paniculata L. D
ciliata H. Paris,	- patula Desf. B
phlomoides_Cav.	Aethiopis Brotero.
bracteata Poiret.	lusitanica Mill. dict,
ervptanthos Schult. Obs.	— pendula Vahl. C
hispanica L. A	— pinnata L. B
Horminum L. A	— pomifera W. D
— «. coma rubra.	*— pratensis L. C
\beta coerulea.	- prismatica Pers. A
	- pseudococcinea Jacq.D
indica Vahl. BC	- runcinata L. C.
interrupta Schousb. D	scabra Thunb.
- laciniata W. En. suppl.	- Sclarea L. B
C	- Spielmanni Vahl. C

	•
Salvia spinosa L. B	Sanguisorba media L. C
	*— officinalis L. C
aegyptiaca L. Mant.	
- sylvestris Ait. C	*Sanicula europaea L. C
- syriaca L. D	— marylandica L. C
- tiliaefolia Vabl. A	Sanseviera carnea Andr.
- tingitana Ettling. D	Aletris chinensis H. angl.
foetida	- guineensis W. En. C
*_ triloba L. Suppl. D	Aletris guineensis Jacq.
auriculata Mill, dict,	- hyacinthoides B gui-
Sypilea Cav.	neensis L.
Clusii Jacque	- zeylanica W. C
baccifera Ettling.	nethiopica Thunb.
- truncata W. En. A	🐪 Aletris hyacinthoides 🤉 🔻
- urticaefolia L C	zeylanica L.
- valentina Vahl. C	Salmia spicata Cav.
- variegata Kit. C	Santolina alpina W. D
tricolor Hortul,	- Chamaecyparissus L. D
- Verbenaca L. C	- eriosperma Pers. D
- verticillata L. C	- maritima Smith. D'
- virgata Ait. Ç	Athanasia maritima L.
- viridis L. A	Diotis candidissima Dest.
- viscosa Jacq. C	Gnaphalium legitimum
*Salvinia natans Schreb.	Gaertn.
C	- pinnata Sw. D
Sambucus canadensis L. D	
*— Ebulus L. C	rosmarinifolia S. L
*_ nigra L. D	tomentosa H. Par.
a. fol. aureo	villosa Mill. dict.
varieg.	viridis W. D
- B. fol, argenteo	rosmarinifolia y., L.
varieg.	virens Mill. dict.
- 2. fructu albo	Sanvitalia procumbens W.
- S. monstrosa	Bantitatia procumbens VV.
	Δ,
— ζ. laciniata	villosa Cav.
• S. laciniata	Laurentia atropurpurea
Du Roi.	Orteg.
*_ racemosa L. D	Sapindus marginatus W.
*Samolus Valerandi L. B	En. D
Sanguinaria canadensis L.	Saponaria Mich.
C	Saponaria lutea-In- A
_	- ocymoides L. Q
Sanguisorba canadensis,	Activismon ini
	•

*Saponaria officinalis L. C	Saxifraga crassifolia L. C
— flore pleno.	- crustata Vest. C
— orientalis L. A	longifolia La Peyr.
- porrigens L. A	lingulata Bellardi.
Silene porrigens Gouan.	- cuneifolia L. C
*— vaccaria L. A	— dentata Sp. nova. C
Satureja capitata L. D	- diapensoides Bell. C
nervosa Hortul.	— erosa Sp. nova. C
- graeca L. D	- exarata Vill. C
- hortensis L. A	moschata Wulf.
_ juliana L. D	hypnoides All.
montana L. D	- <u>fragil</u> is Hermanni Sp.
rupestris Jacq. D	nova. C
thymifolia Scop.	- geranoides L C
- Thymbra L. D	— Geum L. C
Saururus cernuus L. C	*— granulata L. C
- lucidus W. En. C	— — plena
Saxifraga adscendens	- Hirculus L. C
Wulf C	- hirsuta L. C
petrosa Vahl.	- hybrida Villars. C
hypnoides Scop.	- hypnoides L. C
Scopolii Vill.	- irrigua Fisch. C
*- Aizoon Jacq. C	— intacta W. C
— androsacea L. C	— mutata L. C
pyrenaica Jacq.	- oppositifolia L. C
— aspera L. C	- paniculata Bernh. C
— autumnalis Jacq. C	- palmata Smith.
aizoides L.	decipiens Ehrh.
- Aretioides La Peyr. C	villosa W. En.
- bryoides L. C	— petraea Vahl. C
- biflora All. C	— pedemontana All.
- bulbifera L. C	— punctata L. C
- caesia Jacq. C	- pensylvanica L. C
recurvifolia La Peyr.	- pyramidalis La Peyr. C
- Cotyledon L. C	multiflora Dodart.
- caespitosa L. C	- rotundifolia L. C
muscoides Wulf.	- sarmentosa L. C
pyrenaica Vill.	ligulata Murr.
— cernua L. C	stolonifera Jacq.
*_ condensata Gmel. fl.	- sedoides L. E
Bad. C	muscoides All.

Saxifraga:	Scabiosa:
trichodes Scop.	Sclerostemma argentea
planifolia La Peyr.	Schott.
— serrata Sp. nova. C — stellaris L	*_ arvensis L. C
	Trichera arvensisSchrad
- Sternbergii W. C	- banatica Kit. B
palmata Panzer	diversifolia Baumg.
*_ sponhemica Gmel, fl,	Asterocephalus banati-
Bad,	cus Schott, Cat.
S. condensata var,?	*- canescens Kit. C
- trifurcata Schrad, C	suareolens Desf.
*— tridactylides L, A	Columbaria var.odorata
annua La Peyr,	Thuill.
- umbrosa L. C.	Asterocephalus canes-
Scabiosa agrestis Kit, C	cens Lagasc.
Columnae Tenore,	— caucasica M. B. C
Columbaria M. B.	Sclerostemma caucasi-
longipedunculataHortul,	cum Schott, M.
Sclerostemma agreste	S. S.
Schott.	Asterocephalus caucasi-
— alba Scop. C	cus Schott, Cat.
Sclerostemma Scopolii	- centauroides Lam. C
Schott, M. S.S.	laevigata Kit.
Asterocephalus Scopolii	Cephalaria centauroides
Schott, Cat,	Sch. et R.
- alpina L. C	Cerianthus laevigatus
Cephalaria_alpina Sch.	Schott,
et R.	Lepicephalus_centauroi-
Lepicephalus alpinus La-	des Lagasc.
gasc.	*— columbaria L. C
Cerianthus alpinus	Sclerostemma columba-
Schott.	ria Schott,
— altissima Jacq. D	— corniculata Kit. C
Sclerostemma altissi-	Cephalaria corniculata
mum Schott.	Sch. et R.
- amoena Jacq, fil, C	Lepicephalus cornicula.
nitida Bernh	tus Lagasc.
Asterocephalus amoenus	Cerianthus corniculatus
Schott, Cat.	School
- amplexicaulis W. A	- ciliata Sereng. C
- argentea L, C	hispida Portenschl,
	*

<i>ilis</i> . et R. A
.
integri-
agasc,
C
etensis
suppl.
C
C
nthema
R.
canth e •
asc.
C
ıcida
C
_ c
R.
В
a Sch.
,
B C
ВС
B C Veig.
B C Veig. A
B C Veig. A alaesti- ott Cat.
B C Veig. A alaesti- ott Cat. A
B C Veig. A alaesti- ott Cat.
B C Veig. A alaesti- ott Cat. A sa Sch.
B C Veig. A alaesti- ott Cat. A
B C Veig. A alaesti- ott Cat. A sa Sch.

Scabiosa puhescens Kit. C	Scabiosa :
- pyrenaica All. C	Cephalaria transylvani-
mollissima Dec.	ca Sch. et R.
Sclerostemmu pyrenaica	Lepicephalus transylva
Schott.	nicus Lagasc.
- sicula L. A	- ucranica W. C
divaricata Jacq.	Asterocephalus ucrani-
Asterocephalus divarica-	cus Schott Cat.
tus Lagasc.	🗕 uralensis Murr. 🤺 C
- siculus Schott Cat.	Cephalaria uralensis Sch.
Sclerosteinma sicula	et R.
Schott M. S. S.	Lepicephalus uralensis
- stellata L. A	Lagasc.
Succisa stellata Moench. stricta Kit. D	Scandix australis L. et Spr.
*— Succisa L. C	A
Succisa pratensis Moench	- pinnatifida Vent. et Spr.
Asterocephalus succisus	*- Pecten L. et Spr. A
Lagasc.	*Scheuchzeria palustris L.
= syriaca L. A	C.
dichotoma Lam.	SchinusmolleL.mas. et fæm.
Cephalaria syriaca Sch.	D
et R.	Schisandra coccinea Mich.
Cerianthus syriacus Schott	D
Lepicephalus syriacus	*Schoenus compressus L.
Lagasc.	, C
* sylvatica L. C	Carex uliginosa L. fl.
pannonica Jacq. hort.	Suec.
Trichera sylvatica Sch.	Scirpus caricis Retz.
et R.	- compressus Pers.
= tatarica W. C	- ferrugineus Schrad. C
elata Horn.	nigricans Hoppe.
gigantea Ledebour. Cat.	Mariscus L. C
<i>Cephalaria tatarica</i> Sch. et R.	—6. icuis Li
- elata Schrad.	Cyperus nigricans With.
Cerianthus tataricus	Schottia speciosa Jacq. D
Schott.	Guajacum afrum L. Theodora speciosa Me=
- transylvanica L. A	dicus.
Succisa pentaphylla	Schwaegrichenia flavida
Moench.	Sprengel. C
	Ť

Schwaegrichenia:	Scirpus mucronatus L. C
Anigozanthes flavida	glomeratus Scop.
Curt.	*- ovatus Roth.
*Scilla amoena L. C	capitatus Schreb.
— autumnalis Cav. C	multicaulis Smith.
Anthericum autumnale	compressus Moench.
Scop.	annuus Thuill.
★ — bifolia L. C	Eleocharis ovata Sch. et
Anthericum bifolium	R
Scop.	- obtusus W. En. C
- campanulata Ait. C	★ — palustris L. C
hyacinthoides Jacq.	Bacothryon Wohlleb.
nispanica Mill. dict.	varius Schweigg.
- hyacinthoides L. C	Eleocharis palustris Sch.
- italica Retz. C	et R.
- Lilio Hyacinthus L. C	*_ radicans Schkuhr. C
- maritima L. C	sylvaticus & radicans
— peruviana W. C	Vahl.
- tetraphylla L. Suppl. C	- romanus L. C
- verna Ait. C	Jsolepis Holoschaemus y
*Scirpus acicularis Vahl.	romanus Sch.el
• G	. R.
Cyperus acicularis With.	- setaceus L.
Eleocharis acicularis	Jsolepis setacea Sch. et
Sch. et R.	R.
— annuus All. A	*— sylvaticus Schrad. C
Fimbristylis annua Sch.	*- triqueter L. Mant. C
et R.	mucronatus B. triqueter
- atrovirens W. En. C	Huds.
*_ Bacothryon Ehrh. C	mucronatus Poll.
Halleri Vill.	*Scleranthus annuus L. A
paucistorus Ligthf.	* - perennis L. C
caespitosus Lam. — glaucescens W. En. C	Sclerocarpus africanus L.
- Holoschoenus L. C	
	Scolymus grandiflorus Desf.
Jsolepis Holoschoenus Sch. et R.	
*— lacustris L. C *— maritimus L. C	
cyperoideus Lam. Fl. fr.	
macrostachysLam Illust.	Scorpiurus muricata L. A — sulcata L. A

Scorpiurus subvillosa L. A	Scrophularia Balbisii W.
vermiculata L. A	En. suppl. C
Scorzonera angustifolia L.	- betonicaefolia L. C
C	- biserrata W. En. C
*_ austriaca L. C	— canina L. C
humilis Jacq. et Host.	- chrysanthemifolia W.
	— cm ysantnemnona
	- cordata Pers. C
- eriosperma M. B. C	
Lasiospermum angusti-	vernalis \(\begin{aligned} \text{W.} & \text{W.} \\ \text{V.} & \text{O.} \\ \text{O.} \\ \text{O.} & \text{O.} \\ \text{O.} \\ \text{O.} & \text{O.} \\ \text{O.} & \text{O.} \\ \text{O.} \
folium H. Gor.	- glandulosa Kit. C
_ glastifolia W C	- glabrata Jacq. B
graminifolia Roth.	- grandidentata Tenore.
- hispanica L. C	· C
≠ — humilis L. C	- hirsuta Schott Cat. C
nervosa Pers.	- laciniata Kit. C
*_ laciniata L. B	- lucida L. C
Podospermum lacinia	- lyrata W. C
tum Dec.	— mellifera Vahl, D
- &. austriaca	glabsa Desf.
- muricata Dec. B	marylandica L. C
Podospermum murica-	*_ nodosa L. C
tum Besser.	orientalis L. C
- octangularis W. B	rugosa W. En. suppl.
resedifolia Gouan.	C
Podospermum octangu-	- sambucifolia L. C
lare Roth.	Scopolii Hoppe. C
	tanacetifolia W C
THE TOTAL PROPERTY.	 tanacetifolia W. variegata M. B.
Picridium orientalePers.	variegata M. B.
*_ purpurea W. C	, 02 mario ==-
Podospermum purpure-	Schkuhria abrotanoides A
um Koch.	
- resedaefolia L. B	Pectis multifida Ortega.
Podospermum_resedifo-	Scutollaria albida L. C
lium Dec.	- alpina L. C
<u>stricta</u> Horn. C	_ altissima M. B. C
- taraxacifolia Jacq. C	_ Columnae All. C
- villosa Scop. B	*_ galericulata L. C
Scrophularia appendicu-	*_ hastifolia L. C
lata W. C	lateriflora L. C
- altaica Murr. C	_ lupulina L. C
*_ aquatica L. C	*_ minor L. C
I	

Scutellaria orientalis W. C	Sedum repens Schl. C
- peregrina L. C	- rupestre L. C
- rubicunda W.En. suppl.	saxitile L.
···c	alpostre Vill.
- scordifolia Fischer. C	*- scxangulare L
Secale Cereale L. A B	- sexfidum Steph.
- sylvestre Host. B	- spathulatum Kit, A H
campestre Schult, Ocstr.	spinosum W, En,
Triticum campestre Kit.	Cotyledon spinosum L.
- villosum L. A	Crassula spinosa W. Sp.
Hordeum ciliatum Lam.	- spurium M. B. C
Triticum caudatumPers.	- stellatum L. A
- villosum P.deBeauv.	*- Telephium L. C
Securidaça volubilis W. D.	- villosum L. A
Securinega nitida W. D	- virescens W. En. suppl.
*Sedum acre L. C	C
	Selago corymbosa L. D
*— album L. C	- caerulea Bernh, Cat. D
- altissimum Lam. C	Selinum haicalense W, et
- anacampseros L. C	Spr.
- anopetalum Dec. C	collinum Kit,
- atratum Jacq. C	- decipiens Wendl, e
- Cepaea L. A	Spr. I
- cristatum Schrad. C	frutescens Pers.
- dasyphyllum L. C	- latifolium M. B. et Spr.
- glaucum Kit. C	
- hispanicum L. C	- lineare Spr. Sp. Umb
- bybridum L. C	2
- lividum W. En. suppl. C	rablense Spr. Pugil.
— maximum Pers. C	elegans Balb.
Telephium B. muximum L.	Bellardi Balb.
- monregalense W. C	Ferula rablensis Wulf.
- pallidum W. En suppl.	*- Oreoselinnm Lam. et
-c	Spr. C
- populifolium L. D	Athamantha Orcoseli-
- portulacoides Mühlenb.	num L.
<i>c</i>	*- palustre L. et Spr. 6
*- reflexum L. C	sylvestre Jacq.
- &. monstrosum	- polymorphum Spr. Cat.
recurvatum W. En.	- C
suppl. C	*- Schiwerekii Besser. B
7	

Sélinum :	Senecio Doronicum L. C
Thysselinum Plinii	- elegans L. A B
Tournf et Spr.	- fl. pleno carneo
Selinum sylvestre Roth.	D
Athamantha flexuosa	- fl, pleno rubro
Hort. Par.	D
- pisana Savi.	*— erucaefolius W C
Selinum cantabrigiense	- halimifolius L D
Hort. Gor.	- haematophyllus W. En.
- sibiricum Retz, et Spr.	D .
B	africanus Hortul.
Semperviyum arachnoide-	- hierarifolius W. A
um L	* Jacobaea L. C
- arboreum L. D	— ilicifolius W. D
- fol. variegatis	— incanus L. C
fol. variegatis fol. nigris	- lanuginosus Spr. Cat.
- canariense Ait. D	Α
- globiterum L. C	_ lividus L. A
* hirtum Hoffm. C	- longifolius L. D
	— montanus W A
— monanthes Ait. C	_ nebrodensis Spr. Cat.
montanum L. C	*— ovatus W.
- sediforme W. C *_ tectorum L. C	saracenicus Poll.
	*_ paludosus E C
<u>tortuosum</u> Ait. D	— reclinatus Aita D
- villosum Ait. A	- rigidus L. D
Senecio abrotanifolius Jacq.	- rupestris Kit C
\boldsymbol{c}	*— saracenicus L. C
*_ aquaticus Smith. C	— squalidus L. A
- arabicus L. A	*— sylvaticus L. A
- artemisiaefolius Pers. C	- tenuifolius Jacq - C
— aureus LC	triflorus LA
— canescens Bernh. C	— umbrosus Kit. C — uniflorus All. C
- cernuus Ait. A	— uniflorus All. C
rubens Jacq.	- verbenaefolius Jacq. A
unistorus Retz.	_ vernalis KitA
- coriaceus Kit. C	*- viscosus L. A
— dentatus Jacq. B C	*— vulgaris L. A
- desquamatus W. En.	Sennebiera didyma W. A
suppl. A	pinnatifida Dec.
- Doria L. C	Lepidium didymum L.
	, -

Sennobiera :	Seseli elatum L. et Spr. 6
Coronopus didyma\$mith	Saxifragum L.exc.Syno-
- incisa W. En. A	nym.
Cochlearia humifusa	- glaucum L. et Spr. C
Mühlen .	- gracile Kit. et Spr. (
Lepidium incisum Roth.	*- Hippomerathrum L. C
Seriola aethnensis L. A	Sium Hippomarathrun
urens L. A	Roth.
Serissa foetida W. D	_ leucospermum Kit. et
Buchozia coprosmotdes	Spr. C
L'Herit.	— montanum L. et Spr. C
Lvcium foctidum L. Suppl.	multicaule Jacq.
- japonicumThunb.jap.	Pallasii Besser. Cat. C
Serissa japonica Thunh.	- rigidum Kit. C
N. gen.	- tortuosum Spr. C
- flore pleno	— β. tauricum
Serratula alata W. Eff. C	- varium Treviran. C
lyrata Spr. Cat.	dubium Schr
-alpina L. C	*_ venosum Hoffm.etSpr.
- centauroides L.	Contract of the Prost
Carduus, centauroides Gmel.	Sesleria alba Brot. Carex dubia Sibth.
— coronata L. C	- coerulea Arduia.
- cynaroides Dec.	. calcaria Pers.
- discolar W. C	Cynosurus coeruleus L
- heterophylla Desf. C	Aira varia Jacq.
- opprantida Desf. C	— cylindrica Dec.
centauroides M. B. (Excl.	coerulea B. Fl. franc.
Syn. L.)	argentea Savi.
- quinquefolia M. B. c	Cynosurus cylindricus
- radiata Dec. C	Balb.
- stoecho lifolia M. B. C	Koeleria coerulea Tenor.
_ tinctoria L. C	- elongata Schrad. C
Carduus tinctorius Bernh.	- tenuifolia Schrad. C
Sesamum indicum W. A	juncifolia Host.
- orientale L A	Sesuvium revolutum Dec.
Seseli ammoides Let Spr. A	revolutifolium Vahl.
Ammi W.	- Portulacastrum L. C
*— annuum I/. et Spr. A B	pedunculatum Pers.
- dichotomum M.B.etSpr.	Aizoon canariense Andr.
, C	*Sherardia arvensis L. A

Sherardi muralis L. A	Sida parviflor & crenatiflora
Sibthorpia europaea L. C	- periplocifolia Cav. D
Sicyos angulata L. A	— populifolia W. A.
— lucida Humb. A	- rhombifolia L. D
Sida abutilon L. A	— rotundifolia W A
- alnifolia L. A	_ spinosa L. A
- angustifolia L'Herit. D	- spinosa L. A - tiliaefolia W. A
ulmifolia Retz	- triangularis Humb. A
- asiatica Cav A	deltoidea Horn.
- carpinifolia L. D	suberosa Hortul.
planiculmis Cav. — cordifolia W. A	— triloha Jacq. D
	Sida u mifolia Cav. D
- crispa W A	— umbellata L.—— D
- cristata W. A	- vesicaria W. D
— Dilleniana W. A	- virgata W. En D
cristata Curt.	Sideritis alpina Pers. C
Anoda Dilleniana Cav.	- canariensis L. D
- foetida W. A	— candicans Ait D
Process II Hebre	- cretica L. D
- frutescens Cav. D - gigantea W. D	- elegans Murr. A
- glauca W. En. D	nigricans Pers.
- glauca W. En. D - grandiflora W. En. D	- foetida W. En. suppl. D
- hastata W. A	- fruticosa Pourr. D - hirsuta L. C
Anoda hastata Cay.	1 '01' *
- hernandioides L'Herit.	- montana L. C
D	- perfoliata L. C
- hirta Cav. A	- romana L. C
- humilis Cav. A	- scordioides L. C
pilosa Retz.	- syriaca L. • .D
unilocularis L'Herit.	- taurica M. B.
- jatrophoides L'Herit. A	syriaca Pall. N. Act.
palmata Jacq.	Sideroxylon atrovirens W.
— indica L. A	En suppl. D
<u>mauritiana Jacq.</u> A	— melanophleum L. D
planiflora Cav.	Scleroxylon melanophle-
— mollis Ort. D	um W. En.
- mollissima W. B	Sideroxylon launifelium
cistiflora L'Herit.	Lam.
- mollicoma W. En. D	- sericeum Ait D
arviflora W. En. A	- spingsum L. D

•	•
SiegesheckiaflosculosaW. A	Silene gallica L. A
SiegesbeckiaflosculosaW.A. orientalis L. A.	— geministora W. A
triangularis Cav.	gigantea L. B
Silene acaulis LC	- glauca Smith.
- aegyptiaca L. Suppl. A	Cucubalus glaucus Schrad
- alpestris Jacp. C	- hirsuta H. Hafn. A
Lychnis alpestris L.	— hirta H. Hafn. A
- amoena L. C	- imbricata Desf. A
- anglica L. A	- inclusa H. Hafn.! A
- amtirrhina L. A	- inclusa H. Hafn.! A * inflata Ait. C
- apetala W. A	Cucubalus Behen L.
*_ Ameria L. A	- inaperta L. A
- asperata H. Paris. A	— infracta Kit. C
- bassanensis Sternb. C	_ italica Ait. ~ G
- bellidifolia L. A	Cucubalus italicus L.
Behen L. A	- linifolia W.
_ bipartita Desf. A	- livida W. En. C
- catholica Ait. C	- longiflora Kit. C
Cucubalus catholicus L.	- longicaulis Poir. A
- glutinosus Retz.	- Iusitanica L. A
- cerastoides L. · A	- marginata Schott fil. C
- chloraefolia Smith D	- maritima W C
- chlorantha WT C	uniflora Retz.
_ ciliata W	Cucubalus maritimus Lam
- clandestina W. A	— Behen B. L.
colorata Vahl. A	- Mussini H. Hafn. A C
- compacta Fisch.	- multiflora Ait. B
*_ conica L. A	Cucubalus multiflorusKit.
- conoidea L. A	— musoipula L. A
- cretica L. A	- micrantha H. Goett. A
decumbens Horn. C	— nemoralis KitA
- dichotoma Kit. AC	- nicaeensis All. A
_ disticha W. A	*_ noctiflora L. A
hispida Hortul.?	\rightarrow nocturna L .
pilosa Hortul.	*_ nutans L A
- fabaria Ait:	- nyctantha W. A
Cucubalus fabarius L.	- obtusifolia W. En.
— fimbriata Ait. C	*— otites Ait. C
Cucubalus fimbriatus L.	Cucubalus Otites L.
- flavescens Kit. C	- orchidea Ait.
- fruticosa L, D	- ornata Ait. B.C
-	

Digitized by Google

Vilene paradoxa L. C	Silene:
- patula Pers. C	Cucubalus tataricus L.
- parviflora Ait. C	and the desired at the contract of the contrac
Cucubalus parviflorus	1 1 4 4
Ehrh.	
- pendula L. A	
- petraea Kit. C	1) TT
- Personii Schott fil. C	4
— picta Desf.	
- pinguis Vahl. A	- virginica Mich. C
- pilosa Spr. B	- viscosa Ait. C
Cucubalus militares see	Cucubalus viscosus L.
Cucubalus pilosus W.	- wolgensis Besser. C
- polyphylla H. Berol.	- Cucubalus wolgensis W.
Cucubalus polyphyllus	Siler aquilegifolium Gærtn.
Schrad.	et Spr. C
Portensis L. A	Laserpitium trilobum
- procumbens W. C	Jacq.
- pusilla Kit. C	- aquilegifoliumJacq.
quinquevnlnera L. A	Angelica aquilegifolia
- reticulata Pers. A	Lam.
- rubella L. A'	Silphium connatum L. C
- rupestris L. C	- conjunctum W. C
- Saxifraga L. C	- erythrocaulon Bernh.
- saxatilis M. B. C	C
- sedordes W. A	- laciniatum L. C
- saponarifolia Schott fil.	- perfoliatum L. C
A	— ternatum Retz. C
- scabra H. Gor. A	- terebinthinaceum L. C
- sericea All. A	- trifoliatum L. C
- sibirica Ait.	-tenuifolium Mich.
Cucubalus sibiricus E.	Sinapis alba L. A
- siepusiensis H. Hafn.	- Allioni L. A
AC	*— arvensis L. A
- sobolifera Schott C	- brassicata L. A
- spergulaefoliaSchött fil.	— campestris Besser. A
A	- erucoides L. A
- stricta L. A	C 1
- supina M. B. C	1
- sylvestris Lam. sub Cu-	
cub.	— hispida W. — incana L. B
- tatarica Ait. C	
	- integrifolia W.
	I

Sinapis juncea L. A	Sisymbrium contortum L
- laevigata L. A	A
*_ nigra L. A	- Ekartsbergense W. A.B.
- orientalis L. A	austriacum Jacq.
- pubescens L. D	*- Erucastrum Gouan. A
- pyrenaica L. B	В
Sisymortum sinapoides	- erysimoides W. A
Ait.	- fugax Lagasc. B
- retrohirsuta Besser Cat.	- gallicum W. AB
A	- glabrum W.
- torulosa Besser Cat. A	- hispanicum Jacq. A
Sison Amomum L. et Spr.	- Jrio L. A
Ā	*— Loeselii L.
— Anisum Spr. A	- laevigatum H. Hafn. A
Pimpinella Anisum L.	- millefolium Ait. D
_ aureus Spr. C	Sinapis millsfolia Jacq.
Smyrnium aureum L.	Monense L. B
— integerrimus Spr. C	* murale L. A
Smyrnium integerrimum	*- Nasturtium L. C
L.	- nitidum W. A
- rotundifolius Spr. G	- obtusangulum W. B
Pimpinella rotundifolia M. B.	Sinapis hispanica? Thuill
- trifoliatus Spr. et Mich.	— nasturtiifolia Lam.
G	*- palustre Leyss. A
Thapsia trifoliata L.	terrestre Smith.
- Podagraria Spr. G	- pannonicum W. A
Aegopodium Podagra-	- Parra L. A
ria L.	- polyceratium L. A - pumilum Steph. B
Sisymbrium affine W. B	- pumilum Steph. B
- altissimum L. A	- pyrenaicum L. C
*— amphibium L. AC	*— Sophia L A
aquaticum Poll.	- strictissimum L. C
*arenosum W. B	- subhastatum W. En. A
- bursifolium L. A B	Brassica subhastata W
pinnatifidum Dec.	Sp.
dentatum All.	= supinum L. A
Hesperis dentata Sp.	*— sylvestre L. A
plant.	vulgare Pers.
— Barbareae L. C	tanacetifolium L. C
- Columnae Jacq. A	*_ tenuifolium L. G

Sisymbrium:	Solanum aethiopicum L. A
Brassica muralis Huds.	torulosum Mnench.
— Tillieri Bell. B	- asteroides Jacq. fil. D
vimineum L. A	- auriculatum Ait. D
Sisyrinchium anceps Lam.	- hombense Jacq. D
C	- Donariense L
angustifolium Mill. dict.	- ciliare W. En. D
Bermudiana a. L.	ciliatum Lam.
gramineum Curt.	- cornutum Lam. A C D
- Bermudiana L. C	- corymbosum W. CD
- convolutum W. C	- decurrens W. En. D
- micranthum Gav. C	- diphyllum L. D
*Sium angustifolium L. et	*_ Dulcamara -L. D
Spr. C	- fastigiatum W. En. D
*_ Bulbocastanum Spr. C	- fontanesianumSchranck
Bunium Bulbocastanum	pl. rar. A
L.	melanocerasum W.
★ — fàlcaria L. et Spr. C	- fuscatum L. D
*— latifolium Let Spr. C	- neterodoxum Dec A
*— nodiflorum L. et Spr.	- Humboldtii W. A
• C	igneum L. D
- podolicum H. Erf. C	laciniatum W. D
*— repens L. et Spr. C	— lanceolatum Cav. D
_ Sisarum L. et Spr. C	- lycioides Jacq. D
Smilax aspera L. D	- Lycopersicum L. · A
- excelsa L. D	— macrocarpum L. D
- herbacea L. C	— marginatum L. D
- tamnoides Pers. D	* nigrum L. A
Smyrnium nodiflorum All.	— — a. flavumHornem
C C	— — &. villosum Ait.
- Dioscoridis Spr. C	 - γ. guineense Ait. - δ. humile W.?
perfoliatum Mill. dict.	
perfoliatum B. Lam.	- nodinorum Jacq. A
- Olusatrum - et Spr.	- obtusifolium W. A
В	Zuccagnianum Dunal.
Solandra grandiflora Swartz	— Pseudo-capsicum L. D
•	- Pseudo - Lycopersicum
Datura sarmentosa. La	Jacq. D
marek	- Pyracanthos Lam. D
Solanum aculeatissimum	runoinatum Wendl.
Jacq: D	Obser♥.

Solanum radicans L. C. reclinatum L'Herit. B	Solidago: limonifolia Pers.
pinnatifidum Lam.	— minuta Ait.
- scabrum L D	- multiflora H. Par. C
- suffruticosum Schousb.	— nemoralis W. C
A	- odora Ait. C
_ tomentosum L D	- patula Mühlenb. C
- triquetrum Cav. D	— petiolaris Ait. C
_ tuberosum In _ C	- procera Ait. C
— B. aracatscha	- recurvata W. C
vespertilionis Ait. D	— reflexa Ait C
- violaceum Orteg D	- rigida L. C
Soldanella alpina L. C	- sempervirens L. C
Sold. Clusii Smith. boh.	- stricta Ait. C
- minima - Hoppe C	- ulmifolia Mühlenb. C
Solidago alpestris Kit. C	- verrucosa Schrad. C
- altissima L. C	*- virgaurea L. C
- amhigua Ait C	Sonchus acaulis Dum. Cours.
- argutal Ait. C	D
- arenaria Kit C	- acuminatus W. B
- aspera Ait. C	Lactuca villosa Jacq.
- bicolor Aibr C	- alpinus Gouan C
- cambrica Ait. G	canadensis Sp. plant.
- caesia Aib C	coeruleus Smith.
- canadensis L. C	montanus Lam.
— carpathica Schrad. C	*— arvensis L
- elliptica Ait G	*_ asper Vill. A
- flexicaulis L. C	oleraceus y et & Poll.
— fragrans W. C	— canadensis Pers. C
 gigantea Ait. hirta W. En. 	macrophyllus W.
- hirta W. En. C	luxurians Schrad.
- laevigata Ait. C	- caucasicus Spr. C
- lanceolata L. C	_ divaricatus W. En. B
Chrysocoma graminifo-	_ flexuosus Ledeb. G
<i>lia</i> Sp. plant.	- floridanus L. B
_ lateriflora L. C	frutionsus L D
— latifolia Hortul C	- hispanicus L. A
flexicaulis & latifolia L.	- hyoseridifolius W. En.
— lithosperm ifelia W. C	D
_ livida W. C	- laevis Vill A
— méxicana L. C	oleraceus a et & Poll.

Sonchus lacerus W. A	Sopkera tomentesa Brown.
_ laevigatus W. En. D	D
- Tapponicus W. B	occidentalis W.
alpinus L. Smith.	- sericea H. Cels. D
- leucophaeus W. B	Sorbus aucuparia L. D
spicatus Lam.	- americana W. En. D
_ lyratus W. En. suppl.	Sorb. aucuparia ß ameri-
\mathbf{D}	cana Pers.
maritimus_L. C	- domestica L. D
- oleraceus L. A	- hybrida L. D
— β . asper Vill.	Sorghum Arduini. Gmel.
— pallidus W. A	Syst. A
Lactuca canadensis L.	- bicolor W. En. A
- palustris L. C	Holcus bicolor. W. Sp.
- Plumieri L. C	- caffrorum P. de Beauv.
picroides Lam. A	Italana ag Channan Thumb
Scorzonera picroides L. — ninnatus Ait. D	Holcus caffrorum Thunb. — afer Arduini.
	- cernuum W. En. A
- tataricus W. C - tenerrimus L. A B	Holcus cernuus W. Sp.
tingitanus W. A	- nigrum Sch. et Roem.
Picridium tingitanum	A
Pers.	nigerrimus Arduini.
Reichardia tingitana	nigricans Dec. Cat.
Roth,	- rubens W. En. A
Scorzonera tingitana L.	vulgare & rubens Pers.
- uliginosus M.B. C	- saccharatum W. En. A
- vaginatus H. Erf. B	Holcus saccharatus L.
Sophora alopecuroides L.C	_ vulgare W. En. A
- argentea Pers. D	Holcus Sorghum L.
Podalyria argentea W.	Andropogon Sorghum
aurea H. Cels. D	Brotero.
— biflora L. D	Spananthe paniculata Jacq.
Podalyria biflora W.	et Spr. A
— japonica L. D	Hydrocotyle Spananthe
- microphylla W. D	W.
Edwardsia microphylla Ait.	*Sparganium natans L. C *— ramosum Smith. C
	erectum L.
	*_ simplex Smith. C
Edwardsia grandiflora Ait.	erectum B. L.
7770	ALARCMIN (A. P.

Sparrmanni acerifolia	Spinacia oleracea L. A
Bernh. D	B. glabra Mill.
— africana L. D	Spiraea acutifolia W. En.
Spartina cynosuroides	р
Schreb. C	— alpina W. D
Trachynodia cynosuroi-	*— Aruncus L_2
des Mich.	fl. pleno
Limnetis cynosuroides	- carpinifolia W. En. D
Pers.	salicifolia & latifolia Ait, Ed. I.
Spartium album Desf. D	Ait, Ed. I.
multiflorum L'Herit.	- chamaedrifolia W. D
dispermum Willd.	- crenata L. D
Genista alba Lam.	β. davurica
- aspalathoides Desf. D	*- Filipendula L. C
Genista aspalathoides	— fl. pleno
Lam.	- hypericifolia - D
- junceum L. D	_ laevigata L. D
— ' — \$. fl. pleno	altaica Poll.
- monospermum W. D	_ lobata Jacq, C
- radiatum L. D	palmata L.
- spaerocarpon W. D	_ oblongifolia Kit. D
*_ scoparium L. D	_ opulifolia L. D
*Spergula arvensis L. A	_ salicifolia L. D
*_ nodosa L. A	_ β. carnea
palustris Pers.	— γ. paniculata
*_ pentandra W. A	Sp. alba Ehrh.
- subulata Smith. C	- sorbifolia L. D
- saginoides Smith. C	_ tomentosa L. D
Spermacoce hispida L. A	- trifoliata L. C
- rubra Jacq. A	Gillenia trifoliata
— tenuior L. A	Moench.
- verticillata L. A	- thalictroides Pall.
'Spaeranthus indicus I. C	- triloba W.
Spielmannia africana W.	*_ ulmaria L C
`a* D	_ fl. pleno
Lantana africana L.	- ulmifolia W. D
Spigelia Anthelmia L. A	betulifolia Pall
— marylandica L. C	chamaedrifolia Jacq.
Spilanthus Acmella L. A	hort.
- oleraceus L. A	Stachys alpina L. 6
Bidens scroida Lam.	*_ annua L.

*Spachys arabica Bell. A Stapelia ambigua Mass. D — arvensis L. A — anguinea Jacq. D — circinata L'Herit. C — articulata Ait. D — coccinea W. C — asterias Mass. D — cretica L. C — bufonia Jacq. D — decumbens Pers. C — brevirostris Jacq. D *— germanica L. C — caespitosa Mass. D — glatinosa Vahl. C — campanulata Mass. D — birta L. C — ciliata Mass. D — intermedia W. En. B — conspurcata W. En. D
- circinata L'Herit. C — articulata Ait. D - coccinea W. C — asterias Mass. D - cretica L. C — bufonia Jacq. D - decumbens Pers. C — brevirostris Jacq. D - germanica L. C — caespitosa Mass. D - glutinosa Vahl. C — campanulata Mass. D - hirta L. C — ciliata Mass. D - intermedia W. En. B — conspurcata W. En. D
- coccinea W. - cretica L. - decumbens Pers. - germanica L. - glatinosa Vahl. - hirta L. - intermedia W. En. - cretica L. - bufonia Jacq. - brevirostris Jacq. - caespitosa Mass. - campanulata Mass. - ciliata Mass. - conspurcata W. En. - conspurcata W. En. - bufonia Jacq. - caespitosa Mass. - campanulata Mass. - conspurcata W. En. - conspurcata W. En.
— cretica L.
 decumbens Pers. germanica L. glatinosa Vahl. hirta L. intermedia W. En. brevirostris Jacq. caespitosa Mass. decumbens Pers. caespitosa Mass. decumbens Pers. caespitosa Mass. decumbens Pers. caespitosa Mass. decumbens Pers. decumbens Pers. decumbens Pers. decumbens Jacq. decumbens Pers. decumbens Jacq. de
*— germanica L. C — caespitosa Mass. D — glutinosa Vahl. C — campanulata Mass. D — hirta L. C — ciliata Mass. D — intermedia W. En. B — conspurcata W. En. D
 glutinosa Vahl. hirta L. intermedia W. En. campanulata Mass. ciliata Mass. D conspurcata W. En. D
— hirta L. C — ciliata Mass. D — intermedia W. En. B — conspurcata W. En. D
intermedia W. En. B — conspurcata W. En. D
- intermedia W. En. B - conspurcata w. En. D
- lanata L. C - crassa H. Cant. D
- latifolia Ait. D - deflexa Jacq. D
— maritima Jacq. C — divaricata Mass. D
- mollissima W. hort, C - elegans Mass. D
— nepetaefolia Desf. C — emarginata Hortul, D
*— palustris L. C — geminata Mass. D
- polystachya Tenore C - glauca Jacq. D
*_ recta L. C - grandiflora Mass. D
Sideritis Vill. — hamata Jacq. D
bufonia Thuill. — hirsuta L. D
- rugosa Ait. D - hircosa Jacq. D
- salviaefolia Tenore C - hirtella lacq. D
- scordifolia W. En. C - irrorata Mass. D
purpurea Besser Cat. — juvencula Jacq. D
*_ sylvatica L. C — maculosa Jacq. D
Stachytarpheta angustifo marmorata W. En.
lia Vahl. A suppl. D
Verbena angustifolia — mixta Mass. D
Mill orbicularis Bot, Repert,
- indica Jacq. D
- cajanensis Vahl. D - paniculate Hortul, D
Verbena cajanensis L patula Jacq. D
- jamaicensis Vahl. D - picta Curt. D
Verbena jamaicensis L planiflora Jacq. D
mutabilis Vahl. D - pulla Ait, D
Verbena mutabilis Jacq. — pulchella Mass. D
— prismatica Vahl. D — radiata Jacq. D
Verbena prismatica L reclinata Mass. D
Stachelina Chamaepeuce L. — reticulata Mass. D
D - replicata Jacq. D
— dubia L. D — revoluta Mass, D

, ,	
Stapelia roriflua Jacq. D	Statice Limonium &. angu-
- rugosa Jacq. D	stifolia
- sororia Mass. D	- minuta Dec. fl. franc.
- trisulca Mass. D	c
- tubata Mass. D	- mucronata L D
tubulosa Hortul.	crispa Pers.
_ variegata L. D	- oleaefolia L. C
_ &. monstrosa	Limonium oleaefolium
- verrucosa Mass. D	— reticulata L. C
- vetula Mass. D	- scoparia Pall. C
Staphylea pinnata L. D	- spathulata Desf. C
- trifolia L. D	Limonium spathulatum
Statice alata W. En. suppl.	Pers.
\boldsymbol{c}	- speciosa L. B
- auriculaefolia Vahl. C	Limonium speciosum
Limonium auriculaefol.	Pers.
· Pers.	- suffruticosa L. D
- cordata All. C	Limonium suffruticosum
Limonium cordatum	Pers.
\mathbf{Pers}_{\bullet}	_ tatarica L. C
- echioides L B	Limonium tataricum
Limonium echioides Pers.	Pers.
— Gmelini W. C	- trigonoides Pall. C
Limonium Gmelini Pers.	- viminea Bernh. C
— — β. altaica	- virgata W. En. C
— graminifolia Ait. C	reticulata &. W. Sp.
Limonium gramınifoli-	*Stellaria Alsine W. A
um Pers,	aquatica Poll.
- incana Vahl. C	uliginosa Roth.
Limonium incanum Pers.	Dilleniana Leers.
- latifolia Smith. C	- arenaria L. A
coriaria Pall.	*- glauca With.
Limonium latifolium	palustris Retz.
Pers.	*- graminea L. C
- Limonium L. C	*— Holostea L. C
Limonium vulgare Mill.	- multicaulis L. C
dict.	cerastoides Wulf.
- monopetala L. D	\star — nemorum L . C
scabre Pers.	*Stellera passerina L. A
Limonium siculum Mill.	Sterculia platanifolia L.D
dict.	hermaphrodita Cav.

Sterculia:	Stylidium fruticosum
Firmiana chinensis Me	Brown. D
dicus.	Styphelia lanceolata Smith.
Sternbergia colchiciflora	D
W. C	Ardisia acerosa Gaertn.
Stevia Eupatoria W. C	Epacris fasciculata
purpurca Pers.	Forst.
Mustelia Eupatoria Spr.	- juniperina L. Suppl.
— ivaefolia W. C	Styrax officinale L. D
- hyssopifolia Cav. C	Swertia perennis L. C.
- ovata W. En. C	Symphoricarpos vulgaris
paniculata H. Paris.	w. En. D
- pedata Cav. A	Lonicera Symphoricar-
- purpurea W. C	pos L.
- serrata Cav. C	Symphitum asperrimum M.
Ageratum punctatum	B. C
Jacq.	- cordatum Kit. C
Stewartia Malacodendron	pannonicum Pers.
L.	- bullatum Horn. C
Stipa Aristella L. C	*_ officinale L. C
	— orientale L. C
6	— orientale L. C. C. — tauricum W. En. C.
Mant. *— capillata Gaud. C	orientale M. B.
	_ ·
juncea & Lam. — pennata L. C	
,	Syringa chinensis W. arb.
- juncea L. C	\mathbf{D}^{+}
— tortilis Desf. A	Rothomagensis Duh.arb.
humilis Brotero.	dubia Pers.
seminuda Vahl.	— persica L. D.
paleacea Smith.	— — β. fl. albo
Stratiotes Aloides W. C	— — 2. laciniata
Struthiola erecta Thunb.D	*— vulgaris L. D
glabra L. Mant.	— — β. fl. albo
tetragona Retz.	. — - 7. flore purpureo
Passerina dodecandraL.	5. fl. rubro maxi-
- virgata Thunb. D	mo.
pubescens L. Mant.	
•	T
	1.
Tagetes coronopifolia W.	- erecta L. A
En. suppl. A.	- lucida W. C
	· Z

Tagetes minuta Hort. Cliff.	Tenoria coriacea Spr. D Bupleurum coriaceum
— patula L. A	Ait.
— tenuifolia W. A	ightharpoonup fruticosa Spr. D
Talinum arachnoides Ait.	Bupleurum fruticosum
D	L.
Portulaça arachnoides	Terminalia Catappa W. D
Haw.	Tetragonia echinata Ait.
Anacampseros arachnoi-	A
des Sims.	- expansa Ait. A
- cuneifolium W. D	halimifolia Forst.
- filamentosum Ait. D	japonica Thunb.
Portulaca filamentosa Haw.	Demidovia tetragonoi- des Pall.
Anacampseros filamen- tosa Sims.	Teucrium abutiloides L'He-
tosa Sims.	rit. D
- patens W. D	macrophyllum Lam.
Portulaca paniculata	_ asiaticum Jacq D
Jacq. Amer.	- betonicum Ait. D
_ patens Jacq. hort.	betonicaefolium Jacq.
Rulingia patens Ehrh.	canescens Forst.
\beta. Talinum re-	maderiense Lam.
flexum Cav. D	*— Botrys L. A
- retusum W. En. D	- campanulatum L. C
Tamarındus indica L. D	- canadense L. C
Tamarix africana Desf. D	- capitatum L. C
— gallica L. D	Belion Schreb.
* germanica L. D	*— Chamaedrys L. C
Tanacetum annuum L. A	— cubense L. C
- sibiricum W. C	— flavum L. D
- snffruticosum L. D	- fruticans L. D
*— vulgare L. C	- hyrcanicum L. C
\beta. crispum	- Laxmanni L. 6
Tarchonanthus camphora-	- lucidum L. D
tus L. D	- Marum L. D
*Taxus baccata L. D	— massiliense Jacq. D
fol. variegatis	*— montanum L. C
- macrophylla W. D	supinum Schrad. Journ.
Telephium Imperati L. C	- multiflorum Schreb. D
Tenoria baldensis Spr. C	- orientale L. G
Bupleurum balden se Turr.	- Polium L. D

Teucrium:		Thalictrum putansW.En. C	,
Teuthrion Schreb.		- oligospernium H.Gor.C	
- pyrenaicum Schreb.	C	— polygamum W. Eu. C	
- pyrenaicum Schreb regium Schreb.	${f D}$	- petaloideum L. C	
*- Scorodonia L.	\boldsymbol{c}	- purpurascens L. C	
*- Scordium L.	$\boldsymbol{\mathcal{C}}$	- rugosum Ait. C	
- virginicum L.	\boldsymbol{C}	- ruthenicum H. Goett. C	
Thalia cannaeformis W.	\boldsymbol{C}	- sibiricum L. C	
dealbata H. Paris.		- speciosum W. En.	
Thalictrum acuminatum	1	suppl. C glaucum H. Paris.	
Spr.	\boldsymbol{C}	glaucum H. Paris.	
_ alpinum L.	\boldsymbol{C}	= simplex L. C	
- angustifolium L.	\boldsymbol{c}	- squarrosum Stephan	
— aquilegifolium L.	\boldsymbol{C}	tuberosum L. C	
- concinnum W. En.	\boldsymbol{C}	Thapsia villosa L. et Spr. C Thea Bohea L. D	
Cornuti All,	\boldsymbol{C}	Thea Bohea L. D	
- contortum L.	$\boldsymbol{\mathit{C}}$	- viridis L. D	
- diffusum Schrad.	\boldsymbol{c}	TheligonumCynocambeL.A.	
- discolor W.	C	Theobroma Gujanensis W.	
- divaricatum w En. supp	l.	\mathbf{p}	
	\boldsymbol{C}	*Thesium alpinum L. C	
- elatum Jacq.	\mathbf{c}	*— linophyllum L. C	
*— flavum L.	G	Thlaspi alliaceum W. A	
— — B. lucidum		*_ alpestre L. B	
flexuosum H. Vindol	b.	- alpinum Jacq. C	
	C	arvense L. A	
	\boldsymbol{c}	*_ bursapastoris L. A	
saxatile Vill.		- ceratocarpon L. A	
*— galioides Nestler	C	- hirtum L. B	
angustifolium & galion	<u>:</u> _	*_ montanum L. C	
des Dec.		praecox Jacq.	
- glaucescens W. E.	n.	*— perfoliatum L. A	
	C	- saxatile L, B C	
speciosum & glaucescer	2 5	Aethionema saxatileAit.	
Pers.		*Thrincia hirta Roth. C	
and the second	C	Apargia hirta Hoffm.	
— lucidum L.	\boldsymbol{C}	Leontodon hirtum L.	
	c	- hispida W. O	
	C .	Leontodon kispidum L.	
	C.	Apargia hispida W. Sp.	
— nigricans Jacq.	$oldsymbol{c}$.	Thujaarticulata Duh.arb.D	

Thuja cupressoides Willd.	Thymus:
D	pannonicus All.
<i>aphylla</i> Hortul.	- melissoides Vahl. C
- occidentalis L. D	- Nepeta Smith. C
— — β . odorata	Calomintha Nepeta Pers.
- orientalis L. D	Melissa Nepeta L.
- \(\beta \). plicata Lod-	- patavinus Ait. AB
dig. Cat.	- rotundifolius C
Thunbergia fragrans Roxb.	Acinus rotundifolius
D	Pérs.
Thymbra ciliata Desf. D	*— serpyllum L. D
- spicata L. D	- vulgaris L. D
*Thymus acinos L. A	Tiarella cordifolia L. C
- adscendens Bernh. D	Tilia alba Ait. D
- aegyptiacus Bernh. C	argentea Hortul.
*_ angustifolius Pers. C	nivea Hortul.
Scrpyllum a. Poll.	rotundifolia Düh.
- alpinus L. C	tomentosa Moench.
Acinus alpinus Pers.	- americana L. D
- anstriacus Bernh. C	carolina Wangenh.
* calamintha Smith. C	hollandica Du Roi.
Melissa Calamintha L.	*- europaea L. D
- citriodorus Gmel. C	grandifolia Hoffm.
- elongatus Schrad. C	platyphyllus Scop.
- filiformis Ait. D	- β. corallinaAit.
Zygis filiformis Pers.	*- microphylla W. En.
_ glabrescens W. C	D
- grandiflorus W. C	cordata Mill. dict.
Calamintha grandiflora	europaea &
Pers.	parvifolia Hoffm.
Melissa grandiflora W.	- pubescens Ait. D
Sp. '	americana Wangenh
— graveolens M. B. C	caroliniana Mill. dict.
- hybridus Schreb. C	Tillandsia lingulata Jacq.
*_ lanuginosus W. D	Ċ
Serpyllum y. L.	Tolpis a tissima Pers. C
— lucidus W. D	Crepis ambigua Balb.
— Marschallianus W. C	- altissima ej.
— mastichina L. D	— umbellata Bertoloni B
— marifolius Cav. D	Tordylium apulum L. et
— montanus Kit. D	Spr. A
•	•

Tordylium lusitanicum W.	Tradescantia undata W.
En. A	En. A
- officinale L. et Spr. A	— virginica L. C
- syriacum L. et Spr. A	— — flore alho
*Torilis Anthriscus Spr. B	Tragia volubilis L. D
Tordy lium anthriscus L.	scandens Brown.
Caucalis anthriscus Roth	Tragium Columnae Spr. B
- nodosa Spr. A	Pimpinella Tragium
Tordylium nodosum L.	Lam.
Caucalis nodosa Ait.	, - petraea W. herbar.
→ helvetica Spr. A	- peregrinum Spr. B
Caucalis arvensis Huds.	Pimpinella peregrinaM.B.
- helvetica Murr.	- hispida Loisel.
— infesty Curt.	- tauricum H. Erf. B
- segetalis Thuill.	Tragopogon augustifolius W. B
— infesta Spr. A	W. B
Scandix infesta L.	- canus Kit. B
*Tormentilla crecta L. C	- crocifolius L. B
Potentilla Tormentilla	- dubius Horn. B
Scop.	* majus Jacq. B
- reptans L. C	*— orientale L. B
Potentilla nemoralis	- parviflorus Horn. B
Nestler Pot.	- porrifolius L. B
Tournefortia cymosa Jacq.	[⋆] — pratensis L, B
D	- undulatus Jacq. B
macrophylla La mark.	- villosus L. B
- hirsutissima Swartz. D	*Trapa natans L. A
— mutabilis Vent. D	Trevirana coccinea W. En.
— volubilis L. D	_ C
scandens W. En.	Achimones coccinea Pers.
Trachelium coeruleum L	Columnea erecta Lam.
\overline{c}	Cyrilla pulchella L'He-
Tradescantia discolor Sm.	rit.
c	Gesneria pulchellaSwartz
spathacea Swartz.	Sparaxis grandistora
- cristata Jacq. A	Ker.
Commelina cristata L.	Trianthema monogyna L.
— erecta Cav. A	Mant, A
bifida Roth Cat.	portulacastrum L.
undulata Vahl.	Tribulus maximus L. A
rosea Pers. C	_ terrestris L. A
`	

Trichosanthes Anguina L.	Trifolium hispidum Desf.A.
A	*_ hybridum L. C
Anguina sinensis Mich.	_ incarnatum L. A
Trientalis europaea L. C	_ involucratum W. A
*Trifolium agrarium L. A.	_ lappaceum L. A
aureum Poll.	- Lupinaster L. C
- albidum W. A	Neesia Lupinaster Spr.
- alexandrinum W. A	Pentaphyllum Lupina-
*— alpestre L. C	ster Pers.
- alpinum L. C	— maritimum Smith. C
- angulatum Kit. A	- Michelianum Savi A
- angustifolium L. A	— minus H. Erf. A
— aristatum Balb. A	— Molineri Balb. A
*— arvense L. A	*— montanum L. C
- armenium W. A	— noricum Wulf. C
- badium Schreb. A	*— ochroleucum L. C
— Bocconi Horn. A	- pallidum Kit. A
*— campestre Schreb, A	- pannonicum L.
agrarium Poll.	- parviflorum Ehrling A
procumbens Smith.	strictum Roth.
_ caespitosum W. C	Melilotàs parviflora ers
_ clypeatum L. A	- pensylvanicum W. En.
_ diffusum Kit. A	Ü
circumcisum Pers.	- pictum Roth Cat A
purpurascens Roth.	*_ pratense L. C
— decipiens Horn. A	*- procumbens L. A
divaricatum H. Goett.	- purpureum Lois. A
\mathbf{A}	- recurvum Kit reflexum L.
- elegans Savi A	
- elongatum W. A	*— repens L. C
- expansum Kit. A	- resupinatum L. A
*_ filiforme L. A	*— rubens L C
procumbens Poll.	fl. albo
*_ flexuosum Jacq. C	— saxatile All C
medium W.	thymistorum Vill,
_ formosum Sauv. A	- scabrum L. A
*— fragiferum L. C	— spumosum L. A
_ gemellum W. A	apulum? Hortul.
ligusticum Balb.	- spadiceum L.
- globosum L. A	- squarrosum L.
glomeratum L. A	- stellatum L, A

1 / 1/ Culting Structure IE 10 12	2, tt total moral particular
— suaveolens W. En. A	
- subterraneum L. A	
supinum H. Erf. B * striatum L. A	
scabrum Pollich.	Sch. et R.
scabrum Pollich. <u>tenne</u> W. En. A	
tomentosum L. A	_
*TriglochinmaritimumL.C	
*— palustre L. C	Agropyrum densiflorum
Trigonella cancellata H.	Sch. et R.
Trigonella cancellata H. Par. A	
- corniculata L. A	
— eşculenta W. En. A	
- Foenum-graecum L. A	
— hybrida Dec. C	
— hamosa L. A	
- n na H. Madrit. A	
— monspeliaca L. A	
- pinnatifida Cav. A	
laciniata H. Paris.	Roth.
— polycerata L. A	Agropyrum giganteum
— ruthenica L. C	Sch. et R.
— spinosa L. A	
- striata L . A	
Triplaris americana Vahl.	intermedium y Gaud.
D	Agropyrum glaucum
Tripsacum dactyloides L.	Sch. et R.
— hermaphroditum L_{\star} A	- hordeiforme Host. A
- monostachion W. H.	- hybernum L . A
Berol. A	
Colladea monostachya	*— imbricatum Lam. C
Pers.	repens n imbricatum Sch.
Triticum aestivum L. A	
sativum Lam.	- junceum Schrad. C
cereale Schranck.	farctum Viviani.
- biunciale Vill. (excl.	. glaucum Dec. Synops.
Syn.) A	Bromus truncatus Scop.
Brachypodium biunciale	Agropyrum junceum P.
Sch. et R.	de Beauv.
— Cevallos Lagasc.	
~	

Triticum maritimum L. A	Triticum simplex H. Vind.
Brachypodium mariti-	C
mum Sch. et R.	- sibiricum W. En. C
Festuca lanceolata Forsk.	imbricatum Host.
- dichotoma Ej.	Agropyrum sibiricum
- maritima Dec.	Sch. et R.
- monococcum L. A	\longrightarrow Spelta L . A B
— molle Host. A	— β. rufescens
- patulum W. En. A	- tenellum Lam. " A
planum Desf.	Nardus Dec.
squarrosum Roth.	Brachypodium tenellum
Bounapartis Spr.	Sch. et R.
Sccale pungens Pers.	turgidum W. En. AB
- pectinatum M. B. C	- unilaterale L. A
cristatum Pers.	Festuca unilateralis
Agrophyrum pectinifor-	Schrad.
me Sch. et R.	Brachypodium unita-
— pilosum Scenus A	rale Sch
— Poa Dec. A	- variegatum Fisc
tencllum L.	- Zea Host.
biunciale Vill.	elymoides Horn.
Brachypodium Poa Sch.	Tristania nereifolia Brown.
et R.	Tristanta nerenonabiowi.
_ polonicum L. A	Melaleuca nereifolia
glaucum Moench.	Sims.
	- salicifolia Andr.
pumilum L. Suppl.	Triumfetta annua W. A. Lannula L. D.
Secale prostratum Pers.	
Agropyrum prostratum	
Sch. et R.	villosa Brown.
— pumilumP.deBeauv.	Trollius aconitifolius H.
*— repens L. C	Berol. C
Agropyrum repens P.	— americanus Mühlenb. C
de Beauv.	laxus Salisb.
- rigidum Schrad. C	— asiaticus L. 1
junceum Lam.	sertiflorus Salisb.
intermedium a. Gaud.	*— europaeus L
Agropyrum rigidumSch.	sphaericus Salish.
et R.	connivens Moench.
- sativum L . A B	globosus Lam.
vulgare W. En.	_ tauricus H. Berel. C
•	17

Google

Tropaeolum hybridum	L.	Tussilago alpina L.	C
	\mathbf{D}	- anandria L.	C
- majus L.	A	Perdicium Anandria	
_ minus L.	A	Brown.	
Tulipa gesneriana L.	C	- discolor Jacq.	C
_ plena		alpina Scop.	
- persica L.	C	alpina &. L.	
- pubescens W. En.sup	pl.	*_ Farfara L.	C
- suaveolens Roth.	C	- fragrans Vill.	C
*_ sylvestris L.	C	suaveolens Hortul.	
_ turcica W. En. sup	pl.	- nivea W.	C
		frigida Vill	
Turnera racemosa W.	Ā	spuria Schranck.	
— ulmifolia L.	\mathbf{D}	*- Petasites Hoppe	C
Tuncitis alpina W.	В	mas. Tussilago Petasi	tes
bra L.	В	T -	
s perfoliata La	m.	* fam hybrida L.	
je perfoliata La	A	- spuria W.	C
- tenopetala W. En		tomentosa Hoppe.	
šuppl.	C	*Typha angustifolia L.	
- stricta All.	B .	*- latifolia L.	C.C.
Tussilago alba L.	C	- minima W.	C.
ramosa Hoppe.			
•	I	J.	
_	_		
Ulex europaeus L.	D	Ulmus:	
Ulmus americana L.	D	pedunculata Foug.	_
*— campestris L.	\mathbf{D}	- nemoralis Ait.	D
nuda Ehrh.		- parvifolia Jacq.	Þ
scabra B. Du Roi.		polvgama Richard.	_
_ a. fol. variega	tis	Planera Richardi Mic	
\(\begin{aligned} & \text{crispa} \\ \text{crispa} \\ & \text{crispa} \\ & \text{crispa} \\		Rhamnus carpinifol	ius
— γ. latifolia		Pall.	
—		- pendula H. Paris.	
≠— effusa W	D	americana y pendulo	ı
campestris Flor. dan	•	Ait.	_
ciliata Ehrh.		*— suberosa Moench.	Ď
glabra Mill. dict.		alata Mich.	
hollandica Du Roi.		hollandica Münchh.	
octandra Schkuhr.		sativa Du Roi.	
		A a	

Aa

 $\mathsf{Digitized} \, \mathsf{by} \, Google$

Ulmus tetrandra Schranck. Uniola latifolia Mich. C paniculata Hortul. Urena lobata L. D sinuata L. D Urtica aestuans L. A angustifolia Fischer. C baccifera L. D frutescens Brown. balearica L. A caracasana Jacq. D canadensis L. C cannabina L. C crassifolia W. D	Urtica cylindrica L. C *— dioica L. C — Dodartii L. A — nivea L. C — pilulifera L. A *— urens L. A * Utricularia intermedia Hayne. C *— minor L. C *— vulgaris L. C Uvularia amplexifolia L. C chinensis Ait. D — grandiilora Smith. C
. `	7
Kaccinium arboreum H.	Valeriana montana
Cels. D	*- officinalis L.
corymbosum L. D	tenuifolia Valla
*— Myrtillus L. D	— Phu L. C
*— Oxycoccos L. D	- pyrenaica L. C
*— uliginosum L. D *— Vitis-idaea L. D	- rubra L. C
Valartia cucullaria L. A	Centranthus ruber Dec.
- hispida L. A	- repens Host. C - saliunca All. C
- muralis L. A	supina Dec.
— taurica Pall. A	celtica Vill. (excl. Syn.)
Valeriana angustifolia All.	— sambucifolia Mikan. C
, C	altissima Hornein.
monandra Vill.	- saxatilis Jacq. C
rubra & angustifolia L.	- tripteris L. C
Centranthus angustifo-	Vallisneria spiralis L. C
lius Dec.	Vanilla aromatica W. D
- Calcitrapa L. A	Epidendrum Vanilla L.
Centranthns calcitrapa	- scandens Brown.
Dufr.	Varronia alba Pers. D
- celtica L. C	- bullata Swartz. D
saxatilis Vill.	- martinicensis? L. D
*— dioica L	Vella annua L

Vella Pseudo-Cytisus	4	Verbascum montamum	
settle I settle Gy tisus	D	Schrad:	В
Velezia rigida L.	A	- nemorosum Schrad.	B
Feltheimia glauca Jaco		*_ nigrum L.	$\tilde{\mathbf{B}}$
Aletris glauca Ait. Ed		- orientale W. En. supp	_
- pumila W.	C	- Orientatio (V(12m oup)	В
Tritoma pumila Ait.		- ovatum Tenore	B
- sarmentosa Pers.	C	- ovalifolium Ait.	$\tilde{\mathbf{B}}$
Tritoma media Curt		- phoeniceum L.	B
Aletris sarmentosaAn		*_ phlomoides L.	B
- Uvaria W.	C	- puniceum Schrad.	B
Tritoma Uvaria Ait.		- pyramidatum M. B.	B
Aletris Uvaria L.	- 10	*- pulverulentum Vill.	-
- viridifolia W.	C	- repandum W.	В
The state of the s	4	- rugulosum M. B.	B
Aletris capensis L. Veratrum album L.	C	- sinuatum L.	B
- tourlianum Bernh.	C	_ sheiosum Schrad.	В
	Č	*_ Thapsus L.	В
— m rum L.	G		B-
- oride Ait.	U,	- thapsoides L undulatum Lam.	B.⊿
album Mich.			B
Verbascum acuminatus	-		_
Schrad.	B,	Buchnera canadensis	
- album Besser Cat.	В	Glandularia carolinie	
- austriacum Schrad.		sis Gmel. sys	
*_ Blattaria L.	В	Verbena grandiflora	
- blattarioides Lam.	B	Mich.	
 chrysostalostemonSp 		- tetrandra W. Sp.	•
- condensatum Schrac	-	- bonariensis L.	C
- crassifolium Dec.	В	trichotoma Moench.	•
- cuspidatum Schrad.		- bracteosa Mich.	Ċ
- elongatum W.	B	— erinoides W. En.	A
- ferrugineum Ait.	В	— caroliniana L.	C
- floccosum Kit.	B	- hastata L.	C .,
- glabrum W. En.	В	mexicana L.	G
- Hornemanni Besser	Cat.	, Priva mexicana Per	S
The state of the s	B	- nodiflora W.	D
*_ Lychnitis L.	B	Zapania nodiflora Per	rs.
*_ fl. albo	٠.	Lippia nodiflora Mic	
album Mil	1	Blaeria nodiflora Gærl	tn.
	l. B	Blaeria nodiflora Gær	in.

Verbena rugosa W. En. C	Veronica arguta Schrad.
angustifolia Mich.	, ,
- spuria L. C	- australis Schrad.
- stricta Vent. C	austriaca L. C
rigens Mich.	multifida Schmith boh
- triphylla W. D	- azurea Schott. C
Aloysia citriodora Pers.	*- Beccabunga L. C
- urticifolia L. C	- bellidioides L. C
Verbesina alata L. C	— caucasica M. B. C
- dichotoma W. A	*- Chamaedrys L. C
— gigantea Jacq. D	- complicata Hoffm. C
pinnatifida Swartz.	- crassifolia Kit. C
- nodiflora W. A	crenulata Vahl. C
Synedrella nodiflora Pers.	- crista-galli Steven A B
_ serrata Cav. C	— Cymbalaria Bertol. C
Vernonia anthelmintica	cymbalariacfolia Vahl.
w. A	- decussata Ait. A D
Conyza antheimentica	- dentata Schrad. C
, L.	Teucrium Host.
· _ indica Vaill.	— B. angustifolia
- noveboracensis W. C	Vahl.
Serratula noveboracen-	- digitata Vahl. C
• sis L.	succulenta Smith.
- praealta W. C	chamaepithyoides Lam.
Serratula praealta L.	— elatior W. En. C
Veronica acinifolia L. A	- exaltata Host. C
romana All.	— filiformis Smith. > A
*— agrestis L. A	— foliosa Kit. / C
- alpina L. C	brevifolia M. B./
integrifolia W.	maritima B. W.
rotundifolia Schranck.	nitida B. Ehrh.
saxatilis Poiret.	spuria v. Spreng.
pygmaea Salish.	— fruticosa L. D
- amethystina W. En. C *- Anagallis L. C	- gentianoides Vahl. C
- aphylla L. C	Buxbaumiana Pall.
subacaulis Lam.	— glabra Ehrh.
grandiflora Gaertn.	— grossa Martius. C
*_ arvensis L. A	*— hederifolia L. \
romana Smith.	- Jacquini Schott C
scinifolia W. prodr.	multifiidaAit.(excl[Syn.)
in brown ,	merefrankir (czcinyki)

Veronica:		72 and and an	
austriaca W. et Schr		Veronica:	
— incana Vahl.	~	pallescens Gatereau.	^
	C	- persicifolia Schott.	C
- incisa Ait.	Č.	- pinnata W. En.	C
- laciniata Ait.	C	- polymorpha W. En.	, C
≯— latifolia L.	C	- Ponae Gouan.	C
Teucrium Poll.		sempervirens Lam.	
pseudo Chamaedrys Je	ıcq.	pumila All.	
fl. aust.		*_ praecox All.	Α
★ longifolia L.	C	acinifolia Schleich.	
<i>maritima</i> Smith.		ocymifolia Thuill.	•
ciliaris Hoffm.		segetalis Pers. in T	Jst.
<i>spuria</i> Schkuhr.		annal.	•
— maritima L.	Č	*- prostrata L.	·C
- media Schrad.	C	- pulchella Bernh.	
longifolia Roth.		- ruthenica H. Vind	ob.
- melissaefolia Poiret	. C		C
crantha Hoffm.	Ċ	- sanatilis Schrad.	T D
crantha Hoffm.	_	fruticulosa Smith.	
- mollis Zea.	C	- Schmidtii Sch. et R.	C
* montana L.	Ç	paniculata W. (ex	
- monstrosa Hortul.	.ç	Syn. Poll.)	
cristata Bernh.	•	dentata Schmidt. b	oh.
longifolia? monstr	O ¢a	*— scutellata L.	C
- multifida M. B.	C	*— serpillifolia L.	Ă
*_ officinalis L.	Č	- sibirica Vahl.	Ĉ
Tournefortii Schmid		- spuria Vahl.	č
- orchidea Cranz.	"C		č
cristata Bernh.	G	*_ spicata L. * fl. incarnal	
		- Teucrium L.	
hybrida M. B.	^		Č
- orientalis Ait.	C	*— triphyllos L.	Λ
heterophylla Salish		digitata Lam.	~
austriaca & L.		— urticaefolia Jaoq.	C
taurica W.	_	latifolia Lam.	
— pallida Horn.	C	galeopsifolia Gilib.	
- paniculata Pall.	C	*- verna L.	Α
- peregrina Schrad.	A	Bellardi All.	•
romana L.		succulenta Smith.	
caroliniana Walth.	•	polygonoides Lam.	
carnosula Lam		pinnatifida Lam,	
marylandica Murr.	•	- virginica L.	C
	•		

Veronica villosa Vahl. C	Vicia bacla Moench.
- Waldsteiniana Schott C	- bicolor W. En. suppl
Vestia lycioides w. En. D	S 2100101 VV 214 Supp
Periphragmos foetidus	- benghalensis L.
Ruitz.	- biennis L.
Viburnum acerifolium L.	bithmics T
D.	bestice Selection A
cassinoides Ait. D	- boetica Schousb.
glaberrimum Mich.	*— cassubica L.
- chinenes Sans To	multiflora Poll.
- chinense Spec. nova D	Gerardi Jacq.
— dentatum L. D	- cordata Wulf.
- a. lucidum Ait,	* Cracca L. C
- \(\mathcal{B} \). pnbescens	- dumetorum L. C
Ait.	Ervilia W. A
- laevigatum Ait. D	Ervum Ervilia L.
cassinoides Du Roi.	- Faba L.
*_ Lantana L. D.	- ferruginea Besser Cat.
— — a. curopaeumAit.	A
— — β. grandiflorum	- globosa W.
Ait.	- grandiflora Scop.
2. fol. variegatis	luganensis Schleicher.
— Lentago L. D	- hirta Balb.
- nudum Ait. D	*- lathyroides Poll.
*— Opulus L. D	Ervum soloniense L.
- europaeum Ait	
- e. europaeum Ait, - ß. americanum Ait,	- lutea L. A
2. roseum Ait.	- leucosperma M. B. A
- prunifolium L. D.	- megalosperma M. B. A
Lentago Moench.	- Michauxii Spr. A
- punicifolium H. Par. D	- monadelpha Roth. A
	serratifolia Jacq.
	- monantha Retz. A
— I mus L. D.	calcarata Desf.
 — σ. hirtum Ait. — β. lucidum Ait. 	- narbonensis L. A
- p. lucidum Ait.	- nissoliana L. A
- 7. strictum Ait 5. fol. variegatis	- onobrychioides Z. A
- S. fol. variegatis	- oroboides Wulf. C
Vicia angustifolia Roth.	— pannonica L. A
	— peregrina L. A
sativa \(\beta \) nigra \(L. \)	*— pisiformis Jacq., C
- amphicarpa Dorth. B	- platycarpos Roth
articulata Hornem. A	- pòlyphylla Desf. C
	I . A L . A Zun Dopr.

Vicia sativa L.	À	Viola lancifolia & Ruppii
*_ sepium L.	C	All.
- sordida Kit.	A	— mirabilis L. C
- striata M. B.	A	*— montana L. C
- sylvatica L.	C	* \$. persicifolia
*- tenuifolia Roth.	C	Hoffm.
- villosa Roth.	A	- obliqua Ait. C
Vinca herbacea Kit.	C	*- odorata Ait. C
- major L.	\mathbf{D}	— a. italica
*_ minor L.	\mathbf{D}	— — &. fl. albo
_ fol. variegat	tis .	J. fl. pleno
$\stackrel{\Delta}{\longrightarrow}$ rosea L .	Ŋ	— palmata L. C
fl. albo, fa	uce	*— palustris L. C
rubro.		— pinnata L. C
fauce	lu-	- Rothomagensis W. En.
teo.		C
Viola arborescens L.	D	hispida Lam.
subcrosa Desf.		- sagittata Ait. C
*— arvensis Murr.	A	*_ tricolor WA
tricotor L. arenaria Dec.		- B. suaveolens
*— arenaria Dec.	. C	- uliginosa Schrad. C
rupestris Balb.		 uliginosa Schrad. Valderia W. En. C verticillata W. En. C
Allioni Pio.		- verticillata W. En. C
<i>numulariaefolia</i> Schle	ich	'Jonia uerticillata Pers.
- bannatica Kit. I	3 C	Jonidium polygalaefo-
- biffora L.	C	lium Vent.
— calcarata L.	C	Solea verticillata Spr.
— canadensis L.	C	— Zoysii Jacq. C
*_ canina L.	G.	calcarata 2. Dec.
- cenisia L.	C	Virgilia lutea H. Cels. D
— cornuta W.	C	Visnea Mocanera L. D
- chrysantha Schrad.	C	Vitex Agnus castus L. D
- cucullata Ait.	C	incisa Lam. D
- glauca M. B.	\mathbf{C}	- trifolia L D-
- grandiflora L.	C	bicolor W. En.
lutea Dec.	5.27	integerrime Will diet.
*- hirta L.	C-	- ovata W.
- lutea Smith.	C	Vitis arborea L. D
grandiflora Huds.		- hederacea W. D
- lactea Smith.	E	Hedera quinquefolia L.
lancifolia Det.		Cissus hederacea Pers,
osa L		G. N. Suryagah C.

Vitis: Cissus quinquefolia Desf. Labrusca L. D laciniosa L. D *— vinifera L. D	Volkameria aculeata L.D — buxifolia W. En. D — inermis L. D — ligustrina Jacq. D — \$\beta\$, longifolia
- vulpina L. D	
V	V
Wachendorfia hirsuta Thunb, C thyrsiflora L. C Waldsteinia geoides Kit, C	Wendlandia: Androphylax scand Wendl, Westringia rosmarinifor
Waltheria americana L. D arborescens Cav. fruticosa Brown. indica Jacq.	mis Smith. Il rosmarinifolia Hortul. Cunila fruticosa W. Witsenia corymbon. Ait
Wedelia minor Dec. A Alcina ovalifolia Lagasc. ovatifolia W. En. suppl. an Wed. minor?	Woodwardia radicans Swartz. (Blechnum radicans L.
— perfoliata W. A Alcina perfoliata Cav. Wendlandia populifolia W. D	Wulfenia carintaiaca Jacq Paederota Wulfenia Lam,
_	ζ.
Xanthium orientale L. A *— Strumarium L. A — spinosum L. A Xenopomaobovata.auctore ignoto. D	Xeranthemum inapertum L. — sesamoides Bot, Mag, D Elichrysum sesamoides Ait,
Acranthemum annuum L. A — argenteum D Elichrysum argenteum Thunb.	— virgatum W, Helichrysum virgatum Pers, Ximenesia encelioides Carr
Yucca aloifolia L. D. draconis L. D	Yucca filamentosa L. D.

Z.

\	
Zacintha verrucosa W. A	Ziziphora dasyantha M. B.
	D
Lapsana Zacintha L.	
Zamia integrifolia Jacq. D	Puschkini Adam.
Zanthorrhiza apiifolia Ait.	— hispanica Vahl. A
', D	- serpillacea M. B. D
Xanthorrhiza apiifolia	Mussini Adam.
Dietr. Lex.	- spicata Lagasc. A
Zanthoxylum fraxineumW.	— tenuior L. A
$lackbox{D}$	Zizyphus Lotus W. D
ramiflorum Mich.	Rhamnus Lotus L
Zea Mays L. A	— Paliurus W. D
	_
— a. aegyptiaca	Rhamnus Paliurus L.
— β. altissima	Paliurus aculeatus Lam.
Zinnia elegans Jacq. A	— sigensis W. D
violacea Cav.	Rhaninus sinensis Pers.
_ multiflora L. A	— volubilis W. D
and the second s	
— pauciflora L. A	Rhamnus volubilis L.
- tenuiflora W. A	- vulgaris W. D
revoluta Cav.	Rhamuus Zizyphus L.
- verticillata W. A	Zygophyllum Fabago L.
hybrida Hortul.	= 180 his 1 mm 1 mm 20 11.
	footiless vii
Ziziphora capitata L. A	- foetidum W. D
- clinopodioidesRudolph.	retrofractum Thunb.
A	— Morgsana L. D
acinoides Amman.	- sessilifolium L. D

Nachtrag.

cacia armata Brown. D	Arabis stenopetala Bernh
- elata Brown. D	
glandnlosa W. D	Aristolochia acuminata W
Mimosa glandulosa Vent.	I
$-$ suaveolens \mathbf{D} .	→ indica W. D
imosa obliqua Jacq.	Artemisia caucasica W. C
angustifoliaJacq.H.	- subcanescens W.
vera D	Assonia populnea Cav. I
Acer austriacum Hort.	Aspalathus ciliaris w. I
Vindob. D	Asperula glauca Besser. C
- recurvatum Bernh. D	Asplenium dentrix nov.
Achillea mongolica Fischer	spec.
C	Aster prenanthoides W. C
Achyranthes muricata L. D.	Astragalus daguricus W. C
alternifolia L. M.	Oxytropis prostrata
Aconitum intermedium Dec	Pers.
C	— gracilis Bernh. C
neomontanum W.	— melilotoides Pall. C
- ochroleucum W. C	— onobrychis L. & tatari-
_ pyramidale Mill. dict. C	cus C
AdenantherapayoninaJacq	Athamanta rigida Bernh.
Coll. D	\boldsymbol{c}
Aira media Gouan. C	Athropodium paniculatum
Deschampsia media Sch.	Brown. C
et Röm.	Anthericum paniculatum
Allium sibiricum Pall. C	Andr.
- triquetrum Desf. C	— milleflorum Redouté
violaceum W C	Avena argentea W. C
Anemone ochotensis Fisch.	distichophylla Schrad.
\overline{c}	Trisetum argenteum
Androsace filiformisRetz. A	Schult. et Rom.
Anona: nov. Spec, ex Bra-	- pubescens Schrad. C
silia. D ,	sesquitertia Linn. Mant.
Anthyllis pilosa Pers. C	pratensis Gouan.
Aquilicia sambucina Cev.D.	Trisetum pubescens Sch.
Laga cambusing W	et Röm

Nachtrag.

cacia armata Brown. D	4
elata Brown. D	
glandnlosa W. D	_
Mimosa glandulosa Vent.	
suaveolens D	-
suaveolens D timosa obliqua Jacq.	4
angustifoliaJacq.H.	-
vera D	4
Acer austriacum Hort.	4
Vindob. D	4
- recurvatum Bernh. D	4
Achillea mongolica Fischer	
G	1
Achyranthes muricata L. D.	1
alternifolia L. M.	
Aconitum intermedium Dec	
C	-
neomontanum W.	-
- ochroleucum W. C	-
_ pyramidale Mill. dict. C	
Adenantherapayonina Jacq	1
Coll. D	
Aira media Gouan. C	A
Deschampsia media Sch.	
et Röm.	
Allium sibiricum Pall. C	
— triquetrum Desf. C — violaceum W. C	
— violaceum W C	1
Anemone ochotensis Fisch.	
\overline{c}	
Androsace filiformis Retz. A	
Anona: nov. Spec. ex Bra-	-
silia. D	
Anthyllis pilosa Pers. 6	
Aquilicia sambucina Cev.D.	
Leca sambueina W.	

Arabis stenopetala Bernh
0
Aristolochia acuminata W.
D
→ indica W. D
Artemisia caucasica W. C
- subcanescens W. C
Assonia populnea Cav. D
Aspalathus ciliaris w. D
Asperula glauca Besser. C
Asplenium dentrix nov.
spec. Aster prenanthoides W. C
Astragalus daguricus W. C
Oxytropis prostrata Pers.
- gracilis Bernh. C
— melilotoides Pall. C
— onobrychis L. & tatari-
cus C
Athamanta rigida Bernh.
$oldsymbol{c}$
Athropodium paniculatum
Brown. C
Anthericum paniculatum
Andr.
- milleflorum Redouté
Avena argentea W. C
distichophylla Schrad.
Trisetum argenteum Schult. et Rom.
pubescens Schrad. C
sesquitertia Linn. Mant.
pratensis Gouan.
Trisctum pubescens Sch.
Trescenti publication Della

	•
Trichosanthes Anguina L.	Trifolium hispidum Desf.A
A	*- hybridum L. 0
Anguina sinensis Mich.	- incarnatum L. A
Trientalis europaea L. C	- involucratum W. A
*Trifolium agrarium L. A	- lappaceum L.
aureum Poll.	- Lupinaster L.
— albidum W. A	Neesia Lupinaster Spr.
- alexandrinum W. A	Pentaphyllum Lupina-
*— alpestre L. C	ster Pers.
- alpinum L. C	— maritimum Smith. C
- angulatum Kit. A	
- angustifolium L. A	
- aristatum Balb. A	
*— arvense L. A	— Molineri Balb. A
	*— montanum L. C
armenium W. A	noricum Wulf. C
— badium Schreb. A	*- ochroleucum L. C
Bocconi Horn. A	- pallidum Kit.
*- campestre Schreb, A	- pannonicum L.
agrarium Poll.	- parviflorum Ehrling A
procumbens Smith.	strictum Roth.
- caespitosum W. C	Melilotàs parvifloralers
- clypeatum L. A	- pensylvanicum W. En
- diffusum Kit. A	•
circumcisum Pers.	- pictum Roth Cat. , A
purpurascens Roth.	*_ pratense L. 0
- decipiens Horn. A	*- procumbens L. ' A
_ divaricatum H. Goett.	- purpureum Lois.
\mathbf{A}	- recurvum Kit.
- elegans Savi A	- reflexum L.
- elongatum W. A	*— repens L. 6
- expansum Kit. A	- resupinatum L.
*_ filiforme L. A	*— rubens L.
procumbens Poll.	fl. albo
*_ flexuosum Jacq. C	— saxatile All.
medium W.	thymistorum Vill.
- formosum Sauv. A	- scabrum L.
*_ fragiferum L. C	- spumosum L.
— gemellum W. A	
ligusticum Balb.	apulum? Hortul.
- globosum L. A	- spadiceum L.
O	- 1
glomeratum L. A	- stellatum L.

Trifolium strictum Kit. A	Triticum compactum Host A
- suaveolens W. En. A	— ∠ . aristatum
— suaveolens W. En. A — subterraneum L. A	- cristatum Schreb. A
_ supinum H. Erf. B	Bromus cristatus M. B.
supinum H. Erf. B * striatum L. A	Agropyrum cristatum
scabrum Pollich.	Sch. et R.
<u>tenne</u> W. En. A	- creticum Sch. et S.
_ tomentosum L. A	Secale creticum L.
*TriglochinmaritimumL.C	- densiflorum W. En. C
\star palustre L . C	Agropyrum densiflorum
Trigonella cancellata H.	Sch. et R.
Par. A.	*— dumetorum Schreb. C
— corniculata L. A	repens var: dumetorum
- esculenta W. En. A	Sch. et R.
roenum-graecum L. A	- durum Desf. A
$oldsymbol{oldsymbol{ iny{L}}}$ hybrida Ďec. $oldsymbol{oldsymbol{C}}$	villosum Host.
_ hemosa L. A	- elegans Spr. C
- n na H. Madrit. A	- elongatum Host. C
— n. 1a H. Madrit. A — monspeliaca L. A	giganteum Retz.
— pinnatifida Cav. A	junceum & giganteum
laciniata H. Paris.	Roth.
— polycerata L. A	Agropyrum giganteum
— <u>rúthen</u> ica <i>L</i> .	Sch. et R.
- spinosa L. A	_ glaucum Dec. C
_ striata L. A	junceum & Lam.
Triplaris americana Vahl.	intermedium y Gaud.
.	Agropyrum glaucum
<i>Tripsacum</i> dactyloides <i>L</i> .	Sch. et R.
- hermaphroditum L, A	— hordeiforme Host. A
- monostachion W. H.	- hybernum L. A
Berol. A	vulgare & hybernum W.
Colladea monostachya	*- imbricatum Lam. C
Pers.	repens n imbricatum Sch
Criticum aestivum L. A	et R.
sativum Lam.	- junceum Schrad. C
cereale Schranck.	farctum Viviani.
- biunciale Vill. (excl.	glaucum Dec. Synops.
Syn.) A	Bromus truncatus Scop.
Brachypodium biunciale	Agropyrum junceum P.
Seh. et R.	de Beauv.
- Cevallos Lagasc.	- littorale Host. C

Triticum maritimum L. A	Triticum simplex H. Vind.
Brachypodium mariti-	
mum Sch. et R.	- sibiricum W. En.
Festuca lanceolata Forsk.	imbricatum Host.
- dichotoma Ej.	Agropyrum sibiricum
- maritima Dec.	Sch. et R.
- monococcum L. A	\longrightarrow Spelta L . A B
— molle Host. A	— β. rufescens
- patulum w. En. A	- tenellum Lam. " A
planum Desf.	Nardus Dec.
squarrosum Roth.	Brachypodium tenellum
<i>Bounapartis</i> Spr.	Sch. et R.
Secale pungens Pers.	- turgidum W. En. AB
- pectinatum M. B. C	- umilaterale L. A
cristatum Pers.	Festuca unilateralis
Agrophyrum pectinifor-	Schrad.
me Sch. et R.	Brachypodium unite-
- pilosum Scenus A	rale Schane.
_ Poa Dec. A	- variegatum Fisc
tenellum L. *	- Zea Host.
biunciale Vill.	elymordes Horn.
Brachypodium Poa Sch.	Tristania nereifolia Brown.
et R.	D
- polonicum L. ' A	Melaleuca nereifolia
glaucum Moench.	Sims.
prostratum Ait. A	- salicifolia Andr.
pumilum L. Suppl.	Triumfetta annua W. A
Secale prostratum Pers.	- Lappula L. D
Agropyrum prostratum	- semitriloha Jacq. D
Sch. et R.	villosa Brown.
- pumilumP.deBeauv.	Trollius aconitifolius H.
*— repens L. C	Berol. C
Agropyrum repens P.	- americanus Mühlenb. C
de Beauv.	laxus Salisb.
- rigidum Schrad. C	- asiaticus L. 1
junceum Lam.	sertiflorus Salisb.
intermedium a. Gaud.	*_ europaeus L.
Agropyrum rigidumSch.	sphaericus Salisb.
et R.	connivens Moench.
- sativum L. A B	globosus Lam.
vulgare W. En.	_ tauricus H. Berel.
200 W. C. 411 War	- Courte do II. De Carre

Google

C

- anandria L.	C
Perdicium Anandr	ia
Brown.	
- discolor Jacq.	C
*_ Farfara L.	Ç
	C
suaveolens Hortul.	
- nivea W.	C
frigida Vill	*
spuria Schranck.	
	C
	sites
L.	
* fam. — hybrida	L.
— spuria W.	C_
*Typha angustifolia L	. 45
*- latifolia L.	C.
- minima W.	C.
U.	
Ulmus:	
	D
	Ā
polygama Richard.	•
	ich.
Pall	_
- pendula H. Paris.	•
3	— anandria L. Perdicium Anandria Brown. — discolor Jacq. alpina Scop. alpina B. L. *— Farfara L. — fragrans Vill. suaveolens Hortul. — nivea W. frigida Vill spuria Schranck. *— Petasites Hoppe mas. Tussilago Peta. L. * fam. — hybrida I — spuria W. tomentosa Hoppe. * Typha angustifolia L. — hatifolia L. — minima W. U. Ulmus: pedunculata Foug. — nemoralis Ait. — parvifolia Jacq. polvgama Richard.

D

*- effusa W.

ciliata Ehrh.

campestris. Flor. dan.

glabra Mill. dict. hollandica Du Roi.

octandra Schkuhr.

Tropaeolum hybridum L. Tussilago alpina L.

Digitized by Google

americana y pendula Ait.

*_ suberosa Moench.

alata Mich.)
hollandica Münchh.

sativa Du Roi.

Ulmus:	Urtica cylindrica L. C
tetrandra Schranck.	*— dioica L. C
Uniola latifolia Mich. C	- Dodartii L. A
paniculata Hortul.	- nivea L. C
Urena lobata L. D	- pilulifera L. A
- sinuata L. D	*_ urens L. A
Urtica nestuans L. A	*Utricularia intermedia
- angustifolia Fischer, C	Hayne. C
- baccifera L. D	*— minor L. C
frutescens Brown.	*- vulgaris L. C
- balearica L. A	Uvularia amplexifolia L.
- caracasana Jacq. D	C
— canadensis L. C	chinensis Ait. D
— cannabina L. C	- grandiflora Smith. C
- crassifolia W. D	
	_ ·
· · · · · · · · · · · · · · · · · · ·	<i>7</i> .
Kaccinium arboreum H.	Valeriana montana
Cels. D	*— officinalis L.
corymbosum L. D	2. tenuifolia Van.
*_ Myrtillus L. D	— Phu L.
- Oxycoccos L. D	- pyrenaica L. C
*— uliginosum L. D	- rubra L. C
*— Vitis-idaea L. D	Centranthus ruber Dec.
Valantia cucullaria L. A	- repens Host. C
- hispida L. A	— saliunca All. C
— muralis L. A	supina Dec.
taurica Pall. A	celtica Vill. (excl. Syn.)
Valeriana angustifolia All.	- sambucifolia Mikan. C
G	altissima Hornem.
monandra Vill.	- saxatilis Jacq. C
rubra & angustifolia L.	- tripteris L. C
Centranthus angustifo-	Vallisneria spiralis L. C
lius Dec.	Vanilla aromatica W. D
- Calcitrapa L. A	Epidendrum Vanilla L.
Centranthns calcitrapa	- scandens Brown.
Dufr. — celtica L. C	Varronia alba Pers. D
saxatilis Vill.	— bullata Swartz. D
*— dioica IA C	- martinicensis? L. D
- Greates tv	Vella annua Li

Vella Pseudo-Cytisus L.	Verbascum montamum
D	Schrad: B
Velezia rigida L. A	— nemorosum Schrad. B
Veltheimia glauca Jacq. C	*_ nigrum L. B
Aletris glauca Ait. Ed. I.	- orientale W. En. suppl.
— pumila W. C	В
Tritoma pumila Ait.	- ovatum Tenore B
- sarmentosa Pers. C	- ovalifolium Ait. B
Tritoma media Curt.	- phoeniceum L. B
Aletris sarmentosaAndr.	*— phlomoides L. B
— Uvaria W. C	- puniceum Schrad. B
Tritoma Uvaria Ait.	- pyramidatum M. B. B
Aletris Uvaria L.	*— pulverulentum Vill. B
— vinidifolia W. C	- repandum W. B
Aletris capensis L.	- rugulosum M. B. B
Ver <u>etr</u> um album L. C	- sinuatum L. B
Lianum Bernh. C	- spiciosum Schrad. B
lianum Bernh. C Lin L. C Lide Ait. C	- spriosum Schrad. B *— Thapsus L. B
de Ait. C	— thapsoides L· B•
alum Mich.	- undulatum Lam. B
Verbascum acuminatum	Verbena Aubletia L. AB
Schrad. B.	Buchnera canadensis L.
- album Besser Cat. B	Glandularia carolinien-
- austriacum Schrad. B	sis Gmel. syst.
★ Blattaria L. B	Verbena grandistora
- blattarioides Lam. B	Verbena grandiflora Mich.
 blattarioides Lam. B clirysostalostemonSpr. B 	Verbena grandiflora Mich. — tetrandra W. Sp.
 blattarioides Lam. B chrysostalostemonSpr.B condensatum Schrad. B 	Verbena grandiflora Mich. — tetrandra W. Sp. — bonariensis L. C
 blattarioides Lam. B chrysostalostemonSpr. B condensatum Schrad. B crassifolium Dec. B 	Verbena grandiflora Mich. — tetrandra W. Sp. — bonariensis L. C trichotoma Moench.
 blattarioides Lam. chrysostalostemonSpr. B condensatum Schrad. B crassifolium Dec. B cuspidatum Schrad. B 	Verbena grandiflora Mich. — tetrandra W. Sp. — bonariensis L. C trichotoma Moench. — bracteosa Mich. C
 blattarioides Lam. chrysostalostemonSpr. B condensatum Schrad. B crassifolium Dec. B cuspidatum Schrad. B elongatum W. 	Verbena grandiflora Mich. — tetrandra W. Sp. — bonariensis L. C trichotoma Moench. — bracteosa Mich. C — erinoides W. En. A
 blattarioides Lam. chrysostalostemonSpr.B. condensatum Schrad. B. crassifolium Dec. decuspidatum Schrad. B. elongatum W. ferrugineum Ait. 	Verbena grandiflora Mich. — tetrandra W. Sp. — bonariensis L. C trichotoma Moench. — bracteosa Mich. C — erinoides W. En. A — caroliniana L. C
 blattarioides Lam. chrysostalostemonSpr.B. condensatum Schrad. B. crassifolium Dec. B. cuspidatum Schrad. B. elongatum W. B. ferrugineum Ait. B. floccosum Kit. 	Verbena grandiflora Mich. — tetrandra W. Sp. — bonariensis L. C trichotoma Moench. — bracteosa Mich. C — erinoides W. En. A — caroliniana L. C — hastata L. C
 blattarioides Lam. chrysostalostemonSpr.B. condensatum Schrad. B. crassifolium Dec. B. cuspidatum Schrad. B. elongatum W. B. ferrugineum Ait. B. floccosum Kit. B. glabrum W. En. 	Verbena grandiflora Mich. — tetrandra W. Sp. — bonariensis L. C trichotoma Moench. — bracteosa Mich. C — erinoides W. En. A — caroliniana L. C — hastata L. C — mexicana L. G
blattarioides Lam. B chrysostalostemonSpr.B condensatum Schrad. B crassifolium Dec. B cuspidatum Schrad. B elongatum W. B ferrugineum Ait. B floccosum Kit. B glabrum W. En, B Hornemanni Besser Cat.	Verbena grandiflora Mich. — tetrandra W. Sp. — bonariensis L. C trichotoma Moench. — bracteosa Mich. C — erinoides W. En. A — caroliniana L. C — hastata L. C — mexicana L. C — Friva mexicana Pers.
blattarioides Lam. B chrysostalostemonSpr.B condensatum Schrad. B crassifolium Dec. B cuspidatum Schrad. B elongatum W. B ferrugineum Ait. B floccosum Kit. B glabrum W. En. B Hornemanni Besser Cat. B	Verbena grandiflora Mich. — tetrandra W. Sp. — bonariensis L. C trichotoma Moench. — bracteosa Mich. C — erinoides W. En. A — caroliniana L. C — hastata L. C — mexicana L. G , Priva mexicana Pers. — nodiflora W. D
— blattarioides Lam. B — chrysostalostemonSpr. B — condensatum Schrad. B — crassifolium Dec. B — cuspidatum Schrad. B — elongatum W. B — ferrugineum Ait. B — floccosum Kit. B — glabrum W. En. B — Hornemanni Besser Cat. B ★ Lychnitis L. B	Verbena grandiflora Mich. — tetrandra W. Sp. — bonariensis L. C trichotoma Moench. — bracteosa Mich. C — erinoides W. En. A — caroliniana L. C — hastata L. C — mexicana L. C — Friva mexicana Pers. — nodiflora W. D Zapania nodiflora Pers.
blattarioides Lam. B chrysostalostemonSpr.B condensatum Schrad. B crassifolium Dec. B cuspidatum Schrad. B elongatum W. B ferrugineum Ait. B floccosum Kit. B glabrum W. En. B Hornemanni Besser Cat. B *	Verbena grandistora Mich. — tetrandra W. Sp. — bonariensis L. C trichotoma Moeneh. — bracteosa Mich. C — erinoides W. En. A — caroliniana L. C — hastata L. C — mexicana L. C , Priva mexicana Pers. — nodistora W. D Zapania nodistora Pers. Lippia nodistora Mich.
blattarioides Lam. B chrysostalostemonSpr.B condensatum Schrad. B crassifolium Dec. B cuspidatum Schrad. B clongatum W. B ferrugineum Ait. B floccosum Kit. B glabrum W. En. B Hornemanni Besser Cat. B Lychnitis L. B albo album Mill.	Verbena grandistora Mich. — tetrandra W. Sp. — bonariensis L. C. trichotoma Moench. — bracteosa Mich. C. — erinoides W. En. A. — caroliniana L. C. — hastata L. C. — mexicana L. C. — Priva mexicana Pers. — nodistora W. D. Zapania nodistora Pers. Lippia nodistora Gartn.
blattarioides Lam. B chrysostalostemonSpr.B condensatum Schrad. B crassifolium Dec. B cuspidatum Schrad. B clongatum W. B ferrugineum Ait. B floccosum Kit. B glabrum W. En. B Hornemanni Besser Cat. B *- Lychnitis L. B albo album Mill. macranthon Linck. B	Verbena grandistora Mich. — tetrandra W. Sp. — bonariensis L. C. trichotoma Moench. — bracteosa Mich. C. — erinoides W. En. A. — caroliniana L. C. — hastata L. C. — mexicana L. C. — priva mexicana Pers. — nodistora W. D. Zapania nodistora Pers. Lippia nodistora Gærtn. *— officinalis L. A.
blattarioides Lam. B chrysostalostemonSpr.B condensatum Schrad. B crassifolium Dec. B cuspidatum Schrad. B clongatum W. B ferrugineum Ait. B floccosum Kit. B glabrum W. En. B Hornemanni Besser Cat. B Lychnitis L. B albo album Mill.	Verbena grandistora Mich. — tetrandra W. Sp. — bonariensis L. C. trichotoma Moench. — bracteosa Mich. C. — erinoides W. En. A. — caroliniana L. C. — hastata L. C. — mexicana L. C. — Priva mexicana Pers. — nodistora W. D. Zapania nodistora Pers. Lippia nodistora Gartn.

Verbena rugosa W. En. C	Veronica arguta Schrad.
angustifolia Mich.	(C
— spuria L. C	— australis Schrad. C
- stricta Vent. C	austriaca L. C
rigens Mich.	multifida Schmith boh.
— triphylla W. D	- azurea Schott. C
Aloysia citriodora Pers.	*- Beccabunga L. C
- urticifolia L. C	- bellidioides L. C
Verbesina alata L. C	- caucasica M. B. C
- dichotoma W. A	*- Chamaedrys L. C
- gigantea Jacq. D	— complicata Hoffm. C
pinnatifida Swartz.	- crassifolia Kit. C
- nodiflora W. A	crenulata Vahl. C
Synedrella nodiflora Pers.	- crista-galli Steven A B
- serrata Cav. C	— Cymbalaria Bertol. C
Pernonia anthelmintica	cymbalariaefolia Vahl.
. w. A	- decussata Ait. A D
Conyza antheli tica	— dentata Schrad. C
L.	Teucrium Host.
- indica Vaill.	— B. angustifolia
- noveboracensis W. C	Vahl.
Serratula noveboracen-	- digitata Vahl. · C
• sis L.	succulenta Smith.
praealta W. C	chamaepithyoides Lam.
Serratula praealta L.	- elatior W. En.
Veronica acinifolia L. A	- exaltata Host. C
romana All.	— filiformis Smith. / A
* — agrestis L. A	- foliosa Kit. , C
- alpina L. C	brevifolia M. B.
integrifolia W.	maritima B. W.
rotundifolia Schranck.	nitide &. Ehrh.
saxatilis Poiret.	spuria 7. Spreng,
pygmaea Salisb.	— fruticosa L.
- amethystina W. En. C	- gentianoides Vahl. C
*— Anagallis L. C	Buxbaumiana Pall.
- aphylla L. C	_ glabra Ehrh. C
subacaulis Lam.	— grossa Martius. C
grandiflora Gaertn.	*_ hederifolia L. \ A
*_ arvensis L. A	*— hybrida L. C
romana Smith.	- Jacquini Schott . C
acinifolia W. prodr.	multîfiidaAit.(excl Syn)
- · · · · · · · · · · · · · · · · · · ·	

Veronica:		Veronica:	
austriaca W. et Schri	ad.	pallescens Gatereau.	
- incana Vahl.	C	- persicifolia Schott.	C
- incisa Ait.	C	- pinnata W. En.	C
- laciniata Ait.	C	- polymorpha W. En	. C
≯ — latifolia L.	C	- Ponae Gouan.	C
Teucrium Poll.		sempervirens Lam.	
pseudo Chamaedrys Ja	oq.	pumila All.	
fl. aust.	_	*_ praecox All.	A
*_ longifolia L.	C	acinifolia Schleich.	
maritima Smith.		ocymifolia Thuill.	
ciliaris Hoffm.		segetalis Pers. in I	Ust.
<i>spuria</i> Schkuhr.	•	annal.	
— maritima L.	Ċ	*— prostrata L.	·C
— media Schrad.	C	- pulchella Bernh.	
longifolia Roth.		- ruthenica H. Vind	lob.
_ melissaefolia Poiret.			C
crantha Hoffm.	C	— saxatilis Schrad.	\mathbf{D}
Ecrium Brotero.	_	fruticulosa Smith.	_
_ mollis Zea.	C	- Schmidtii Sch. et R.	
* montana L.	Ç	paniculata W. (e	xcl
— monstrosa Hortul.	C	Syn. Poll.)	
cristata Bernh.		dentata Schmidt. h	ob.,
longifolia? monstro		*_ scutellata L.	Ç
- multifida M. B.	Č	*— serpillifolia L.	A
→ officinalis L.	C	- sibirica Vahl.	C
Tournefortii Schmid	t	- spuria Vahl.	C
_ orchidea Cranz.	C	*_ spicata L.	C
cristata Bernh.		* fl. incarna	~
hybrida M. B.	_	- Teucrium L.	Ċ
_ orientalis Ait.	C	*- triphyllos L.	٨
heterophylla Salish		digitata Lam.	•
austriaca & L.		- urticaefolia Jaoq.	C
taurica W.	_	latifolia Lam.	
- pallida Horn.	Č	galeopsifolia Gilib.	
- paniculata Pall.	Ç	*— verna L.	A
- peregrina Schrad.	A	Bellardi All.	•
romana L.		succulenta Smith.	
caroliniana Walth.		polygonoides Lam.	
carnosula Lam		pinnatifida Lam,	
marylandica Murr.		- virginica L.	C

Veronica villosa Vahl. C	Vicia bacla Moench. A
- Waldsteiniana Schott C	- hicolor W En sunn
Vestia lycioides w. En. D	A
Periphragmos foetidus	- benghalensis L.
Ruitz.	- biennis L.
Viburnum acerifolium L.	- bithynica L. A
D	- boetica Schoush. A
- cassinoides Ait. D	*— cassubica L. C
glaberrimum Mich.	multiflora Poll,
- chinense Spec. nova D	Gerardi Jacq.
— dentatum L. D.	- cordata Wulf.
- a. lucidum Ait,	*— Cracca L. C
- \(\mathcal{\beta} \). pnbescens	— dumetorum L . C
Ait.	*- Ervilia W.
- laevigatum Ait. D	Ervum Ervilia L.
cassinoides Du Roi.	- Faba L .
Lantana L. D.	- ferruginea Besse Cat.
- a. curopaeumAit.	- A
- β. grandiflorum Ait.	- globosa W.
2. fol. variegatis	- grandiflora Scop.
	luganensis Schleicher.
- nudum Ait.	- hirta Balb.
*— Opulus L. D	*- lathyroides Poll. A
- europaeum Ait.	Ervum soloniense L.
\(\beta \). americanum Ait,	*— lutea L. A
2. roseum Ait.	- leucosperma M. B. A
- prunifolium L. D.	— megalosperma M. B. A — Michauxii Spr. A
Lentago Moench.	
- punicifolium H. Par. D	- monadelpha Roth. A serratifolia Jacq.
- pyrifolium H. Par. D	monardl Di -
— Tinus L . D	calcarata Desf.
d. hirtum Ait.	— narbonensis L. A
$ \beta$. lucidum Ait.	- nissoliana L. A
- 2. strictum Ait.	
- 2. strictum Ait.	- oroboides Wulf. C
"Vicia angustifolia Roth.	— pannonica L.
A	— peregrina L.
sativa \(\beta \) nigra \(L. \)	- pisiformis Jacq., C
- amphicarpa Dorth. B	- platycarpos Roth
articulata Hornem. A	- polyphylla Desf. C

Vicia sativa L.	À	Viola lancifolia B Ruppii
*— sepium L.	С	All.
- sordida Kit.	A	— mirabilis L. C
_ striata M. B.	A	*— montana L . C
- sylvatica L.	C	*- # persicifolia
*_ tenuifolia Roth.	C	Hoffm.
- villosa Roth.	Ā	- obliqua Ait. C
	Ĉ	*— odorata Ait. C
Vinca herbacea Kit.		
- major L.	D	— a. italica
*_ minor L.	\mathbf{D}	— — β . fl. albo
fol. variegat	tis	2. A. pleno
rosea L.	\mathbf{D}	— palmata L. C
fl. albo, fa	uce	*— palustris L. C
rubro.		- pinnata L. C
fauce	lu-	- pinnata L. C - Rothomagensis W. En.
teo.		C
Viola arborescens L.	D	_
subcrosa Desf.	يعد	hispida Lam. — sagittata Ait. C
*— arvensis Murr.	À	= sagittata Ait. C
	A	tricolor W-
tricolor L.	_	— β. suaveolens
arenaria Dec.	. C	- uliginosa Schrad. C
rupestris Balb.		- Valderia W. En. C
Allioni Pio.		- verticillata W. En. C
numulariaefoliaSchle	ich	'Jonia uerticillata Pers.
	3 C	Jonidium polygalaefo-
— biflora L.	C	liuni Vent.
— calcarata L.	Č	Solea verticillata Spr.
- canadensis L.		Zamii Iaaa
*— canina L.	Ğ.	— Zoysii Jacq. C
	. C	catcarata g. Dec.
- cenisia L.	Č	Virgilia lutea H. Cels. D
- cornuta W.	C-	Visnea Mocanera L. D
- chrysantha Schrad.	C	Vitex Agnus castus L. D
— cucullata Ait.	\mathbf{C}	incisa Lam. D
— glauca M. B.	G .	- trifolia L D
— grandiflora L.	C	bicolor W. En.
lutea Dec.		integerrime Mill. dict.
*_ hirta L.	G-	- ovata W. D
- lutea Smith.	č	Vitis arborea L. D
grandiflora Huds.	•	- hederacea W. D
Lactea Smith.	C	Tradena evinencia
- Indica Builtin.	€.	Hedera quinquefolia L.
lancifolia Det.	1	Cissus hederaceh Pers.
\ 6 · U		\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

Vitis: Cissus quinquefolia Desf. Labrusca L. D. laciniosa L. D. *— vinifera L. D. vulpina L. D.	Volkameria aculeata L.D. — buxifolia W. En. D. — inermis L. D. — ligustrina Jacq. D. — \$\beta\$, longifolia
V	V
Wachendorfia hirsuta Thunb, C Thunb, C Thunb, C Waldsteinia geoides Kit, C Waltheria americana L, D arborescens Cav, fruticosa Brown, indica Jacq, Wedelia minor Dec, A Alcina ovalifoliaLagasc, ovatifulia W, En, suppl, an Wed, minor? perfoliata W, A Alcina perfoliata Cav, Wendlandia populifolia W, D	Wendlandia: Androphylax scande Wendl. Westringia rosmarinifor mis Smith, D rosmarinifolia Hortul. Cunila fruticosa W. Witsenia corymbos. Ait Woodwardia radicans Swartz. Blechnum radicans L. Wulfenia carinthiaca Jacq Paederota Wulfenia Lam.
X	.
Xanthium orientale L. A *— Strumarium L. A — spinosum L. A Xenopomaobovata.auctore ignoto. D Xeranthemum annuum L. A — argenteum — Thunb.	Xeranthemum inapertum L. I. — sesamoides Bot. Mag. I Elichrysum sesamoide Ait. — virgatum W. I Helichrysum virgatum Pers. Ximenesia encelioides Cav
~ Y	
Fucca aloifolia L. D — draconis L. D	Yucca filamentosa L. I

Z.

Zacintha verrucosa W. A	Ziziphora dasyantha M. B.
Lapsana Zacintha L.	D
Zamia integrifolia Jacq. D	Puschkini Adam.
Zanthambiza aniifalia Ait	— hispanica Vahl. A
Zanthorrhiza apiifolia Ait.	
) D	- serpillacea M. B. D
Xanthorrhiza apiifolia	Mussini Adam.
Dietr. Lex.	_ spicata Lagasc. A
Zanthoxylum fraxineumW.	— tenuior L. A
D D	Zizyphus Lotus W. D
ramiflorum Mich.	Rhamnus Lotus L
Zea Mays L. A	_ Paliurus W. D
- a. aegyptiaca	Rhamnus Paliurus L.
2. altinoima	Paliurus aculeatus Lam.
\beta. altissima	
Zinnia elegans Jacq. A	— sinensis W. D
violacea Cav.	Rhaminus sinensis Pers.
_ multiflora L. A	— volubilis W. D
— pauciflora L. A	Rhamnus volubilis L.
- tenuiflora W. A	- vulgaris W. D
revoluta Cav.	Rhamuus Zizyphus L.
_ verticillata W. A	Zygophyllum Fabago L.
	= ygophyman I abago 11.
hybrida Hortul.	footidum III
Ziziphora capitata L. A	— foetidum W. D
- clinopodioidesRudolph.	retrofractum Thunb.
A	— Morgsana L. D
acinoides Amman.	- sessilifolium L. D

Nachtrag.

cacia armata Brown. D	Arabis stenopetala Bernh
elata Brown. D	0
glandnlosa W. D	Aristolochia acuminata W:
Mimosa glandulosa Vent.	D
suaveolens D	→ indica W. D.
imosa obliqua Jacq.	Artemisia caucasica W. C
- angustifoliaJacq.H.	- subcanescens W. C
vera D	Assonia populnea Cav. D
Acer austriacum Hort.	Aspalathus ciliaris w. D
Vindob. D	Asperula glauca Besser. C
- recurvatum Bernh. D	Asplenium dentrix nov.
Achillea mongolica Fischer	spec. C
C	Aster prenanthoides W. C
Achyranthes muricata L. D.	Astragalus daguricus W. C
alternifolia L. M.	Oxytropis prostrata
Aconitum intermediumDec	Pers.
C	- gracilis Bernh. C
neomontanum W.	- melilotoides Pall. C
_ ochroleucum W. C	— onobrychis L. & tatari-
— pyramidale Mill. dict. C	cus C
Adenantherapayonina Jacq	Athamanta rigida Bernh.
Coll. D	\boldsymbol{c}
Aira media Gouan. C	Athropodium paniculatum
Deschampsia media Sch.	Brown. C
et Röm.	Anthericum paniculatum
Allium sibiricum Pall. C	Andr.
- triquetrum Desf. C	— milleflorum Redouté
- violaceum W . C	Avena argentea W. C
Anemone ochotensis Fisch.	distichophylla Schrad.
\overline{c}	Trisetum argenteum
Androsace filiformisRetz. A	Schult. et Rom.
Anona: nov. Spec. ex Bra-	- pubescens Schrad. C
silia. D	sesquitertia Linn. Mant.
Anthyllis pilosa Pers. C	pratensis Gouan.
Aquilicia sambucina Cev.D.	Trisctum pubescens Sch.
Leca sambueina W.	et Röm,

	Cynoglossum clandestinum
Avena:	Horn. B
Trisetum sesquitertium	flavum Rudolphi.
Pal. de Beauv.	officinale Brot.
В.	Cystopteris bulbifera
Banisteria: spec. nov. D	Bernh.
Ridens heterophylla W. D	D.
Bignonia aequinoculaiis w.	Delphinium hybridumStep
, <u> </u>	Deiphinium ny bi kiamo
_ grandiflora W. D	rian Fisch
Blechnum: spec. nov. et	_ spurium Fisch.
Brasilia C	Desmanthus natans W
Botryceras laurinum Wild.	Mimosa natans Roxis
Nat. Ges. D	Neptunia oleracea Loui.
Amyris nova species hort	Dianthus Mussini Spr. C
Cels.	suaveolens Spr. U
Buddleja spec. nova D	Dodonaeajamaicensis spec.
Buttateja speci	nov.
Cactus fasciculatus Lam. D	— spec. nov. D
Cacius lasciculatus W. D	Dombeya acerifolia Hori.
prismaticus W. D	Cels.
Campanula excisa Schlei-	Drymia lanceolata spec.
CHO	nov.
Cassia alata VV.	E.
herpetica Jacq.	Echites torulosa W.? D
nensurina vv	Eryngium humile Cav. C
Casuarina nodiflora W. D	rostratum Cav.
Centaurca altaica Fisch.	F.
cruenta W.	Fagara capensis Pers. I
Chaptalia tomentosa Vent	
H. Cels.	Ficus aggregata Pers. I
Tussilago integrifolia	Ficus aggregatu 2
Mich.	punctata Lam.
Perdicium semifloscular	microcarpa Vahl.
Walt.	aquatica W.
Chrysophyllum glabrum W	. denticulata W.
_	heterophylla Linn. supp
Cineraria sibirica L.	C Fumaria fabacea Retz.
\beta. bohemica	G.
Columnea hirsuta W.	O Galaxia ovata Jacq.
- spec. nov.	D Galium erectum Smith.
Crataegus glabra W.	D Gardenia campanulata
Crinum strictum Bernh.	
m. 5. 200114 D. all . a	- 1

Geum hirsutam Mühlenb. C	Ixia:
- heterophyllum H. Pab-	Tritonia miniata Ker.
lofsky C	- polystachya Jacq. C
Gladiolus roseus W. C	- quadrangula Laroche.
O 111 O 10 	- quadrangula Euroche.
Tritonia rosea Ait.	L.
capensis Ker.	
anaphalium concinnum W.	Limodorum fragrans Bot.
D	Rep. C
ngestum Lam. D	Loddigesia oxalidifolia Ait.
lasyanthum W. D	D
expium indicum Lam. D	Lobelia cuneiformis Brown.
indelia sibirica Spr. C	$m{c}$
Н.	— urens L. C
Hakea florida Brown. D	Luzula Hostii Desf. C
Hebenstreitia cordata Spr.	Lycopodium alpinum L. C
Î.D.	*_ complanatum L. C
Hedysarum bupleurifolium	- dendroideum W. C
W. D	- selaginoides W. C
_ incanum W. D	*— selago L. C
_ latifolium Hortul. D	Lythrum alatum Rursh. C
- styracifolium L. D	M.
- Stylucitoticus -	Malpighia volubilisSims. D
- Grquou um -	Mathigua Volumnissimore
Hibiscus macrophyllus Spec. nov. D	Melaleuca tomentosa Hort.
	ang
Hypericum elegans W. C	Montha balsamicaWild.En.
Hypoxis sobolifera Jacq. C	C
f.	Mesembryanthemum capi-
Ildenfonsia: spec. nov. et	tatum Haw. D
Brasilia D	_ cornutum L. D
Ipomea pubescens Bernh.D	— elegans Jacq.
Iris biglumis Vahl. C	— flexuosum Jacq. D
*Isoetis lacustris W. C	- geminatum Haw. D
Iusticia periplocifolia Jacq.	- multiflorum Haw. D
Ď	- reflexum Haw. D
- plumbaginifoliaJacp.fil.	— repens L. D
D.	- sinuosum Haw. D
- tetragona spec. nov. D	Mimosa adenanthera spec.
Ixia leucantha Jacq. C	nov. D
candida Redouté.	— nilotica L. D
_ maculata L. C	Myoporum ellipticum
_ miniata Jacq. C	
- miniata sacy.	Brown. D

O.	Saxifraga controversa
Oreosclinum nigrumHoffim.	Sternb. (— planifolia Lapeyr. (
C	sedoides L.
OrnithogalumaureumCurt.	muscoides All.
Ornithrophe asiatica spec.	_ stenopetala Dec.
nov. D	Sedum nudum Ait.
Oxalis lupulinifolia Jacq.	Senecio delphinifolius Des
- speciosa Jacq.	- rosmarinifolius Thur
P.	Silene gypsophiloides De
Perilla marathrosma Spr.	And the second second
	Sisyrinchium californicum
Peucedanum serotinum	Marica californica Ker
Pers. C Phalaris tuberosa Link. C	Solanum stellatum Ait. I
Phyllanthus virosus Roxb.	- subarmatum W.
\mathbf{D}_{\cdot}	Sparaxis grandiflora Ker.
Physalis aristata Ait. D	Ixia aristata W.
Plantago humifusa Bernh.	— holosericea Jacq.
Poa procumbens Curt. C	_ grandiflora Redout
Prunella hastaefolia Brot.	Spaerolobium vimineum Brown. I
\boldsymbol{c}	Stachys iberica M. B.
R. Rhamnus micranthus Spec.	_ polystachya Tenore.
nov. D	Stapelia aristata Jacq. (
- tinctorius Kit. D	_ lobata Jacq.
Rhizophora Mangle. L. D	T.,
Rosa ambigua Waiz. D	Tanacetum sibiricum Gmel
suavis W.virginica W.	Sib.
S S	ThalictrumtrigynumFisch
Salvia dominica Vahl. 6	Thymus humifusus Bernh
- lanceolata Brouss. D	Inginas named a
Saxifraga aquatica Lapeyr.	Tritonia rosea Ker.
adscendens W.	v.
pctrage Gouen.	Villarsia ovata


W. Z.

Wotsonia stricte Ker. C Zieria Smithii Andr. C
X. trifoliata Hort. Cels.

Zierotes montana Brown. Zingiler xanthorrhizon

Roxb. C





X



